

Lisa

The Apple Dot Matrix Printer



The Apple Dot Matrix Printer gives you professional-quality printouts easily and efficiently. Its high-resolution dot matrix output is unmatched, making it the right printer for reproducing anything — graphics or text — created with Lisa.™

Like no other printer in its class, the Apple Dot Matrix Printer brings Lisa's revolutionary graphics technology to the printed page.

With the precision of printers costing much more, the Apple Dot Matrix Printer puts Lisa's revolutionary graphics mouse technology at your fingertips.

Unparalleled, high-resolution print quality.

- The printer reproduces anything created on Lisa—high-resolution graphics and eleven different typestyles and sizes, including large presentation sizes.
- Each typestyle can be printed in regular, bold, italic, underlined, shadow, and hollow—in any combination.

- Printing can be done in either horizontal ("landscape") or vertical ("portrait") formats.

Choose from high-resolution, normal, and high-speed draft printouts.

- High resolution (160 x 144 dots per inch) provides fine detail for both graphics and text.
- Normal resolution (96 x 72 dots per inch) is ideal for memos, notes, and graphics.

Apple's high-resolution **Dot Matrix Printer** can reproduce Lisa's text and graphics with the precision of printers costing much more.



Paper The Dot Matrix Printer takes single-sheet and fan-fold paper.

Ribbon The drop-in cartridge makes changing ribbons neat and easy.


Printouts High-quality printouts reproduce any graphics and text created on Lisa.

Controls All printer controls are on the front panel. The SEL control enables you to stop the printer from printing; use L.F. to advance one line, and T.O.F. to advance to the top of the page.

Cable To connect the printer, just plug one cable into the back of Lisa.

Typestyles The printer produces eleven different typestyles in any combination of typefaces.

Speed Printing is bidirectional, at the speed of up to 120 characters per second.



The Apple Dot Matrix Printer

Specifications

**Printing method:**

- 9-wire impact printhead (user-replaceable).
- Logic-seeking, bidirectional printing.

Print speed:

- In draft mode:
 - 120 characters per second.
 - 70 lines per minute.

Print modes:

- High Resolution
 - 160 × 144 dots per in. (6.2 × 5.6 dots per mm).
- Normal
 - 96 × 72 dots per in. (3.7 × 2.8 dots per mm).
- Draft

Typestyles available:

- Courier 10 pitch.
- Prestige Elite 12 pitch.
- Gothic 15 pitch.
- Executive proportional space.
- Modern proportional space.
- Modern 10 pitch.
- Modern 12 pitch.
- Modern ¼ in.
- Modern ⅓ in.
- Classic ¼ in.
- Classic ⅓ in.

Typefaces available:

- Regular.
- Bold.
- Italic.
- Shadow.
- Hollow.
- Underlined.

Line spacing:

- Minimum: 1/144 in.
- Maximum: 99/144 in.
- Any value in between, including:
 - 1/6 in. (24/144 in.).
 - 1/8 in. (18/144 in.).

Controls:

- Printer Select/Deselect.
- Top-of-form feed.
- "Paper out" indicator.

Paper accommodated:

- Single sheets, rolls, fan-fold, or forms.
- Up to 10 in. wide.
- Up to 1/16 in. thick.

Number of copies:

- Original plus three copies.

Paper feed method:

- Friction or sprocket/pin feed.
- Loaded from rear top.

Ribbon:

- Black fabric (inked).

Driving method:

- Stepper motor.

Weight and dimensions:

- Weight: 18.7 lb. (8.5 kg).
- Width: 15½ in. (39.8 cm).
- Depth: 11 in. (28.5 cm).
- Height: 4¾ in. (12.5 cm).

Power requirements:

- 115 V + 10% at 60 Hz.
- 100 V + 10% at 50/60 Hz.
- 220 V + 10% at 50 Hz.
- 240 V + 10% at 50 Hz.

Power consumption:

- Operating: 180 W maximum.
- Standby: 16 W.

Environmental requirements:

- Operating:
 - Ambient temperature: 41°–104°F (5°–40°C).
 - Relative humidity: 10–85%, noncondensing.
- Storage:
 - Ambient temperature: –77° to +140°F (–25° to +60° C).
 - Relative humidity: 0–90%, noncondensing.

Apple/U.S.

Apple Computer, Inc.
20525 Mariani Avenue
Cupertino, California 95014
(408) 996-1010
TLX 171-576

Apple/U.K.

Apple Computer (U.K.) Ltd.
Eastman Way
Hemel Hempstead
Herts HP2 7HQ
England
011-44-442-60244
TLX 851-825834

Apple/Europe

Apple Computer International
5/7 rue de Chartres
92200 Neuilly-sur-Seine
France
011-33-1-624-21-13
TLX 842-630296

Apple/Canada

Apple Canada
875 Don Mills Road
Don Mills
Ontario, Canada M3C 1V9
(416) 444-2531
800-268-7637
TLX 06-986561