









LORAL 3100T

COMPAQ PORTABLE 285

LORAL 3100T COMPAQ PORTABLE 286™ Specifications

Processor
 □ 16-bit 80286; 6 or 8 MHz clock speed (program or keyboard selectable) □ 80287 coprocessor socket (for future accredited configurations) □ Real-time clock
Software
\square Fully compatible with all major software applications written for the IBM Personal Computer-AT
Expansion Slots 2 available slots (for future accredited configurations)
Memory □ 640-K bytes RAM
Storage Devices
 □ 1.2-Megabyte diskette drive □ 20-Megabyte removable fixed disk drive □ Fixed disk drive back-up (10 Megabytes per tape)
Interfaces
\square RGB color monitor, parallel printer, and asynchronous communication interfaces
Keyboard ☐ Standard IBM PC-AT layout (84-key) ☐ LED indicators on Caps lock, Num Lock, and Scroll Lock keys ☐ Adjustable key click
Display ☐ 9-inch diagonal green monochrome dual-mode monitor ☐ High-resolution text characters (720 × 350) ☐ High-resolution graphics (640 × 200)
Security
☐ Locks in operating and non-operating mode to prevent unauthorized keyboard access ☐ Removable fixed disk drive locks in place
Physical Specifications $\square \ 20''W \times 8.5''H \times 16''D$
Power Supply ☐ 150 watts steady state ☐ 200 watts peak load ☐ 110/220V AC, 50/60 Hz (OFFICE ENVIRONMENT) ☐ Voltage Selection Switch
Options
☐ MS-DOS*/BASIC Version 3 reference guides and diskette ☐ 20-Megabyte removable fixed disk drive with protective case ☐ Nylon carrying case

Designed to meet NACSIM 5100 A



The LORAL 3100T COMPAQ PORTABLE 286 is an advanced portable personal computer compatible with the high-performance 80286 industry standard and designed to meet the requirements for Tempest equipment. It includes a removable 20M-byte fixed disk drive so that all stored data can be removed to a physically secure location.

#

For further editorial information, contact:

Jeff Stives COMPAQ Computer Corporation (713) 370-0670

Rich Moore Miller Communications (617) 536-0470