PART 6

THE DOS/BATCH ASSEMBLER MACRO

PART 6

CHAPTER 1

INTRODUCTION TO THE MACRO ASSEMBLER

This chapter presents a brief overview of some fundamental software concepts essential to efficient assembly language programming of the PDP-11 family of computers. A description of the hardware components of the PDP-11 family can be found in two DEC paperback handbooks.

PDP-11 Processor Handbook
PDP-11 Peripherals and Interfacing Handbook

The user is also advised to obtain a PDP-11 Pocket Instruction List card for easy reference. (These items can be obtained from the Software Distribution Center.)

Some notable features of MACRO are:

- 1. Program and command string control of assembly functions.
- 2. Device and filename specifications for input and output files.
- 3. Error listing on command output device.
- 4. Alphabetized, formatted symbol table listing.
- 5. Relocatable object modules.
- 6. Global symbols for linking between object modules.
- 7. Conditional assembly directives.
- 8. Program sectioning directives.
- 9. User-defined macros.
- 10. Comprehensive set of system macros.
- 11. Extensive listing control.

No attempt is made in this document to describe the PDP-11 hardware or the function of the various PDP-11 instructions. The reader is advised to become familiar with this material before proceeding.

Assembly language programming deals directly with the host hardware. Therefore great care must be taken in specifying programming standards and conventions, if code written by different groups is to be easily interchanged. When a set of standards guides the entire programming process, the total programming effort becomes easier to plan, comprehend, test, modify, and convert.

The output of a MACRO assembly is a relocatable object module. LINK can bind one or more modules together and create an executable task.

Once built, a program can generally be loaded and executed only at the address specified at LINK time. This is because LINK has had to make adjustments in some codes to reflect the memory locations in which the program is to run.

It is possible to write a source program that can be loaded and run in any section of memory. Such a program consists of position-independent code. The construction of position-independent code is dependent upon the proper usage of PDP-11 addressing modes. (Addressing modes are described in detail in the Processor Handbook.) See Chapter 6-10 for an explanation on how to write position-independent code.

PART 6

CHAPTER 2

SOURCE PROGRAM FORMAT

A source program is composed of a sequence of source lines, where each line contains a single assembly language statement.

An assembly language line can contain up to 132 characters. Beyond this limit an I/O error is generated.

2.1 STATEMENT FORMAT

A statement can contain up to four fields, which are identified by order of appearance and delimited by certain terminating characters. The general format of a MACRO assembly language statement follows.

[label:] [operator] [operand] [;comments]

The label and comment fields are optional. The operator and operand fields are interdependent; either may be omitted depending upon the contents of the other. However, blank lines are legal.

Some statements have one operand, for example,

CLR RØ

while others have two.

MOV #344,R2

An assembly language statement must be complete on one source line. No continuation lines are allowed.

MACRO source statements may use the TAB character to align the statement fields according to this standard format:

label - column l

operator - column 9

operand(s) - column 17

comments - column 33

For example:

1 9 17 33 REGTST: BIT #MASK, VALUE ;3 BITS?

2.1.1 Label Field

A label is a user-defined symbol to which the assembler assigns the value of the current location counter and enters it into the user-defined symbol table. The value of the label may be either absolute or relocatable, depending on whether the location counter value is currently absolute or relocatable. (In the latter case, LINK assigns the absolute value of the symbol by adding the stated relocatable value to the relocation bias calculated by LINK.)

A label is a means of symbolically referring to a specific location within a program. If present, a label always occurs first in a statement and must be terminated by a colon. For example, if the current location is absolute 100 (octal), the assembler processes the statement

ABCD: MOV A,B

and assigns the value 100(octal) to the label ABCD. Subsequent references to ABCD reference location 100(octal). In this example if the location counter were relocatable, the assigned value of ABCD would be 100(octal)+K, where K is the location of the beginning of the relocatable section in which the label ABCD appears.

A double colon defines the label as a global symbol that is accessible to independently assembled modules; the statement

ABCD:: MOV A,E

establishes ABCD as a global symbol.

More than one label may appear within a single label field; each label within the field references the same location. For example, if the current location counter is 100 (octal), the multiple labels in the statement

ABC: \$DD: A7.7: MOV A,B

causes each of the three labels ABC, \$DD, and A7.7 to be assigned the value 100 (octal).

The legal label characters are

A - Z

ø - 9

ċ

(By convention, \$ and . characters are reserved for use in system software symbols.)

The first six characters of a label are significant. An error message is generated if two or more labels share the same first six characters.

A symbol used as a label may not be redefined within the user program. An attempt to redefine a label results in an error flag (M) in the assembly listing.

2.1.2 Operator Field

An operator field follows the label field in a statement, and may contain a macro call, an instruction mnemonic, or an assembler directive. The operator may be preceded by none, one or more labels and may be followed by none, one or more operands and/or a comment. Leading and trailing spaces and tab characters are ignored.

When the operator is a macro call, the assembler inserts the appropriate code to expand the macro. When the operator is an instruction mnemonic, it specifies the instruction to be generated and the action to be performed on any operand(s) that follow. When the operator is an assembler directive, it specifies a certain function or action to be performed during assembly.

An operator is legally terminated by a space, tab, or any nonalphanumeric character.

Consider the following examples.

MOV A,B ;space terminates the operator MOV MOV@A,B ;@ terminates the operator MOV

A blank operator field is interpreted as a .WORD assembler directive (see Section 6-5.3.2).

2.1.3 Operand Field

An operand is that part of a statement that is manipulated by the operator. Operands may be expressions, numbers, symbolic names, or macro arguments (within the context of the operation). When multiple operands appear within a statement, each is separated from the next by one of the following characters: comma, tab, space, or paired angle brackets around one or more operands (see Section 6-3.1.1). An operand may be preceded by an operator, label, or other operand and followed by another operand or a comment.

The operand field is terminated by a semicolon when followed by a comment, or by a statement terminator when the operand completes the statement. For example:

LABEL: MOV A,B ;COMMENT

The tab between MOV and A terminates the operator field and begins the operand field; a comma separates the operands A and B; a semicolon terminates the operand field and begins the comment field.

2.1.4 Comment Field

The comment field is optional and may contain any ASCII characters except null, rubout, carriage return, line feed, vertical tab or form feed. All other characters, even special characters with a defined use, are ignored by the assembler when appearing in the comment field.

The comment field may be preceded by any or none of the other three field types. Comments must begin with the semicolon character.

Comments do not affect assembly processing or program execution, but are useful in source listings for later analysis, debugging, or documentation purposes.

2.2 FORMAT CONTROL

Horizontal or line formatting of the source program is controlled by the space and tab characters. These characters have no effect on the assembly process unless they are embedded within a symbol, number, or ASCII text; or unless they are used as the operator field terminator. Thus, these characters can be used to provide an orderly source program.

LABEL: MOV (SP)+, TAG ; POP VALUE OFF STACK

(See Section 6-5.1.2 for a description of page formatting with respect to macros, and Section 6-5.1.1 for a description of assembly listing output.)

PART 6

CHAPTER 3

SYMBOLS AND EXPRESSIONS

This chapter describes the various components of legal MACRO expressions, the assembler character set, symbol construction, numbers, operators, terms, and expressions.

3.1 CHARACTER SET

The following characters are legal in MACRO source programs:

- 1. The letters A through Z. Both upper and lower case letters are acceptable; although, upon input, lower case letters are converted to upper case letters. Lower case letters can only be output by sending their ASCII values to the output device. This conversion is not true for .ASCII, .ASCIZ, ' (single quote) or " (double quote) statements if .ENABL LC is in effect.
- 2. The digits Ø through 9.
- The characters . (period or dot) and \$ (dollar sign), are reserved for use in system program symbols.
- 4. The special characters in Table 6-1.

Table 6-1 MACRO Special Characters

Character	Designation	Function
::	double colon double equal sign	Either the double colon or double equal sign may be used to define a symbol as a global symbol (refer to Section 6-3.5).
:	colon	label terminator
=	equal sign	direct assignment indicator
8	percent sign	register term indicator
	tab	item or field terminator
	space	item or field terminator
#	number sign	immediate expression indicator
@	at sign	deferred addressing indicator
(left parenthesis	initial register indicator
)	right parenthesis	terminal register indicator
,	comma	operand field separator

(continued on next page)

Table 6-1 (Cont.)
MACRO Special Characters

Character	Designation	Function
;	semicolon	comment field indicator
<	left angle bracket	initial argument or expression indicator
>	right angle bracket	terminal argument or expression indicator
+	plus sign	arithmetic addition operator or auto- increment indicator
-	minus sign	arithmetic subtraction operator or auto- decrement indicator
* ,	asterisk	arithmetic multiplication operator
/	slash	arithmetic division operator
&	ampersand	logical AND operator
1	exclamation	logical inclusive OR operator
	double quote	double ASCII character indicator
•	single quote	single ASCII character indicator
<u>^</u>	up arrow or circumflex	universal unary operator, argument indicator
\	backslash	macro numeric argument indicator

3.1.1 Separating and Delimiting Characters

Reference is made in the remainder of the manual to legal separating characters and legal argument delimiters. These terms are defined in Tables 6-2 and 6-3.

Table 6-2 Legal Separating Characters

Character	Definition	Usage
space	one or more spaces and/or tabs	A space is a legal separator only for argument operands. Spaces within expressions are ignored (see Section 6-3.3).
	comma	A comma is a legal separator for both expressions and arguments.

Table 6-3
Legal Delimiting Characters

Character	Definition	Usage
<>	paired angle brackets	Paired angle brackets are used to enclose an argument, particularly when that argument contains separating characters. Paired angle brackets may be used anywhere in a program to enclose an expression for treatment as a term.
†//	up arrow construction where the up arrow character is followed by an argument bracketed by any paired printing characters	This construction is equivalent in function to the paired angle brackets and is generally used only where the argument contains angle brackets.

Where argument delimiting characters are used, they must bracket the first (and, optionally, any following) argument(s). The character < and the characters $\uparrow x$, where x is any printing character, can be considered unary operators that cannot be immediately preceded by another argument. For example

.MACRO TEM <AB>C

indicates a macro definition with two arguments, while

.MACRO TEL C<AB>

has only one argument. The closing character (or matching character where the up arrow construction is used) acts as a separator. The opening argument delimiter does not act as an argument separator.

Angle brackets can be nested as follows:

D, <A C>

which reduces to:

D,AC

and which is considered to be two arguments in both forms.

3.1.2 Illegal Characters

A character can be illegal in one of two ways:

 A character that is not recognized as an element of the MACRO character set is always an illegal character and causes immediate termination of the current line at that point and an error flag (I) in the assembly listing. For example in the statement

LABEL ←*A: MOV A,B

the backarrow is not a recognized character. The entire line is treated as

.WORD LABEL

and is flagged in the listing.

 A legal MACRO character may be illegal in context. Such a character generates a Q error on the assembly listing.

3.1.3 Operators

Table 6-4 shows legal unary operators under MACRO.

Table 6-4 MACRO Unary Operators

Unary Operator	Explanation
+	plus sign, positive value
-	minus sign, negative 2's complement value
↑	up arrow, universal unary operator

The unary operators described in Table 6-4 can be used adjacent to each other in a term.

Table 6-5 shows legal binary operators under MACRO.

Table 6-5
MACRO Binary Operators

Binary Operator	Explanation
+ .	addition
-	subtraction
*	multiplication
/	division
&	logical AND
1	logical inclusive OR

All binary operators have the same priority. Items can be grouped for evaluation within an expression by enclosure in angle brackets. Terms in angle brackets are evaluated first, and remaining operations are performed left to right. See the following examples.

.WORD	1+2*3	;IS	11 OCTAL
.WORD	1+<2*3>	;IS	7 OCTAL

3.2 TERMS

A term is a component of an expression. A term may be one of the following.

- 1. A number, as defined in Section 6-3.9.
- 2. A symbol, as defined in Section 6-3.4.
- 3. An ASCII conversion as defined in Section 6-5.3.3.
- 4. An expression or term enclosed in angle brackets. Any quantity enclosed in angle brackets is evaluated before the remainder of the expression in which it is found. Angle brackets are used to alter the left-to-right evaluation of expressions (to differentiate between A*B+C and A*<B+C>) or to apply a unary operator to an entire expression (-<A+B>, for example).

3.3 EXPRESSIONS

Expressions are combinations of terms and operators that reduce to a 16-bit value. The evaluation of an expression includes the evaluation of the mode of the resultant expression; that is, absolute, relocatable or external.

Expressions are evaluated left to right with no operator hierarchy rules except that unary operators take precedence over binary operators. A term preceded by a unary operator can be considered as containing that unary operator. (Terms are evaluated, where necessary, before their use in expressions.) Multiple unary operators are valid and are treated as follows:

is equivalent to

-<+<-A>>>

A missing term, expression, or external symbol is interpreted as a zero. A missing operator terminates the expression analysis. A Q error flag is generated for each missing term or operator. For example:

TAG!LA 177777

is evaluated as

TAGILA

with a Q error flag on the assembly listing line.

The value of an external expression is the value of the absolute part of the expression; e.g., EXTERNAL+A has a value of A. This is modified by LINK to become EXTERNAL+A.

Expressions, when evaluated, are either absolute, relocatable, or external. For the programmer writing position-independent code, the distinction is important.

- An expression is absolute if its value is fixed. An expression whose terms are numbers and ASCII conversions will have an absolute value. A relocatable expression minus a relocatable term, where both items belong to the same program section, is also absolute.
- 2. An expression is relocatable if its value is fixed relative to a base address but will have an offset value added at link time. Expressions whose terms contain labels defined in relocatable sections and periods (in relocatable sections) will have a relocatable value.
- 3. An external expression is one whose partial definition at assembly time is completed at linking time. Also, an external expression is one whose terms may contain global symbols not defined in the current program. At linking time, external expressions containing relocatable global symbols. are considered relocatable; those containing absolute globals are considered absolute.

3.4 MACRO SYMBOLS

There are three types of symbols: permanent, user-defined, and macro. MACRO maintains three types of symbol tables; the permanent symbol table (PST), the user symbol table (UST), and the macro symbol table (MST). The PST contains all the permanent symbols and is part of the MACRO Assembler load module. The UST and MST are constructed as the source program is assembled. User-defined symbols are added to the table as they are encountered.

Symbols are interpreted according to the following hierarchy:

- a. A period causes the value of the current location counter to be used.
- b. A permanent symbol's basic value is used, but its arguments (if any) are ignored.
- c. An undefined symbol is assigned a value of zero and is inserted in the user-defined symbol table as an undefined global reference. If the .DSABL GBL directive is in effect, the automatic global reference default function is inhibited, and the symbol is not defined as a global reference. It remains undefined. Refer to Section 6-5.2.

3.4.1 Permanent Symbols

Permanent symbols consist of the instruction mnemonics and assembler directives (see Chapter 6-5, 6-6, and 6-8). These symbols are primitives of the assembler and need not be defined before being used in the source program.

3.4.2 User-Defined and Macro Symbols

User-defined symbols are those used as labels (Section 6-2.1.1) or defined by direct assignment (Section 6-3.5). These symbols are added to the user symbol table as they are encountered during the first pass of the assembly. Macro symbols are those symbols used as macro names (Section 6-6.1). These symbols are added to the macro symbol table as they are encountered during the assembly.

User-defined and macro symbols can be composed of alphanumeric characters, dollar signs, and periods only; any other character is illegal.

The \$ and . are in general use by system software, and the user is advised to avoid their use.

The following rules apply to the creation of user-defined and macro symbols:

- 1. The first character must not be a number (except in the case of local symbols, see Section 6-3.7).
- Each symbol must be unique within the first six characters.
- 3. A symbol can be written with more than six legal characters, but the seventh and subsequent characters are only checked for legality, and are not otherwise recognized by the assembler.
- 4. Spaces, tabs, and illegal characters must not be embedded within a symbol.

The value of a symbol depends upon its use in the program. A symbol in the operator field may be any one of the three symbol types. To determine the value of the symbol, the assembler searches the three symbol tables in the order Macro Symbol Table, Permanent Symbol Table, User Symbol Table.

A symbol found in the operand field is sought in the order User-Defined Symbol Table and Permanent Symbol Table.

These search orders allow redefinition of permanent symbol table entries as userdefined or macro symbols. The same name can also be assigned to both a macro and a label.

User-defined symbols are either internal or external (global). All user-defined symbols are internal unless they remain undefined internally or unless explicitly defined as being global with the .GLOBL directive or by the double-colon, or double-equal sign (see Section 6-5.10).

Global symbols provide links between object modules. A global symbol that is defined as a label is generally called an entry point (to a section of code). Such symbols are referenced from other object modules to transfer control throughout the load module (which may be composed of a number of object modules).

Since MACRO provides program sectioning capabilities (Section 6-5.9), two types of internal symbols must be considered: symbols that belong to the current program section, and symbols that belong to other program sections. In both cases, the internal symbol must be defined within the current assembly; this is critical in evaluating expressions involving the second type of internal symbol (see Section 6-3.3).

3.5 DIRECT ASSIGNMENT

A direct assignment statement associates a symbol with a value. When a direct assignment statement defines a symbol for the first time, that symbol is entered into the user symbol table (UST). A symbol may be redefined by assigning a new value to a previously defined symbol. The latest assigned value replaces any previous value assigned to a symbol.

The general format for a direct assignment statement follows:

sym = expression

or

sym == expression

The second statement also defines sym as a global symbol.

Symbols take on the relocatable or absolute attribute of their defining expression. However, if the defining expression is external, the symbol is not global unless explicitly defined as such in a .GLOBL directive, by a label delimited by a double colon, or by the double equal sign (see Section 6-5.10). Global references in an expression assigned to a symbol are illegal, and are flagged with an A error flag.

The following conventions apply to direct assignment statements.

- 1. An equal sign (=) or double equal (==) must separate the symbol from the expression defining the symbol value.
- A direct assignment statement is usually placed in the label field and may be followed by a comment.
- 3. Only one symbol can be defined in a single direct assignment statement.
- 4. Only one level of forward referencing is allowed.

Example of two levels of forward referencing (illegal):

X = Y

Y = Z

z = 1

3.6 REGISTER SYMBOLS

The eight general registers of the PDP-11 are numbered \emptyset through 7 and can be expressed in the source program as

ъØ

%1

.

۶7

where the digit indicating the specific register can be replaced by any legal term that can be evaluated during the first assembly pass.

It is recommended that the programmer use symbolic names for all register references. Unless the .DSABL REG statement has been encountered, the definitions as shown in the following example are defined by default; alternatively, a register symbol may be defined in a direct assignment statement among the first statements in the program. The defining expression of a register symbol must be absolute. For example:

RØ=%Ø ; REGISTER DEFINITION
Rl=%1
R2=%2
R3=%3
R4=%4
R5=%5
SP=%6
PC=%7

The user can reassign the register expressions, if he wishes.

The symbolic names assigned to the registers in the example above are the conventional names used in all PDP-11 system programs. Since these names are mnemonic, it is suggested the user follow this convention. Note that registers 6 and 7 are given special names because of their special functions.

All register symbols must be defined before they are referenced. A forward reference to a register symbol is flagged as an error.

The % character may be used with any term or expression to specify a register. (A register expression less than \emptyset or greater than 7 is flagged with an R error code.) For example, the statement

CLR %3+1

is equivalent to

CLR %4

and clears the contents of register 4; while

CLR 4

clears the contents of memory address 4.

3.7 LOCAL SYMBOLS

Local symbols are specially formatted symbols used as labels within a given range.

Local symbols provide a convenient means of generating labels for branch instruction, etc. Use of local symbols reduces the possibility of multi-defined symbols within a user program and separates entry point symbols from local references. Local symbols may not be referenced from other object modules or even from outside their local symbol block. The rules for delimiting a local symbol block appear below.

Local symbols are of the form n\$ where n is a decimal integer from 1 to 65535, inclusive, and can only be used on word boundaries (i.e., at even addresses). Local symbols include the following.

1\$

27\$

59\$

1Ø4\$

Within a local symbol block, local symbols can be defined and referenced. However, a local symbol cannot be referenced outside the block in which it is defined. There is no conflict with labels of the same name in other local symbol blocks.

Local symbols 64\$ through 127\$ can be generated automatically as a feature of the macro processor (see Section 6-6.3.6 for further details). When using local symbols, the user is advised to first use the range from 1\$ to 63\$, or the range from 128\$ to 65535\$.

A local symbol block is delimited in one of the following ways:

 The range of a single local symbol block can consist of those statements between two normally constructed symbolic labels. (Note that a statement of the form

LABEL=.

is a direct assignment; it does not create a label in the strict sense, and does not delimit a local range.)

- 2. The range of a local symbol block is always terminated upon encountering a .PSECT, .CSECT, or .ASECT directive.
- 3. The range of a single local symbol block can be delimited with .ENABL LSB and the first symbolic label or .PSECT, .CSECT, or .ASECT directive following .DSABL LSB directive.

For examples of local symbols and local symbol blocks, see Figure 6-1.

Line	Octal					
Number	Expansion	on So	ource Code	3		Comments
1 2			.SBTTL	SECTOR INITIA	LIZATION	I
3	ØØØØØØ ØØØØ	' IMPURE:	.CSECT	IMPURE		;IMPURE STORAGE AREA
5	ØØØØØØ ØØØØØ		.CSECT	IMPPAS		;CLEARED EACH PASS
7 7	gagag Bagaga		CSECT	IMPLIN	,	;CLEARED EACH LINE
8 ØØ; 9	øøøø	IMPLIN:				•
1ø 11 ø;	ØØØØØØ MANA	XCTPRG:	.CSECT	XCTPRG		;PROGRAM INITIALIZATION CODE
	орор Иррр Ø12700 Орррррр		MOV	#IMPURE,RØ		
	øøø4 øø5ø2ø	1\$:	CLR	(RØ)+		;CLEAR IMPURE AREA
14 Ø	00/06 Ø227 00/06 ØØØØ4		CMP	#IMPTOP,RØ		•
15 Ø9 16	ØØ12 1Ø1374		BHI	1\$		
17 18 Ø	ØØØØØØ BBBK	XCTPAS:	.CSECT	XCTPAS		;PASS INITIALIZATION CODE
	777 9888 Ø127ØØ ØØØØØØØ		MOV	#IMPPAS,RØ		
	0004 005020 0006 022700		CLR CMP	(RØ)+ #IMPTOP,RØ		;CLEAR IMPURE PART
	øøøø4ø	•	CPII.	#III IOI /IQ		
23	ØØ12 1Ø1374 ≃		BHI	1\$		
24 25 Ø	ର୍ଷିଷ୍ଷଷ୍ଷଷ୍ଷ ଷଷ୍ଷଷ୍ଟ	XCTLIN:	.CSECT	XCTLIN		;LINE INITIALIZATION CODE
26 Ø	ØØØØ Ø127ØØ ØØØØØØ		VOM	#IMPLIN,RØ	•	* .
	øø4 øø5ø2ø	1\$:	CLR	(RØ)+		•
28 Ø	0006 Ø227ØØ Ø0004Ø		CMP	#IMPTOP,RØ	_	•
29 Ø9 3Ø	0012 101374		BHI	1\$		
31	øøøøøø		.CSECT	MIXED		;MIXED MODE SECTOR
				Tid		

Figure 6-1

3.8 ASSEMBLY LOCATION COUNTER

The period (.) is the symbol for the assembly location counter. When used in the operand field of an instruction, it represents the address of the first word of the instruction. When used in the operand field of an assembler directive, it represents the address of the current byte or word. For example:

A: MOV #.,RØ

;. REFERS TO LOCATION A, ;I.E., THE ADDRESS OF THE ;MOV INSTRUCTION.

(# is explained in Section 6-4.1.)

At the beginning of each assembly pass, the assembler clears the location counter. Normally, consecutive memory locations are assigned to each byte of object data generated. However, the location where the object data is stored may be changed by a direct assignment altering the location counter.

Example:

.=expression

The location counter symbol has a mode associated with it, either absolute or relocatable. The existing mode of the location counter cannot be changed by using a defining expression of a different mode.

The mode of the location counter symbol can be changed by the use of the .ASECT, .CSECT or .PSECT directives as explained in Section 6-5.9.2.

The expression defining the location counter must not contain forward references or symbols that vary from one pass to another.

Examples:

.ASECT

.=5ØØ

;SET LOCATION COUNTER ;ABSOLUTE 500

FIRST: MOV

.+1Ø,COUNTY

;THE LABEL FIRST HAS THE VALUE;500(OCTAL);.+10 EQUALS 510(OCTAL). THE;CONTENTS OF THE LOCATION;510(OCTAL) will be DEPOSITED

; IN LOCATION COUNTY.

.=52Ø

;THE ASSEMBLY LOCATION COUNTER ;NOW HAS A VALUE OF ;ABSOLUTE 52Ø(OCTAL) SECOND: MOV ., INDEX

;THE LABEL SECOND HAS THE ;VALUE 52Ø(OCTAL);THE CONTENTS OF LOCATION;52Ø(OCTAL), THAT IS, THE BINARY;CODE FOR THE INSTRUCTION;ITSELF, WILL BE DEPOSITED IN;LOCATION INDEX.

.PSECT

.=.+2Ø

;SET LOCATION COUNTER TO ;RELOCATABLE 2Ø OF THE ;UNNAMED PROGRAM SECTION.

THIRD: .WORD Ø

;THE LABEL THIRD HAS THE ;VALUE OF RELOCATABLE 20.

Storage area may be reserved by advancing the location counter. For example, if the current value of the location counter is 1000, the direct assignment statements

.=.+4Ø

; or

.BLKB 4Ø

; or

.BLKW 2Ø

reserve 40(octal) bytes of storage space in the program. The next instruction is stored at 1100. (The .BLKB and .BLKW directives are recommended as the preferred ways to reserve space. Refer to Section 6-5.5.3.)

.3.9 NUMBERS

The MACRO Assembler assumes all numbers in the source program are to be interpreted in octal radix unless otherwise specified. The assumed radix can be altered with the .RADIX directive (see Section 6-5.4.1) or individual numbers can be treated as being of decimal, binary, or octal radix (see Section 6-5.4.2).

Octal numbers consist of the digits \emptyset through 7 only. A number not specified as a decimal number and containing an 8 or 9 is flagged with an N error code and treated as a decimal number.

Negative numbers are preceded by a minus sign (the assembler translates them into two's complement form). Positive numbers may be preceded by a plus sign, although this is not required.

A number that does not fit into 16 bits (n>177777) is truncated from the left and flagged with a T error code in the assembly listing.

Numbers are always considered absolute quantities (that is, not relocatable).

Single-word floating-point numbers may be generated with the \uparrow F operator (see Section 6-5.6.2). Refer to PDP-ll Processor Handbook for details of the floating-point format.

3.10 RELOCATION AND LINKING

The output of the MACRO Assembler is an object module that must be processed by LINK before loading and execution. (See Part 9 of this manual for details.) LINK essentially fixes (i.e., makes absolute) the values of external or relocatable symbols and turns the object module into a load module.

To enable the Linker to determine the value of an expression, the assembler issues certain directives to LINK, together with required parameters. In the case of relocatable expressions, LINK adds the base of the associated relocatable section (the location in memory of relocatable \emptyset) to the value of the relocatable expression provided by the assembler. In the case of an external expression, LINK determines the value of the external term in the expression (since the external symbol must be defined in one of the other object modules which are being linked together), and adds it to the value of the external expression provided by the assembler.

All instructions that are to be modified (as described in the previous paragraph) are marked with an apostrophe in the assembly listing (see also Chapter 6-10). Thus, the binary text output looks like the following.

ØØ5Ø65 ØØØØØØ*	CLR	EXTERNAL (5)	;VALUE OF EXTERNAL SYMBOL ;ASSEMBLED ZERO; WILL BE ;MODIFIED BY LINK.
ØØ5Ø65 ØØØØØ6°	CLR	EXTERNAL+6(5)	;THE ABSOLUTE PORTION OF THE ;EXPRESSION (ØØØØØ6) IS ADDED ;BY LINK TO THE VALUE ;OF THE EXTERNAL SYMBOL
øø5ø65	CLR	RELOCATABLE (5)	; ASSUMING WE ARE IN A
<i>,</i> ØØØØ4Ø '			;RELOCATABLE ;SECTION AND THE VALUE OF ;RELOCATABLE SYMBOL IS RELOCATABLE 4Ø ;LINK WILL ADD ;THE RELOCATION BIAS TO 4Ø

PART 6

CHAPTER 4

ADDRESSING INFORMATION

Please refer to the PDP-11 Processor Handbook for complete information and examples concerning addressing modes. This chapter serves only to summarize that information.

4.1 MODE FORMS AND CODES

Each instruction takes at least one word. Operands of the forms listed in Table 6-6 do not increase the length of an instruction.

Table 6-6
Address Modes - No Instruction Modification

Op Code	Operand	Mode	Meaning
op op op op	R @R or (ER) (ER)+ @(ER)+ -(ER) @-(ER)	Øn 1n 2n 3n 4n 5n	Register mode Register deferred mode Autoincrement mode Autoincrement deferred mode Autodecrement mode Autodecrement deferred mode

n is the register number.

However, any of the forms in Table 6-7 adds one word to the instruction length.

Table 6-7
Address Modes - Instruction Modifying

Op Code	Operand	Mode	Meaning
op op op	E (ER) @E(ER) #E @#E E @E	6n 7n 27 37 67 77	Index mode Index deferred mode Inmediate mode Absolute memory reference mode Relative mode Relative deferred reference mode

n is the register number. Note that in the last four forms, register 7 (the PC) is referenced.

NOTE

An alternate form for @R is (ER). However, the form @(ER) is equivalent to $@\emptyset(ER)$.

The form @#E differs from the form E in that the second or third word of the instruction contains the absolute address of the operand rather than the relative distance between the operand and the

PC. Thus, the instruction CLR @#100 clears absolute location 100 even if the instruction is moved from the point at which it was assembled. See the description of the .ENABLE AMA function in Section 6-5.2, which directs the assembly of all relative mode addresses as absolute mode addresses.

4.2 BRANCH INSTRUCTION ADDRESSING

The branch instructions are 1-word instructions. The high byte contains the op-code and the low byte contains an 8-bit signed word offset (seven bits plus sign) that specifies the branch address relative to the PC. The hardware calculates the branch address as follows:

- 1. Extend the sign of the word offset through bits 8-15.
- 2. Multiply the result by 2. This creates a byte offset from a word offset.
- 3. Add the result to the PC to form the final branch address.

The assembler performs the reverse operation to form the word offset from the specified byte address, when assembling the instruction. Remember that when the byte offset is added to the PC, the PC is pointing to the word following the branch instruction; hence the factor -2 in the following calculation.

word offset = (E-PC)/2 truncated to eight bits.

Since PC = .+2, we have

word offset = (E-.-2)/2 truncated to eight bits.

NOTE

It is illegal to branch to a location specified as an external symbol, to a relocatable symbol from within an absolute section, or to an absolute or relocatable symbol or another program section from within a relocatable section.

The EMT and TRAP instructions use the low-order byte of the instruction word for user-defined codes. This allows information to be transferred to the trap handlers via this low-order byte. If EMT or TRAP is followed by an expression, the value is put into the low-order byte of the word. However, if the expression is too big (>377(octal)) it is truncated to eight bits and a T error flag is generated.

PART 6

CHAPTER 5

GENERAL ASSEMBLER DIRECTIVES

- 5.1 LISTING CONTROL DIRECTIVES
- 5.1.1 .LIST and .NLIST

Listing options can be specified in the text of a MACRO program through the .LIST and .NLIST directives. These are of the form

.LIST [arg] .NLIST [arg]

where arg represents one or more optional arguments.

When used without arguments, the listing directives alter the listing level count. The listing level count causes the listing to be suppressed when it is negative. The count is initialized to zero, incremented for each .LIST and decremented for each .NLIST. For example:

.MACRO LTEST

;LIST TEST

; A-THIS LINE SHOULD LIST

.NLIST

; B-THIS LINE SHOULD NOT LIST

.NLIST

; C-THIS LINE SHOULD NOT LIST

.LIST

; D-THIS LINE SHOULD NOT LIST (LEVEL NOT BACK TO ZERO)

.LIST

; E-THIS LINE SHOULD LIST (LEVEL BACK TO ZERO)

.ENDM

LTEST

; CALL THE MACRO

; A-THIS LINE SHOULD LIST

.NLIST

.LIST

; E-THIS LIST SHOULD LIST (LEVEL BACK TO ZERO)

The primary purpose of the level count is to allow macro expansions to be selectively listed and yet exit with the level returned to the status current during the macro call.

The use of arguments with the listing directives does not affect the level count; however, use of .LIST and .NLIST can be used to override the current listing control.

For example:

	.MACRO XX	
	•	
	•	
	•	
	.LIST	;LIST NEXT LINE
X=.		
	.NLIST	;DO NOT LIST REMAINDER
	•	OF MACDO EVDANCTON
	•	OF MACRO EXPANSION
	•	
	.ENDM	•
	.NLIST ME	; DO NOT LIST MACRO EXPANSIONS
	XX.	
	.LIST	;LIST NEXT LINE
X=.		

Allowable arguments for use with the listing directives appear in Table 6-8. These arguments can be used singly or in combination.

Table 6-8 MACRO Listing Directive Arguments

Argument	Default	Function
SEQ	list	Controls the listing of source line sequence numbers. Error flags are normally printed on the line preceding the questionable source statement.
LOC	list	Controls the listing of the location counter (this field would not normally be suppressed).
BIN	list	Controls the listing of generated binary code.
BEX	list	Controls listing of binary extensions; that is, those locations and binary contents beyond the first binary word (per source statement). This is a subset of the BIN argument.
SRC	list	Controls the listing of the source code.
сом	list	Controls the listing of comments. This is a subset of the SRC argument and can be used to reduce listing time and/or space where comments are unnecessary.
MD	list	Controls listing of macro definitions and repeat range expansions.
MC	list	Controls listing of macro calls and repeat range expansions.
ме	no list	Controls listing of macro expansions.
MEB	no list	Controls listing of macro expansion binary code. A LIST MEB causes only those macro expansion statements producing binary code to be listed. This is a subset of the ME argument.

(continued on next page)

Table 6-8 (cont.)
MACRO Listing Directive Arguments

Argument	Default	Function .
CND	list	Controls the listing of unsatisfied conditions and all .IF and .ENDC statements. This argument permits conditional assemblies to be listed without including unsatisfied code.
LD	no list	Control listing of all listing directives having no arguments (those used to alter the listing level count).
TOC	list	Control listing of table of contents on pass 1 of the assembly (see Section 6-5.1.4 describing the .SBTTL directive). The full assembly listing is printed during pass 1 of the assembly.
TTM ,	console mode	Control listing output format. The TTM argument (the default case) causes output lines to be truncated to 72 characters. Binary code is printed with the binary extensions below the first binary word. The alternative (.NLIST TTM) to terminal mode is line printer mode, which is shown in Figure 6-2.
SYM	list	Controls the listing of the symbol table for the assembly.

An example of an assembly listing as sent to a 132-column line printer is shown in Figure 6-2. Notice that binary extensions for statements generating more than one word are spread horizontally on the source line. An example of an assembly listing as sent to a teleprinter is shown in Figure 6-3. Notice that binary extensions for statements generating more than one word are printed on subsequent lines.

The listing options can also be specified through switches on the listing file specification in the command string to the MACRO Assembler. These switches are

/LI:arg /NL:arg

where arg is any one or more of the arguments defined in the .LIST and .NLIST directive.

GET AN INPUT LINE		; ANY RESERVED FF'S?	, NO	;YES, UPDATE PAGE NUMBER		; INIT NEW CREF SEQUENCE							; SEAT UP BEGINNING	; AND END OF LINE MARKERS	; IN SYSTEM MACRO?	; YES, SPECIAL	; ASSUME MACRO IN PROGRESS	; BRANCH IF SO				GET CODE BYTE	; ANYTHING BAD?	NO :	;YES, ERROR	; EOF?	NO :		
		FFCNT, RØ	31\$	RØ,PAGNUM	#-1,PAGEXT	LINNUM	FFCNT	SEQEND	PASS	31\$	LPPCNT	#LINBUF, R2	R2, LCBEGL	#LINEND, LCENDL	SMLCNT	40\$	MSBMRP, R1	108	#SRCBUF, R1	#SRCLNK	LINNUM	SRCHDR+3, RØ	#Ø47,RØ	32\$	п	RØ	2\$	CSISAV, ENDFLG	34\$
<u></u>	SAVREG	MOV	BEQ	ADD	MOV	CLR	CLR	CLR	TST	BEQ	CLR	MOV	MOV	MOV	TST	BNE	MOV	BNE	MOV	.WAIT	INC	MOVB	BIT	BEQ	ERROR	ROLB	BPL	BIS	BNE
GETLIN		1\$:										31\$														32\$:			
					øøøø 26.									ØØØØ14														Ø ØØØØ4 '	
		рарадо		ØØØØ22°	177777	ØØØØ12.	\$\$\$\$5	910000	. ØØØØØØ		gibbbib.	øØ1712°	ØØØØ12.	ØØ2116°	ØØØ2ØØ.		ØØ2214"		øøø756°		ØØØØ12.	ØØØ753°	ØØØØ47					व्रव्वव्रव्धः व्रव्वव्रव्य	
		Ø167ØØ	ØØ142Ø	Ø6ØØ67	Ø12767	ØØ5Ø67	ØØ5Ø67	ØØ5Ø67	ØØ5767	ØØ14Ø2	ØØ5Ø67	Ø127Ø2	Ø1Ø267	Ø12767	ØØ5767	ØØ1145	Ø167Ø1	ØØ1166	Ø127Ø1		ØØ5267	116700	Ø327ØØ	ØØ14Ø3		106100	100014	Ø56767	ØØ1 ØØ3
1 ØØ1766	2 ØØ1766	3 ØØ1772	4 ØØ1776	5 ØØ2ØØØ	6 ØØ2ØØ4	7 ØØ2Ø12	8 ØØ2Ø16	9 ØØ2Ø22	LØ ØØ2Ø26	1 002032	12 002034	13 002040	14 002044	15 002050	17 ØØ2Ø56	18 ØØ2Ø62	1 002064	22 002070	24 ØØ2Ø72	25 ØØ2Ø76	26 ØØ21Ø4	27 002110	28 ØØ2114	29 ØØ212Ø	30 002122	31 ØØ213Ø	32 ØØ2132	33 ØØ2134	34 ØØ2142

Figure 6-2
Example of MACRO Line Printer Listing (132 column line printer)

1	øø1766		GETLIN:	•		GET AN INPUT LINE
2	ØØ1766	•		SAVREG		
3	ØØ1772	Ø167ØØ ØØØØ2Ø'		MOV -	ffcnt, rø	;ANY REȘERVED FF'S?
4	ØØ1776	ØØ142Ø		BEQ	31\$; NO
		Ø6ØØ67	•	ADD	RØ, PAGNUM	;YES, UPDATE PAGE NUMBER
		øøøø22'	t			,,
6	øø2øø4	Ø12767		MOV	#-1,PAGEXT	
		177777				'
		øøøø26'	ı			
7	øø2ø12	ØØ5Ø67 ØØØØ12'	•	CLR	LINNUM	;INIT NEW CREF SEQUENCE
٥	สสวสาธ	ØØ5Ø67		CLR	FECNI	
O	ppzpio	øøøø2ø¹	ı	CLK	FFCNT	,
۵	สสวสวว	ØØ5Ø67		OT D	CECEND	
9	ppzpzz			CLR	SEQEND	
10	dodoc	ØØØØ16'			D2.66	
Τb	Ø2Ø26	ØØ5767		TST	PASS	
		øøøøøø'				
		ØØ14Ø2		BEQ	31\$	•
12	Ø2Ø34	ØØ5Ø67		CLR	LPPCNT	e.
		øøøø1ø'				
13	ø2ø4ø	Ø127Ø2		MOV	#LINBUF,R2	
		ØØ1712'				
14	Ø2Ø44	Ø1Ø267		MOV	R2,LCBEGL	;SEAT UP BEGINNING
		ØØØØ12				
15	ø2ø5ø	Ø12767		MOV	#LINEND, LCENDL	; AND END OF LINE MARKERS
		ØØ2116'				
		ØØØØ14'				
16				.IF NDF	XSML	
17	Ø2Ø56	ØØ5767		TST	SMLCNT	;IN SYSTEM MACRO?
		øøø2øø*				
18	Ø2Ø62	ØØ1145		BNE	4Ø\$; YES, SPECIAL
19				.ENDC		,
2ø				.IF NDF	XMACRO	
		Ø167Ø1		MOV	MSBMRP,Rl	;ASSUME MACRO IN PROGRESS
		ØØ2214'				,
22	Ø2Ø7Ø	ØØ1166		BNE	1Ø\$;BRANCH IF SO
23		/-/-		.IFTF		,
_		Ø127Ø1		MOV	#SRCBUF,R1	1
	ρ_ρ	ØØØ756'		110 4	"BICEBOT FICE	
25	Ø2Ø76	00. مرمر		WAIT	#SRCLNK	
		ØØ5267		INC	LINNUM	
20	PETPA	ØØØØ12'		714C	HIMMORI	
27	สวาาส	1167ØØ		MOVB	SRCHDR+3,RØ	;GET CODE BYTE
2,	pziip	ØØØ753'		MOVB	SKCHDK+3,KØ	GET CODE BITE
20	Ø2114	Ø327ØØ		DTM	#Ø47 ÞØ	ANUMITMO DADO
20	WZ114			BIT	#Ø47,RØ	;ANYTHING BAD?
20	do rod	ØØØØ47		DEO	336	
		ØØ14Ø3		BEQ	32\$; NO
	Ø2122	106100		ERROR	L	;YES, ERROR
		1Ø61ØØ		ROLB	RØ	;EOF?
		100014		BPL	2\$; NO
33	Ø2134	Ø56767	r	BIS	CS1SAV, ENDFLG	
		ØØØØØ6'				
		øøøøø4'				
34	Ø2142	øø1øø3		BNE	34\$	

Figure 6-3
Example of Page Heading from MACRO Teleprinter Listing (same format as for 80 column line printer)

Where no listing file specification is indicated, any errors encountered are printed on the teleprinter. Where the /NL switch is used with no argument, the errors and symbol table are output to the device and/or file specified. Use of the switches /NL and /NL:SYM cause only the errors to be sent to the file and/or device specified.

Each argument used with a listing switch is preceded by a colon.

Use of these switches overrides the enabling or disabling of the equivalent listing option in the source. Default listing controls can be specified by the user within his source code and overridden, where necessary, by switch options at assembly time. For example:

#OBJFIL, KB:/NL:BEX:COM/LI:SRC<DF:SRCFIL

This command string suppresses the listing of binary extensions and source comments and ignores all listing directives with the arguments BEX, COM, and SRC. (The object file is sent to OBJFIL on the system device, and the listing and symbol table to the keyboard.)

#OBJFIL,LP:/LI<DT1:ABC

causes MACRO to ignore all .LIST and .NLIST directives without arguments. This command string causes the listing of any source code that would have otherwise been suppressed. (The object file is sent to the system device; the source listing and symbol table are sent to the line printer.)

#OBJFIL,SYM/NL<ABC

causes MACRO to produce only an object file and a symbol table listing. The assembly listing is completely suppressed by the /NL switch. (The object file and symbol table file are sent to the system device.)

5.1.2 Page Headings

The MACRO Assembler outputs each page in the format shown in Figure 6-3 (teleprinter listing). On the first line of each listing page the assembler prints (from left to right) the following items.

- 1. Title taken from .TITLE directive
- 2. Assembler version identification
- 3. Date

- 4. Time-of-day
- 5. Page number

The second line of each listing page contains the subtitle text specified in the last encountered .SBTTL directive.

5.1.3 .TITLE

The .TITLE directive is used to assign a name to the object module. The name is the first symbol following the directive and must be six Radix-50 characters or less (any characters beyond the first six are ignored). Non-Radix-50 characters are not acceptable. For example,

.TITLE PROG TO PERFORM DAILY ACCOUNTING

causes the object module of the assembled program to be named PROG (this name is distinguished from the filename of the object module specified in the command string to the assembler). The name of the object module appears in the LINK load map and on the listing.

If there is no .TITLE statement, the default name assigned to the object module is

.MAIN.

The first tab or space following the .TITLE directive is not considered part of the object module name or header text, although subsequent tabs and spaces are significant.

If there is more than one .TITLE directive, the last .TITLE directive in the program conveys the name of the object module.

5.1.4 .SBTTL

The .SBTTL directive is used to provide the elements for a printed table of contents of the assembly listing. The text following the directive is printed as the second line of each of the following assembly listing pages until the next occurrence of a .SBTTL directive. For example:

.SBTTL CONDITIONAL ASSEMBLIES

The text

CONDITIONAL ASSEMBLIES

is printed as the second line of each of the following assembly listing pages.

During pass 1 of the assembly process, MACRO automatically prints a table of contents for the listing containing the line sequence number and text of each .SBTTL directive in the program. Such a table of contents is inhibited by specifying the /NL:TOC switch option to the assembly listing file specification (or a .NLIST TOC directive within the source). For example:

#OBJFIL,LISTM/NL:TOC<SRCFIL

In this case the table of contents normally generated prior to the assembly listing is inhibited.

An example of the table of contents is shown in Figure 6-4. Note that the first word of the subtitle heading is not limited to six characters since it is not a module name.

5.1.5 .IDENT

The .IDENT directive provides another means of labeling the object module produced as a result of a MACRO assembly. In addition to the name assigned to the object module with the .TITLE directive, a character string (up to six characters, treated like a RAD5Ø string) can be specified between paired delimiters. For example:

.IDENT /VØØ5A/

The character string

VØØ5A

is converted to Radix-5 \emptyset notation and included in the global symbol directory of the object module.

This symbol is included in the load map listings output by LINK.

When more than one .IDENT directive is found in a given program, the last .IDENT found determines the symbol which is passed as part of the object module identification.

5-	1	SECTOR INITIALIZATION
7-	1.	SUBROUTINE CALL DEFINITIONS
12-	1	PARAMETERS
14-	1	ROLL DEFINITIONS
16-	1	PROGRAM INITIALIZATION
26-		ASSEMBLER PROPER
36-	1	STATEMENT PROCESSOR
4Ø-	1	ASSIGNMENT PROCESSOR
41-	1 .	OP CODE PROCESSOR
48-	1	EXPRESSION TO CODE-ROLL CONVERSIONS
5Ø-	1	CODE ROLL STORAGE
51-	1	DIRECTIVES
59 -	1	DATA-GENERATING DIRECTIVES
68-	1	CONDITIONALS
72-	1	LISTING CONTROL .
74-	1	ENABL/DSABL FUNCTIONS
75-		CROSS REFERENCE HANDLERS
78 -	1	LISTING STUFF
79-	1	KEYBOARD HANDLERS
8ø-	1	OBJECT CODE HANDLERS
88-	1	LISTING OUTPUT
92-	1	I/O BUFFERS
93-	1	EXPRESSION EVALUATOR
99-	1	TERM EVALUATOR
1Ø3-	1	SYMBOL/CHARACTER HANDLERS
1Ø9-	1	ROLL HANDLERS
114-	1	REGISTER STORAGE
116-	1	MACRO HANDLERS
135-	1	FIN

Table of contents text is taken from the text of each .SBTTL directive. The associated numbers are the page and line sequence numbers of the .SBTTL directives.

Figure 6-4 Assembly Listing Table of Contents

5.1.6 Page Ejection

There are three ways of obtaining a page eject in a MACRO assembly listing.

- After a line count of 58 lines, MACRO automatically performs a page eject to skip over page perforations on line printer paper and to formulate terminal output into pages.
- More commonly, the .PAGE directive is used within the source code to perform a page eject at that point. The format of this directive appears here.

.PAGE

This directive takes no arguments and causes a skip to the top of the next page.

Used within a macro definition, the .PAGE is ignored, but the page eject is performed at each invocation of that macro.

3. The insertion of form feed characters (FF) cause page ejection.

5.2 FUNCTIONS: .ENABL AND .DSABL DIRECTIVES

Several functions are provided by MACRO through the .ENABL and .DSABL directives. These directives use 3-character symbolic arguments to designate the desired function, and are of the forms

.ENABL arg

where arg is one of the legal symbolic arguments as described in Table 6-9.

Table 6-9
Functions: Symbolic Arguments

Argument	Default	Function
ABS	disable	Produces absolute binary output; i.e., input to the paper tape software system absolute loader.
AMA	disable	Causes the assembly of all relative addresses (address mode 67) as absolute addresses (address mode 37). This switch is useful during the debugging phase of program development.
CDR	disable	Causes source columns 73 and greater to be treated as comment. This accommodates sequence numbers in card columns 72-80.
FPT	disable	Causes floating point truncation, rather than rounding, as is otherwise performedDSABL FTP returns to floating point rounding mode.
LC	disable	Causes the assembler to accept lower case ASCII input instead of converting it to upper case.
LSB	disable	Causes a local symbol block to be started. See Figure 6-5.
PNC	enable	Causes binary output to be produced on the source listing.
REG	enable	Causes the default register names to be defined. The following code is implied as being present.
	,	RØ=%Ø R1=%1 R2=%2 R3=%3 R4=%4 R5=%5 SP=%6 PC=%7
GBL:	enable	Causes the assembler to attempt to resolve undefined or global references at the end of pass 1.

IO	ATEMEN	MACRO MACRO VØ6-Ø3 Statement processor		21-FEB-74 0	03:10 PAGE 15	
-	000516		LABEL:			JLABEL PROCESSOR
N PO	000516	026767 0000000 0000000		CMP ABL	LSB Symbol, r5ødot	PERIOD?
4	000524	001470		BEG	84	YES, ERROR
10	6			NDF	XEDLSB	
0 N	0 7 0 9 9 9				L 888F -	FLAG START OF NEW LOCAL SYMBOL
. 00 0	000532 000536			SSRCH		INO, SEARCH THE SYMBOL TABLE
9	00542		LABELF:	SETXPR		JSET EXPRESSION REGISTERS
7	99546					JBYPASS COLON
21 F	2000 2000 2000 2000 2000	000000 0000000000000000000000000000000		ر م م	#(SP)	SASSUME NO GLOBAL DEFINITION
→ .		000000			100 4 10 4 6 4	בירטאט רטבטאנ
4				BNE	20	
15	00562	012716		MOV	#GLBFLG, (SP)	SET GLOBAL DEFINITION BIT
16		2		GETNB		NO TOU CNOULE STREET
1	00572		108:	BIT	#DEFFLG, (R3)	JALREADY DEFINED?
80	00576	9 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		141 200	<i>(</i>	ου -
0			_	¥0.	ČĽCFGS, RØ	INO, GET CURRENT LOCATION CHARAC
20	00694	042700		BIC	#377m <relflg>, RØ</relflg>	Ø ,CLEAR ALL BUT RELOCATIO
,		000337				
2	00010 0	052700 000012		BIS	#DEFFLG!LBLFLG,RØ	RO FLAG AS LABEL
22				BIS	(SP), RØ	
23	00616	Ø32713		BIT	#DFGFLG, (R3)	DEFAULT GLOBAL FROM REF?
24				BEQ	115	PIF EG NO
S	00624			BIC	#DFGFLGIGLBFLG, (R3) , CLEAR	(R3) CLEAR DEFAULT FLAGS
4					, r. o.	
2 0	00032		9	2 A	CLCLOC, (R4)	S AND CURRENT LOCATION
!						

Figure 6-5 Example of .ENABL and .DSABL Directives

Figure 6-5 (Cont.)
Example of .ENABL and .DSABL Directives

A misspelled argument causes the directive containing it to be flagged as an error. No further action is taken. These functions can also be controlled through switches specified in the command string to the MACRO Assembler. The switches are

/EN:arg
/DS:arg

where arg is any of the arguments that can be used with the .ENABL and .DSABL directives.

Use of these switches overrides the enabling or disabling of all occurrences of that argument in the program. They are used in the same manner as /LI, /NL, but in general apply mainly to source files.

5.3 DATA STORAGE DIRECTIVES

The MACRO Assembler generates a wide range of data and data types. These facilities are explained in the following sections.

5.3.1 BYTE

The .BYTE directive is used to generate one or more successive bytes of data.

Format:

.BYTE[expl][,exp2,...]

A legal expression must have an absolute value (or contain a reference to an external symbol) and must result in eight bits or less of data. The 16-bit value of the expression must have a high-order byte (which is truncated) that is either all zeros or all ones. Each operand expression is stored in a byte of the object program. Multiple operands are separated by commas and stored in successive bytes. For example:

SAM=5

.BYTE †D48,SAM

; \$6\$ (OCTAL EQUIVALENT OF 48; DECIMAL) IS STORED IN LOCATION; 41\$, \$\$\$\$, IS STORED IN; LOCATION 411.

If the high-order byte of the expression equates to a value other than \emptyset or -1, it is truncated to the low-order eight bits and flagged with a T error code. If the expression is relocatable, an A-type warning flag is given.

At link time it is likely that relocation will result in an expression of more than eight bits, in which case, LINK prints a truncation error message. For example:

BYTE 23 ;STORES OCTAL 23 IN NEXT BYTE. A:

.BYTE A ; RELOCATABLE VALUE CAUSES AN "A" ; ERROR FLAG.

/Bidon 22

.GLOBL X

X=3

.BYTE X ;STORES 3 IN NEXT BYTE.

If an operand following the .BYTE directive is null, it is interpreted as a zero. For example:

.=42Ø

.BYTE,,

; ZEROS ARE STORED IN BYTES 420, 421, ; AND 422.

5.3.2 .WORD

The .WORD directive is used to generate one or more successive words of data.

Format:

.WORD[expl][,exp2,...]

A legal expression must result in 16 bits or less of data. Each operand expression is stored in a word of the object program. Multiple operands are separated by commas and stored in successive words. For example:

SAL=Ø .=5ØØ

.WORD 177535,.+4,SAL

;STORES 177535, 506 AND 0 IN ;WORDS 500, 502 AND 504.

If an expression equates to a value of more than 16 bits, it is truncated and flagged with a T error code.

If an operand following the .WORD directive is null, it is interpreted as zero. For example:

.=5ØØ

.WORD ,5,

;STORES \emptyset , 5, AND \emptyset IN LOCATIONS ;5 \emptyset \emptyset , 5 \emptyset 2, and 5 \emptyset 4

A blank operator field (any operator not recognized as a macro call, op-code, directive or semicolon) is interpreted as an implicit .WORD directive. Use of this convention is discouraged because it may not be the default case in future PDP-11 assemblers. The first term of the first expression in the operand field must not be an instruction mnemonic or assembler directive unless preceded by a + or - operator. For example:

.=440

LABEL: +MOV, LABEL ;THE OP-CODE FOR MOV, WHICH ; IS ØlØØØØ, IS STORED ON ;LOCATION 44Ø. 44Ø IS STORED IN LOCATION 442.

Note that the default .WORD directive occurs whenever there is a leading arithmetic or logical operator; or whenever a leading symbol is encountered that is not recognized as a macro call, an instruction mnemonic, or an assembler directive. Therefore, if an instruction mnemonic, macro call, or assembler directive is misspelled, the .WORD directive is assumed and errors will result. Assume that MOV is spelled incorrectly as MOR.

> MOR A,B

Two error codes result: Q occurs because an expression operator is missing between MOR and A, and U occurs if MOR is undefined. The U error occurs only if GBL is disabled and MOR is undefined, else MOR is classed as a global. Two words are then generated: one for MOR A and one for B.

5.3.3 ASCII Conversion of One or Two Characters

The ' and " characters are used to generate text characters within the source text. A single apostrophe followed by a character results in a word in which the 7-bit ASCII representation of the character is placed in the low-order byte and zero is placed in the high-order byte. For example,

> MOV #'A,RØ

results in the following 16 bits being moved into RØ.

øøøø øøøø øløø øøøl

ASCII value of A

STMNT:

GETSYM

BEQ

4\$ CMPB @CHRPNT,#':

; COLON DELIMITS LABEL FIELD.

BEQ CMPB LABEL


@CHRPNT, # '=

; EQUAL DELIMITS

BEQ ASGMT ; ASSIGNMENT PARAMETER.

A double quote allows for the 7-bit ASCII representation of two characters to be placed in the low and high order bytes of a word. For example,

results in the creation of the following binary word constant.



5.3.4 .ASCII

The .ASCII directive translates character strings into their 7-bit ASCII equivalents for use in the source program.

Format:

.ASCII /character string/

where

character string

is a string of any acceptable printable ASCII characters. The string may not include null, rubout, return, line feed, vertical tab, or form feed characters. Nonprinting characters can be expressed in digits of the current radix and delimited by angle brackets. Any legal, defined expression is allowed between angle brackets.

/ /

these are delimiting characters and may be any printing characters other than ; <= or any character within the string.

As an example:

A: .ASCII /HELLO/

;STORES ASCII REPRESENTATION OF ;THE LETTERS H E L L O IN 5 ;CONSECUTIVE BYTES.

.ASCII /ABC/<15><12>/DEF/

;STORES A B C 15_8 12_8 D E F IN 8 ;CONSECUTIVE BYTES.

.ASCII /<AB>/

;STORES < A B > IN 4 CONSECUTIVE ;BYTES.

The ; and = characters are not illegal delimiting characters, but are pre-empted by their significance as a comment indicator and assignment operator, respectively. For other than the first group, semicolons are treated as beginning a comment field. For example:

```
.ASCII
                                ;STORES A B C D E F
         ;ABC;/DEF/
                               ; NOT RECOMMENDED PRACTICE
.ASCII
         /ABC/;DEF;
                               ;STORES A B C. DEF TREATED
                               ; AS A COMMENT
.ASCII
         /ABC/=DEF=
                               ; SAME AS CASE 1
.ASCII
         =DEF=
                               ; THE ASSIGNMENT
                               ; .ASCII=DEF
                               ;IS PERFORMED AND A Q ERROR GENERATED
                               ;UPON ENCOUNTERING
                               ;THE SECOND =.
```

5.3.5 .ASCIZ

The .ASCIZ directive is equivalent to the .ASCII directive with a zero byte automatically inserted as the final character of the string. For example:

When a list or text string has been created with a .ASCIZ directive, a search for the null character can determine the end of the list. For example:

```
1
2
3
5
6
 7
                           CALLED BY JSR PC, EX1
9
10
   00000 012701 EX1:
                           MOV
                                    #HELLO, K1
          0000161
   00004 012702
                           MOV
                                    #LINBUF, R2
          0000301
13 00010 112122 X:
                           MOVB
                                    (R1)+,(R2)+
                                                      IMOVE DATA
14 00012 001376
                           BNE
15 00014 000207
                           RTS
                                    PC
16
          000015 CR#15
. 17
          000013 LF#13
18 00016
              U15 HELLO:
                           .ASCIZ <CR><LF>/HELLO/<CR><LF>
    00017
              013
    00020
              110
    12000
              105
    00055
              114
    00023
             114
   00024
             117
    00025
              015
    00026
             013
    00027
             000
                  LIMBUF: .BLKW
19 00030
                                    6
```

5.3.6 .RAD5Ø

The .RAD5Ø directive allows the user the capability to handle symbols in Radix-5Ø coded form (this form is sometimes referred to as MOD4Ø and is used in PDP-11 system programs). Radix-5Ø form allows three characters to be packed into sixteen bits; therefore, any 6-character symbol can be held in two words.

Format:

.RAD5Ø /string/

where

string

is a list of the characters to be converted (three characters per word) and which may consist of the characters A through Z, Ø through 9, \$. and space. If there are fewer than three characters (or if the last set is fewer than three characters) they are considered to be left justified and trailing spaces are assumed. Illegal nonprinting characters are replaced with a ? character and cause an I error flag to be set. Illegal printing characters set the Q error flag.

The trailing delimiter may be a semicolon or matching delimiter. For example:

.RAD5Ø	/ABC/ ·	; PACK ABC INTO ONE WORD.
.RAD5Ø	/AB/	; PACK AB (SPACE) INTO ONE WORD.
.RAD5Ø	/ABCD/	; PACK ABC INTO FIRST WORD AND
		;D SPACE SPACE INTO SECOND WORD.

Each character is translated into its Radix-5Ø equivalent as indicated below.

Character	Radix-5Ø Equivalent	(octal)
(space)	ø	
A-Z	1-32	
\$	33	
	34	
Ø-9	36-47	

The character code for 35 is currently undefined.

The Radix-5 \emptyset equivalents for characters 1 through 3 (C1,C2,C3) are combined as follows.

Radix 50 value =
$$((C*50_8)+C2)*50_8+C3$$

For example:

Radix-50 value of ABC is ((1*50/8)+2)*50/8+3 or 3223°

See Appendix B for a table of Radix-5Ø equivalents.

Use of angle brackets is encouraged in the .ASCII, .ASCIZ, and .RAD5Ø statements whenever leaving the text string to insert special codes. For example:

9 000044 003223 .RADSØ /ABC/ ISTORES 3223 10 00046 003223 .RAD50 /AB/43> JEQUIVELENT TO JABC/ 000001 V1#1 11 12 000002 V2#2 13 000003 V3*3 14 00050 003223 .RAD50 <V1><V2><V3>

5.4 RADIX CONTROL

5.4.1 .RADIX

Numbers used in a MACRO source program are initially considered to be octal numbers. However, the programmer has the option of declaring the radices 2, 4, 8, 10. This is done via the .RADIX directive,

.RADIX [n]

.RADIX

where n is one of the acceptable radices.

The argument to the .RADIX directive is always interpreted in decimal radix. Following any radix directive, that radix is the assumed base for any number specified until the following .RADIX directive.

The default radix at the start of each program, and the argument assumed if none is specified, is 8 (i.e., octal). For example:

RADIX 10 ;BEGINS SECTION OF CODE WITH ;DECIMAL ;RADIX .

In general it is recommended that macro definitions not contain or rely on radix settings from the .RADIX directive. The temporary radix control characters should be used within a macro definition and are described in the following section. A

; REVERTS TO OCTAL RADIX

given radix is valid throughout a program until changed. Where a possible conflict exists within a macro definition or in possible future uses of that code module, it is suggested that the user specify values using the temporary radix controls.

5.4.2 Temporary Radix Control: †D, †O, and †B

Once the user has specified a radix for a section of code, or has determined to use the default octal radix, he may discover a number of cases where an alternate radix is more convenient (particularly within macro definitions). For example, the creation of a mask word might best be done in the binary radix.

MACRO has three unary operators to provide a single interpretation in a given radix within another radix.

```
↑Dx (x is treated as being in decimal radix)
↑Ox (x is treated as being in octal radix)
```

†Bx (x is treated as being in binary radix)

For example:

†D123 †O 47 †B ØØØØ11Ø1 †O<A+3.>

Notice that while the up arrow and radix specification characters may not be separated, the radix operator can be physically separated from the number by spaces or tabs for formatting purposes. Where a term or expression is to be interpreted in another radix, it should be enclosed in angle brackets.

These numeric quantities may be used any place where a numeric value is legal.

MACRO provides a feature (maintained for compatibility with PAL-11) that allows temporary radix change from octal to decimal by specifying a decimal radix number with a decimal point. For example,

100. 1376. 128.

are all decimal numbers.

5.5 LOCATION COUNTER CONTROL

Four directives control movement of the location counter. .EVEN and .ODD move the counter a maximum of one byte. .BLKB and .BLKW allow the user to specify blocks of a given number of bytes or words to be skipped in the assembly.

5.5.1 .EVEN

The .EVEN directive ensures that the assembly location counter contains an even memory address by adding one if the current address is odd. If the assembly location counter is even, no action is taken. Any operands following an .EVEN directive are ignored.

5.5.2 .ODD

The .ODD directive ensures that the assembly location counter is odd by adding one if it is even. For example:

1						• •	
2							
3			•				
4							
5							
6 7							
	000052	001	ODEVE:	BYTE	1,2,3		
-	000053	002	ODEAR.	*0116	1,2,0		
	000054	003					
9.	000004	000		.EVEN			ADDIES TO EVEN DOLLINDY
	00056	Dari 4					ADJUST TO EVEN BOUNDRY
10	00057	001 002		BYTE	1,2		
	00007	DUZ		000			ALD THOR TO DOG DOUGLOOM
11				.000			JADJUST TO ODD BOUNDRY
12	00001	001		BYTE	1,2,3	*	• · ·
	00062	002					
	00063	003					* · ·
13				.EVEN			EVEN BOUNDRY?
14	00064	001		BYTE	1,2,3		•
	00005	002			_,,		
	00056	003					
15				.000			10DD BOUNDRY?
16	00007	601		BYTE	1,2,3		years esembly:
• •	00070	002			* , ,		
	00071	003					
17	000. T	000		.EVEN			
• /				B PP A PP 14			

5.5.3 .BLKB and .BLKW

Blocks of storage can be reserved using the .BLKB and .BLKW directives. .BLKB is used to reserve byte blocks and .BLKW reserves word blocks.

Format:

.BLKB [exp]

where exp is the number of bytes or words to reserve. If no expression is present, 1 is the assumed default value. Any legal expression that is completely defined at assembly time and produces an absolute number is legal; e.g., external expressions are illegal. Using these directives without arguments is not recommended.

For example:

1	,	øøøøøø '	.CSECT	IMPURE	
2					
3	<i></i>	PASS:	.BLKW		
4					; NEXT GROUP MUST STAY TOGETHER
5	øøøøø2	SYMBOL:	.BLKW	2	;SYMBOL ACCUMULATOR
6	øøøøø6	MODE:			
7	øøøøø6	FLAGS:	.BLKB	1	;FLAG BITS
8	øøøøø7	SECTOR:	.BLKB	1	;SYMBOL/EXPRESSION TYPE
9	øøøølø	VALUE:	.BLKW	1	;EXPRESSION VALUE
1,9	ø øøø12	RELLVL:	.BLKW	1	
11			.BLKW	2	;END OF GROUPED DATA
12	2				
13	gøø2ø	CLCNAM:	.BLKW	2	; CURRENT LOCATION COUNTER SYMBOL
14	ØØØ24	CLCFGS:	.BLKB	1	
15	9ØØ25	CLCSEC:	.BLKB	1	
16	gøø26	CLCLOC:	.BLKW	1	
17	7 ØØØЗØ	CLCMAX:	.BLKW	1	

The .BLKB directive has the same effect as

.=.+exp

but is easier to interpret in the context of source code.

5.6 NUMERIC CONTROL

Several directives are available to simplify the use of the floating-point hardware on the PDP-11. (Refer to Processor Handbook for floating-point hardware description.)

A floating-point number is represented by a string of decimal digits. The string may contain an optional decimal point and an optional exponent indicator (the letter E and a signed decimal exponent). The list below contains seven valid representations of the same floating-point number:

3 3.0 3.0 3.0E0 3E0 .3E1 300E-2

The list could be extended indefinitely (e.g., 3000E-3, .03E2, etc.). A leading plus sign is ignored (e.g., +3.00 is considered to be 3.00). A leading minus sign complements the sign bit. No other operators are allowed (e.g., 3.00+N is illegal).

Floating-point number representations are valid only in the contexts described in the remainder of this section.

Floating-point numbers are normally rounded. That is, when a floating-point number exceeds the limits of the field in which it is to be stored, the high-order excess bit is added to the low-order retained bit. For example, if the number is to be stored in a 2-word field, but more than 32 bits are needed for its value, the highest bit carried out of the field is added to the least significant position. The .ENABL FPT directive is used to enable floating-point truncation, and .DSABL FPT is used to return to floating-point rounding (see Section 6-5.2).

5.6.1 .FLT2 and .FLT4

Like the .WORD directive, the two floating-point storage directives cause their arguments to be stored in line with the source program.

Format:

.FLT2 argl,arg2,...
.FLT4 argl,arg2,...


where argl, arg2,... represent one or more floating point numbers separated by commas.

.FLT2 causes two words of storage to be generated for each argument, while .FLT4 generates four words of storage.

5.6.2 Temporary Numeric Control: †F and †C

Like the temporary radix control operators, operators are available to specify either a 1-word floating-point number (†F) or the 1's complement of a 1-word number (†C). The †F operator can only be used within an instruction operand expression. †C can be used in any expression. For example,

creates a 1-word floating-point number at location FL3.7+2, containing the value 3.7 formatted as follows.



This 1-word floating-point number is similar to the first word of a 2- or 4-word floating-point number format shown in the PDP-11 Processor Handbook. The statement

stores the 1's complement of 151 in the current radix (assume current radix is octal) as follows (177626 shown in binary)

1111	111	11ø	ølø	11ø
1 7	7	6	2	6

Since these control operators are unary operators, their arguments may be terms, and the operators may be expressed recursively. For example:

| fr<1.2E3> | fc<D25> | or | fc31 | or | 177746

The term created by the unary operator and its argument is then a term that can be used by itself or in an expression. For example,

↑C2+6 is equivalent to 177775

while

 $\$ <2>+6 is equivalent to 177775+6 or $\emptyset\emptyset\emptyset\emptyset\emptyset3$.

For this reason, the use of angle brackets is advised. Expressions used as terms or arguments of a unary operator must be explicitly grouped.

An example of the importance of ordering with respect to unary operators is shown below.

↑F1.Ø = Ø2Ø4ØØ ↑F-1.Ø = 12Ø4ØØ -↑F1.Ø = 1574ØØ -↑F-1.Ø = Ø574ØØ

The argument of the \uparrow F operator must not be an expression and must be of the same format as arguments to the .FLT2 and .FLT4 directives (see Section 6-5.6.1).

5.7 TERMINATING DIRECTIVES

5.7.1 .END

The .END directive indicates the physical end of the source program.

Format:

.END [exp]

where exp is an optional argument that indicates the program entry point; i.e., the transfer address.

When the load module is loaded, program execution begins at the transfer address indicated by the .END exp directive.

5.7.2 .EOT

Under the DOS/BATCH Monitor, the .EOT directive is ignored.

5.8 PROGRAM BOUNDARIES DIRECTIVE: .LIMIT

It is often important to know the boundaries of the load module's relocatable code. The .LIMIT directive reserves two words into which LINK puts the low and high addresses of the relocated code. The low address (inserted into the first word) is the address of the first byte of code. The high address is the address of the first free byte following the relocated code.

Example:

1 2 3 4 5 6 7 000072 000000' 000074 000000

.LIMIT

;LIMIT AND LIMIT+2
;HILL BE THE PROGRAM LIMITS

5.9 PROGRAM SECTION DIRECTIVES

The assembler provides for 255 program sections: one absolute section, one blank relocatable section, and 253 named relocatable sections. The .PSECT directive enables the user to create his program (object module) in sections, and share code and data.

5.9.1 .PSECT Directive

Program sections are defined by the .PSECT directive.

Format:

.PSECT [NAME][,RO/RW][,I/D][,GBL/LCL][,ABS/REL][,CON/OVR][,HGH/LOW]

Any program section without a .PSECT directive is given the name .MAIN., and is assigned all the default attributes. Table 6-10 summarizes the program section attributes.

Table 6-10 .PSECT Directive Parameters

Parameter	Default	Meaning to Linker
NAME	blank	Program section name, in Radix-50 format, specified as one to six characters. If omitted, a comma must appear in the first parameter's position.
RO/RW	RW	Defines the type of access to the program section permitted; read only or read/write.
I/D	I	Allows LINK to differentiate global symbols that are entry points (I) from global symbols that are data values (D).
GBL/LCL	LCL	Defines the scope of a program section. A global program section's scope crosses segment (overlay) boundaries; a local program section's scope is within a single segment. In single-segment programs, the GBL/LCL parameter is ignored.
ABS/REL	REL	When ABS is specified, the program section is absolute. No relocation is performed by the Linker for references within that section. When REL is specified, a relocation bias is calculated by LINK, and added to all references in the section.
CON/OVR	CON	CON causes LINK to collect all allocation references to the program section from different modules and concatenate them to form the total allocation for the program section. OVR indicates that all allocation references to the program section overlay one another. Thus, the total allocation of the program section is determined by the largest request made by a module that references it.
IN/LOW	LOW	Program section memory type.
		HGH = high-speed LOW = core

The HGH/LOW attribute is currently ignored by LINK.

The first parameter must always be NAME. If it is omitted, a comma must be used in its place.

Example:

.PSECT ,RO

This example shows a .PSECT with a blank name and the read only access parameter. Defaults are used for the remaining parameters.

Once the attributes of a named .PSECT are declared in a module, the MACRO Assembler assumes that this .PSECT's attributes hold for all subsequent declarations of the named .PSECT in the same module. Thus, the attributes may be declared once, and later .PSECT's with the same name will have the same attributes, when specified within the same module.

For each program section specified or implied, the assembler maintains the following information.

- 1. Section name
- 2. Contents of the program counter
- 3. Maximum program counter value encountered
- 4. Section attributes (the six .PSECT attributes)

5.9.1.1 Creating Program Sections

The attributes of a given program section are defined by explicit and default parameters upon its first reference. Thereafter, references to the section can either respecify the same section attributes, or the section name only. You may not assign different attributes on a later call to the section. For example, a section can be specified as

.PSECT ALPHA, ABS, OVR

which will give it the attributes ALPHA,RW,I,LCL,ABS,OVR,LOW. The same program can be later referenced as

.PSECT ALPHA

and the same attributes will still be in effect.

By maintaining separate location counters for each section, the assembler allows the user to write statements which are not physically contiguous but are loaded contiguously, as shown in the following example.

1					
2					
3					. 5
4					
5					
6					
7					
8					
9					•
10		;	CALLED	BY JSR	PC,CLRR
11		•			
12		000000	.PSECT	CLEAR, REL	SECT. CLEAR RELOCATABLE
13	NUUUU	000000 A:	.WORD	Ø	POINTER VARIABLES
14	00002	000000 B:	.WORD	Ø	
15	00004	000000 C:	.WORD	Ø	
16	00006	SO DODOO	. WURD	Ø	
17					
18	00010	005067 CLKK:	CLR	A	SET TO NULL
•		177764			
19	00014	005067	CLR	В	
		177762			
20	0002a	N95967	CLR.	С	
		177760			
21					
22		1600000	.PSECT	VECT, ABS	SECT. VECT ABSOLUTE
23		0000041	. = . +4		
24	00004	UUUNUUG	. WORD	TRAPP	
25	00006	000360	.WORD	360	PRIORITY 7
26					
27		0000241	.PSECT	CLEAR	ISECT. CLEAR
28	00024	N05067	CLR	0	
		177/56			
29	00030	000207	RTS	PC	FRETURN
	- " "	*			

The first appearance of a .PSECT directive with a given name assumes the location counter is at relocatable or absolute zero. The scope of each directive extends until a directive beginning a different section is given. Further occurrences of a section name in a subsequent .PSECT statement resume assembling where the section previously ended.

All labels in an absolute section are absolute; all labels in a relocatable section are relocatable. The location counter symbol . is relocatable or absolute when referenced in a relocatable or absolute section, respectively. An undefined symbol is a global reference. It essentially has no attributes except global reference.

Any labels appearing on a .PSECT (or .ASECT or .CSECT) statement are assigned the value of the location counter before the .PSECT (or other) directive takes effect. Thus, if the first statement of a program is

A: .PSECT ALT, REL

then A is assigned to relocatable zero and is associated with the relocatable section ALT.

Since it is not known at assembly time where the program sections are to be loaded, all references between sections in a single assembly are translated by the assembler to references relative to the base of that section. The assembler provides LINK with the necessary information to resolve the linkage. This information is not necessary when making a reference to an absolute section. The assembler can determine all load addresses of an absolute section.

In the following example, references to X1 and Y are translated into references relative to the base of the relocatable section P2.

```
2
3
                                  PI, ABS 'SECT. PI - ABSOLUTE
         INNONUN!
                         .PSECT
 000000 005067 AAA1
                         CLR
                                  X 1
                                          ICLEAR X1 IN RELOCATABLE SECTION
         0000041
8 0000004 000167
                         JMP
                                          IGOTO RELOCATABLE SECTION
         1000000
         2000000
                          PSECT
                                  P2, REL ISECT. P2 - RELOCATABLE
10
11 00000 000167 Y:
                         JMP
                                  AAA
                                          JGOTO ABSOLUTE SECTION
         1000000
12 00004 000000 X1:
                         ONON.
                                  Ø
```

5.9.1.2 Code or Data Sharing

Named relocatable program sections with the attribute OVR can be used to redefine the same sections of core. Sections of the same name with the attribute OVR from different assemblies are all loaded at the same location by LINK. All other program sections (those with the attribute CON) are concatenated.

Note that there is no conflict between internal symbolic names and program section names. It is legal to use the same symbolic name for both purposes. Program section names should not duplicate .GLOBL names.

5.9.2 .ASECT and .CSECT Directives

DOS/BATCH assembly language programs use the .PSECT directive exclusively, since it affords all the capabilities of the .ASECT and .CSECT directives defined for other PDP-11 assemblers. For the sake of compatibility with non-DOS/BATCH MÁCRO programs, the MACRO Assembler will accept .ASECT and .CSECT directives, but assembles them as if they were .PSECT's with the default attributes listed in Table 6-11.

Table 6-11
Non-DOS/BATCH Program Section Defaults

Attribute	Default Value		
	.ASECT	.CSECT (named)	.CSECT
Name	ABS	name	blank
Access	RW	RW	RW
Type	I	Ī	Ţ
Scope	GBL	GBL	LCL
Relocation	ABS	REL	REL
Allocation	. OVR	OVR	CON
Memory	LOW	LOW	LOW

The allowable syntactical forms of .ASECT and .CSECT follow here.

.ASECT [symbol]

Note that, due to default attribute selection applied to .CSECT's by MACRO,

.CSECT JIM

is identical to

.PSECT JIM, GBL, OVR, RW, I, REL, LOW.

5.10 SYMBOL CONTROL: .GLOBL

The assembler produces a relocatable object module and a listing file containing the assembly listing and its associated symbol table. LINK joins separately assembled object modules into a single load module. Object modules are relocated as a function of the specified base of the load module. The object modules (where there are more than one) are linked via global symbols such that a global

symbol in one module (either defined by direct assignment or as a label) can be referenced from another module.

A global symbol may be specified in a .GLOBL directive.

In addition, symbols referenced but not defined within a module are assumed to be global references. The .GLOBL directive is provided to reference (and provide linkage to) symbols not otherwise referenced within a module. For example, one might include a .GLOBL directive to cause linkage to a library. When defining a global definition, the .GLOBL A,B,C directive is equivalent to the following.

```
A==value (or A::value)
B==value (or B::value)
C==value (or C::value)
```

The form of the .GLOBL directive is

```
.GLOBL syml, sym2,...
```

where syml,sym2,... are legal symbolic names, separated by commas or spaces where more than one symbol is specified.

Symbols appearing in a .GLOBL directive are either defined within the current program, or are external symbols defined in another program. This other program is linked with the current program by LINK prior to execution in order to resolve all references to external symbols.

A .GLOBL directive line may contain a label in the label field and comments in the comment field.

At the end of assembly pass 1, MACRO has determined whether a given global symbol is defined within the program or is an external symbol. All internal symbols to a given program must be defined by the end of pass 1, or they will be assumed to be global references (see .ENABL, .DSABL or globals in Section 6-5.2).

```
2
3
4
5
6
7
                           ROUTINE WITH TWO ENTRIES
8
                           DEPENDING ON NUMBER OF FOLLOWING ARGUMENTS
                                        JSR R5, EN3 FOR THREE ARGS.
JSR R5, EN2 FOR TWO ARGS.
9
                           CALLED BY
10
                           CALLED BY
11
12 00006 013546 ENT3:
                           MOV
                                     @(R5)+,=(SP)
                                                       JGET FIRST PARAM
13 00010 004767
                           JSR
                                     PC, CUNV
                                                       ICONVERT IT
          0000001
14 00014 012075
                           MOV
                                     (SP)+,@(R5)
                                                       JPASS IT BACK
          000000
15 00020 012535 ENT2:
                           MOV
                                     (R5)+, P(R5)+
                                                       ISEND PARAM
                                     R5 ,
16 00022 000205
                           KTS
                                                       IRETURN.
```

References to external symbols can appear in the operand field of an instruction or an assembler directive in the form of a direct reference,

.GLOBL EXT
CLR EXT
.WORD EXT
CLR @EXT

or a direct reference plus or minus a constant.

.GLOBL EXT
A=6
CLR EXT+A
.WORD EXT-2
CLR @EXT+A

An external symbol cannot be used in the evaluation of a direct assignment expression. Exception: a global symbol defined within the program can be used in the evaluation of a direct assignment statement.

5.11 CONDITIONAL ASSEMBLY DIRECTIVES

Conditional assembly directives provide the programmer with the capability to conditionally include or ignore blocks of source code in the assembly process. This technique is used to allow several variations of a program to be generated from the same source program.

The general form of a conditional block follows.

.IF cond,argument(s) ;START CONDITIONAL BLOCK ;RANGE OF CONDITIONAL

BLOCK

ENDC ;END CONDITIONAL BLOCK

where

cond is a condition which must be met if the block is to be included in the assembly. These conditions are defined in Table 6-12.

argument(s) are a function of the condition to be tested.

range is the body of code that is included in the assembly (or ignored) depending upon whether the condition is met.

Conditional assembly blocks must end with the .ENDC directive,

and are limited to a nesting depth of 16 levels.

Table 6-12 Conditional Assembly Directives

Condit	tions	· · · · · · · · · · · · · · · · · · ·	
POSITIVE	COMPLEMENT	ARGUMENTS	ASSEMBLE BLOCK IF
EQ	NE	expression	expression=Ø (or Ø)
GT	LE	expression	expression>: (or <Ø)
LT	GE	expression	expression<Ø (or >Ø)
DF	NDF	symbolic argument	symbol is defined (or undefined)
В.	NB	macro-type argument*	argument is blank (or nonblank)
IDN	DIF	two macro-type arguments separated by a comma	arguments identical (or different)
z	NZ	expression	same as EQ/NE
G	L	expression	same as GT/LE

^{*}A macro-type argument is enclosed in angle brackets or within an up-arrow construction (as described in Section 6-6.3.1). For example:

<A,B,C> 1/124/

1					
2					
3			-		•
4					
5	*2		•		
6					
7		000000	ALPHA=0		
8				. IF	DF, ALPHA
9		100001		BETA=1	
10				. ENOC	
11			•	. IF	EQ, ALPHA
12		000377		BETA=377	
13		,		. ENDC	

Within the conditions DF and NDF the following two operators are allowed to group symbolic arguments.

- & logical AND operator
- ! logical inclusive OR operator

•			
2			
3			
4			
5			
6			
7	UDDUDU SYI		
8		. IF NOF, S	YM115YM215YM3
9	000010	ALPHA=10	
10	•	.ENOC	
11		.IF NUF,S	YM1 I SYM2
12	000015	ALPHA=15	
13		.ENDC	

5.11.1 Subconditionals

Subconditionals may be placed within conditional blocks to indicate the following.

- 1. Assembly of an alternate body of code when the condition of the block indicates that the code within the block is not to be assembled.
- Assembly of a noncontiguous body of code within the conditional block depending upon the result of the conditional test to enter the block.
- 3. Unconditional assembly of a body of code within a conditional block.

These subconditional directives are defined in Table 6-13.

Table 6-13
Subconditional Directives

Directive	Function
.IFF	The code following this statement up to the next sub- conditional or end of the conditional block is included in the program, provided the value of the condition tested upon entering the conditional block was false.
.IFT	The code following this statement up to the next sub- conditional or end of the conditional block is included in the program, provided the value of the condition tested upon entering the conditional block was true.
.IFTF	The code following this statement up to the next sub- conditional or the end of the conditional block is included in the program, regardless of the value of the condition tested upon entering the conditional block.

The implied argument of a subconditional directive is the value of the condition upon entering the conditional block. Subconditionals are used within outer level conditional blocks. They are ignored within nested, unsatisfied conditional blocks.

2 3 4 5 5 6 6 7 7 8 000001 Symi#1 .IF DF,SYM1 .IFF MOV R1,R2 ;ASSEMBLE IF SYM1 UNDEFINED 12 .IFT MOV R2,R3 ;ASSEMBLE IF SYM1 DEFINED 14 15 00034 010304 MOV R3,R4 ;ASSEMBLE ALWAYS .ENDC .IFF NE,SYM1 .IFF NE,SYM1 .IFF NE,SYM1 .IFF MOV R4,R5 ;ASSEMBLED IF SYM1 # 0 21 22 00035 010501 MOV R5,R1 ;ASSEMBLED IF SYM1 # 0	1								
4 5 6 7 8									
6 7 8	-								
7 8	-								
8				•					
9			000001	SYM1=1					
MOV R1,R2 ;ASSEMBLE IF SYM1 UNDEFINED 12 13 00032 010203 MOV R2,R3 ;ASSEMBLE IF SYM1 DEFINED 14 15 00034 010304 MOV R3,R4 ;ASSEMBLE ALWAYS 16 17 18 19 20 MOV R4,R5 ;ASSEMBLE IF SYM1 = 0 21 21 21 21 21 22 33 34 34 35 35 36 36 36 37 36 36 37 37 38 38 38 38 38 38 38 38 38 38 38 38 38				.IF	DF,SYM1				
12					D4 - D0	* 4 C C C M D E	TE OVE	4 111	DEETHEI)
13 00032 010203 MOV R2,R3 ;ASSEMBLE IF SYM1 DEFINED 14 .IFTF 15 00034 010304 MOV R3,R4 ;ASSEMBLE ALWAYS 16 .ENDC 17 18 .IF NE,SYM1 19 .IFF 20 MOV R4,R5 ;ASSEMBLED IF SYM1 = 0 21 .IFT					K1,KE	ASSEMBLE	#L 21W	I ON	DELTMEN
14 15 00034 010304 MOV R3,R4 ; ASSEMBLE ALWAYS 16 17 18 1F NE,SYM1 19 20 MOV R4,R5 ; ASSEMBLED IF SYM1 = 0 21 IFT	-	00032	010263		R2,R3	; ASSEMBLE	IF SYM	1 DE	FINED
.ENDC 17 18 .IF NE,SYM1 19 .IFF 20 MOV R4,R5 ;ASSEMBLED IF SYM1 = Ø 21 .IFT	14								
17 18		00034	010304		R3,R4	ASSEMBLE	ALWAYS		
18				. ENUC					
20 MOV R4,R5 ;ASSEMBLED IF SYM1 # 0 21 .IFT				. IF	NE,SYM1				
21 .IFT	19				es 4 194 5 4				a.
and the second s					R4,R5	ANDREADER	11 24	wl =	VQ
······································		00035	010501		R5,R1	; ASSEMBLED	IF SY	M1 #	0
• ENDC				.ENDC					

5.11.2 Immediate Conditionals

An immediate conditional directive is a facility for writing a conditional block in one line. In this form, no .ENDC statement is required and the condition is completely expressed on the line containing the conditional directive. Immediate conditions are of the form

.IIF cond, arg, statement

where

cond is one of the legal conditions defined for conditional blocks

in Table 6-12.

arg is the argument associated with the conditional specified; that

is, either an expression, symbol, or macro-type argument, as

described in Table 6-12.

statement is the statement to be assembled if the condition is met.

For example:

.IIF DF FOO BEQ ALPHA

This statement generates the code

BEQ ALPHA

if the symbol FOO is defined.

A label must not be placed in the label field of the .IIF statement. Any necessary labels may be placed on the previous line.

LABEL:

.IIF DF FOO, BEQ ALPHA

.IIF DF FOO, LABEL: BEQ ALPHA

5.11.3 PAL-11R Conditional Assembly Directives

In order to maintain compatibility with programs developed under PAL-11R, the following conditionals (see Table 6-14) remain permissible under MACRO. It is advisable that future programs be developed using the format for MACRO conditional assembly directives.

Table 6-14
PAL-11R Compatible Directives

Directive	Arguments	Assemble Block if		
.IFZ or .IFEQ	expression	expression=Ø		
.IFNZ or .IFNE	expression	expression not equal \emptyset		
.IFL or .IFLT	expression	expression<Ø		
.IFG or .IFGT	expression	expression>Ø		
.IFLE	expression	expression is < or =Ø		
.IFDF	logical expression	expression is true (defined)		
.IFNDF	logical expression	expression is false (undefined)		

The rules governing the usage of these directives are the same as those for the MACRO conditional assembly directives previously described.

PART 6

CHAPTER 6

MACRO DIRECTIVES

6.1 MACRO DEFINITION

In assembly language programming, it is often convenient to generate a recurring code sequence by means of a single statement. In order to do this, the desired coding sequence is first defined as a prototype with dummy arguments. This prototype definition is known as a macro. Once a macro has been defined, it is invoked by a single statement that contains its name and, optionally, a list of real arguments that replaces the corresponding dummy arguments in the prototype definition. Calling a macro causes its prototype statements to be generated in line, replacing the single macro call.

6.1.1 .MACRO

The first statement of a macro definition must be a .MACRO directive. The .MACRO directive is of the form

.MACRO name[, dummy argument list]

where

name

is the name of the macro. This name is any legal symbol. The name chosen may be used as a label elsewhere in the program.

represents any legal separator (generally a comma or space).

dummy argument list

represents zero, one, or more legal symbols which may appear anywhere in the body of the macro definition, even as a label. These symbols can be used elsewhere in the user program with no conflicts of definition. Where more than one dummy argument is used, they are separated by any legal separator (generally a comma).

A comment may follow the dummy argument list in a statement containing a .MACRO directive. For example:

.MACRO ABS,A,B

; DEFINE MACRO ABS WITH TWO ARGUMENTS

A label must not appear on a .MACRO statement. Labels are sometimes used on macro calls, but serve no function when attached to .MACRO statements.

6.1.2 .ENDM

The final statement of every macro definition must be an .ENDM directive of the form

.ENDM[name]

where

name is an optional argument, being the name of the macro terminated by the statement.

For example:

.ENDM (terminates the current macro definition)

.ENDM ABS (terminates the definition of the macro ABS)

If specified, the symbolic name in the .ENDM statement must correspond to the one in the matching .MACRO statement. Otherwise the statement is flagged and processing continues. Specification of the macro name in the .ENDM statement permits the assembler to detect missing .ENDM statements or improperly nested macro definitions.

The .ENDM statement may contain a comment field, but must not contain a label.

Example:

```
2
                           . MACRO
                                    TYPE, MESS
                                    R5, TYPE JOUTPUT MESSAGE
                           JSR
                           . WORD
                                    MESS
                           . ENOM
10
11
12 00040
                           TYPE
                                    HELLO
                                    R5, TYPE JOUTPUT MESSAGE
   00040 004567
                           JSK
          DODDDDG
                           . WORD
                                    HELLU
   00044 000016
13
```

6.1.3 .MEXIT

In order to implement alternate exit points from a macro (particularly nested macros), the .MEXIT directive is provided. .MEXIT terminates the current macro as though an .ENDM directive were encountered. Use of .MEXIT bypasses the complications of conditional nesting and alternate paths. For example:

```
2
3
4
5
6
7
8
                            . MACRO
                                     ALTR, N, M, R
9
                            MOV
                                     RTINIRTIR
                                                        FRESET PARAM
                            .IF
10
                                     EQ,N
11
                            . MEXIT
12
                            . ENDC
13
                            MUV
                                     RTIN, = (SP)
                                                        ISET UP RETURN
14
                            . ENDM
15
16 00046
                            ALTR
                                     0,1,2
   00046 016767
                            MOV
                                     RTU, RT2 | RESET PARAM
          000014
          010000
                            . IF
                                     EQ,0
                            . MEXIT
                            .ENDC
                            MOV
                                     RTW, - (SP)
                                                        ISET UP RETURN
17 00054
                            ALTR
                                     1,2,3
   00054 016767
                            VOM
                                     RT1,RT3 TRESET PARAM
          000010
          000012
                            . IF
                                     EQ,1
                            .MEXIT
                            . ENOC
   00062 016746
                            MOV
                                     RT1, = (SP)
                                                       ISET UP RETURN
          2000000
18
19 00006 000000 RTU:
                            . WORD
                                     0
20 00070 000000 RT1:
                            . WORD
                                     0
21 00072 000000 RT2:
                            . WORD
                                     Ø
22 00074 000000 RT3:
                            . WORD
```

In an assembly where N= \emptyset , the .MEXIT directive terminates the macro expansion.

Where macros are nested, a .MEXIT causes an exit to the next higher level. A .MEXIT encountered outside a mcaro definition is flagged as an error.

6.1.4 MACRO Definition Formatting

A form feed character used as the only character on a line causes a page eject. Used within a macro definition, a form feed character causes a page eject. A page eject is not performed when the macro is invoked.

Used within a macro definition, the .PAGE directive is ignored, but a page eject is performed at invocation of that macro.

6.2 MACRO CALLS

A macro must be defined prior to its first reference. Macro calls are of the general form

[label:] name[, real arguments]

where

label represents an optional statement label.

name represents the name of the macro specified in the .MACRO directive preceding the macro definition.

represents any legal separator (comma, space, or tab). No separator is necessary where there are no real arguments.

real are those symbols, expressions, and values that replace the dummy arguments in the .MACRO statement. Where more than one argument is used, they are separated by any legal separator.

Where a macro name is the same as a user label, the appearance of the symbol in the operation field designates a macro call, and the occurrence of the symbol in the operand field designates a label reference. For example:

```
2
3
4
5
                           , MACRO
                                    ABS, NUM
6
                           . WORD
7
                                    NUM
Ħ
                           .ENOM
9
10 00026 011011 AB5:
                                    PRU. PR1
                                                      JAHS AS A LABEL
                           YOM
11 00030 000776
                           BK
                                    ABS
                                                      JABS AS AN OPERAND
12 00032
                  USE:
                                                      JABS AS A MACRO CALL
                           ABS
13 00032
   00032 000004
                           .WURD
                           VOM
                                    PRO, PR1
14 00034 011011
```

Arguments to the macro call are treated as character strings whose usage is determined by the macro definition.

6.3 ARGUMENTS FOR MACRO CALLS AND DEFINITIONS

Arguments within a macro definition or macro call are separated from other arguments by any of the separating characters described in Section 6-3.1.1.

For example:

.MACRO REN A,B,C

REN

ALPHA, BETA, <C1, C2>

Arguments that contain separating characters are enclosed in paired angle brackets. An up-arrow construction is provided to allow angle brackets to be passed as arguments. Bracketed arguments are seldom used in a macro definition, but are more likely in a macro call. For example:

REN <MOV X,Y>,#44,WEV

This call would cause the entire statement

MOV X,Y

to replace all occurrences of the symbol A in the macro definition. Real arguments within a macro call are considered to be character strings and are treated as a single entity until their use in the macro expansion.

The up-arrow construction could have been used in the above macro call as shown here.

REN †/MOV X,Y/,#44,WEV

is equivalent to

REN <MOV X,Y>,#44,WEV .

Since spaces are ignored preceding an argument, they can be used to increase legibility of bracketed constructions.

The form

REN #44, WEV / MOV X, Y/

however, contains only two arguments, #44 and WEV $^{\uparrow}$ MOV X,Y/ (see Section 6-3.1.1), because $^{\uparrow}$ is a unary operator.

6.3.1 Macro Nesting

Macro nesting (nested macro calls), where the expansion of one macro includes a call to another macro, causes one set of angle brackets to be removed from an argument with each nesting level. The depth of nesting allowed is dependent upon the amount of core space used by the program being assembled. To pass an argument containing

legal argument delimiters to nested macros, the argument should be enclosed in one set of angle brackets for each level of nesting, as shown below.

```
1
2
3
4
5
б
7
8
                           .MACRO
                                    LEVEL, FOU, FOO2
9
                           LEVEL1
                                    FOO
10
                                    F002
                           LEVEL1
11
                           . ENDM
12
13
                           .MACRU
                                    LEVEL1, FU03
14
                           F003
15
                                                       JADJUST TABLE POINTER
16
                           ADD
                                    #10, KO
                                    RØ,-(SP)
                                                       ISAVE IT FUR LATER
17
                           MOV
18
                           . ENOM
19
                           LEVEL
                                    <<MOV
                                              RTØ,RØ>><<CLR
20 00076
                           LEVEL1
                                    VOM>
                                              HTØ.RØ>
   00076
   00076 016700
                           MOV
                                    RTØ, KØ
          177764
                                                       JADJUST TABLE POINTER
                           AUU
                                    #10, KO
   00102 062700
          000010
                                    RU, - (SP)
                                                       ISAVE IT FOR LATER
                           MOV
   00106 010046
                           LEVEL1
                                    <CLR
                                             R1>
   00110
                           CLR
                                    R1
   00110 005001
                                                       JADJUST TABLE POINTER
   00112 062700
                           ADD
                                    #10, KØ
          000010
                                    RU, - (SP)
                                                       ISAVE IT FOR LATER
                           VOM
   00116 010046
21
```

Where macro definitions are nested (that is, a macro definition is entirely contained within the definition of another macro), the inner definition is not defined as a callable macro until the outer macro has been called and expanded. For example:

.MACRO LV1 A,B
.
.
.MACRO LV2 A
.
.
.ENDM

The LV2 macro cannot be called by name until after the first call to the LV1 macro. Likewise, any macro defined within the LV2 macro definition cannot be referenced directly until LV2 has been called.

6.3.2 Concatenation

The apostrophe or single quote character (') operates as a legal separating character in macro definitions. An 'character that precedes and/or follows a dummy argument in a macro definition is removed, and the substitution of the real argument occurs at that point. For example:

```
1
2
3
5
6
                            .MACRO
                                     DEF, I, J, K
8
                   RT'J:
                            . ASCIZ
                                      /K/
9
                            .EVEN
10
                            . WORD
                                      11
11
                            . ENDM
12
13 00142
                            DEF
                                      RT5,6,<MACRD=11>
              115 RT0:
   00142
                            LASCIZ
                                      /MACRO-11/
   00143
              101
   00144
              103
   00145
              122
   00146
              117
   00147
              055
   00150
              661
   00151
              961
   00152
              000
                            .EVEN
   00154 000000G
                            .WORD
                                     RT5
```

Within nested macro definitions, multiple single quotes can be used, with one quote removed at each level of macro nesting.

6.3.3 Special Characters

Arguments may include special characters without enclosing the argument in a bracket construction, if that argument does not contain spaces, tabs, semicolons, or commas. For example:

generates the following code:

MOV X+3(%2),-(SP)

6.3.4 Numeric Arguments Passed as Symbols

When passing macro arguments, a useful capability is to pass a symbol that can be treated by the macro as a numeric string. An argument preceded by the unary operator backslash (\) is treated as a number in the current radix. The ASCII characters representing the number are inserted in the macro expansion; their function is defined in context. For example:

```
1 2
3
4
5
6
7
          000004
                            NUM#4
8
                            COU=0
          000000
                            .MACRO INK, V1, V2
9
                            COUNT
                                      V1,0Y2
10
                            COU=COU+1
11
12
                            . ENOM
13
                            .MACHO
                                     COUNT, V1, V2
14
                            . WORD
                   RT'V1:
15
                            . ENOM
16
17
18 00120
                            INK
                                      <10>, NUM
                            COUNT
                                      10,0NUM
   00120
   00120 000004 RT10:
                            . WORD
                            COU=COU+1
          000001
```

Using this facility can make source listings somewhat clearer. For example, versions of programs created through conditional assembly of a single source can identify themselves as follows.

.MACRO	IDT SYM	; ASSUME THAT THE SYMBOL ID TAKES
.IDENT	/SYM/	ON A UNIQUE 2-DIGIT VALUE FOR
.ENDM		; EACH POSSIBLE CONDITIONAL ASSEMBLY
.MACRO	OUT ARG	;OF THE PROGRAM
IDT	ØØ5A'ARG	•
.ENDM		•
•		•
•		
• `		;WHERE ØØ5A IS THE UPDATE
OUT	\ID	; VERSION OF THE PROGRAM
		;AND ARG INDICATES THE
	*	; CONDITIONAL ASSEMBLY VERSION.

The above macro call expands to

.IDENT /ØØ5AXX/

where XX is the conditional value of ID.

Two macros are necessary since the text delimiting characters in the .IDENT statement would inhibit the concatenation of a dummy argument.

6.3.5 Number of Arguments

If more arguments appear in the macro call than in the macro definition, the excess arguments are ignored. If fewer arguments appear in the macro call than in the definition, missing arguments are assumed to be null (consist of no characters). The conditional directives .IF B and .IF NB can be used within the macro to detect unnecessary arguments.

A macro can be defined with no arguments.

6.3.6 Automatically Created Symbols

MACRO can create symbols of the form n\$ where n is a decimal integer number such that 64<n<127. Created symbols are always local symbols between 64\$ and 127\$. (For a description of local symbols, see Section 6-3.7.) Such local symbols are created by the assembler in numerical order.

64\$

65\$

•

126\$

127\$

Created symbols are particularly useful where a label is required in the expanded macro. Such a label must otherwise be explicitly stated as an argument with each macro call or the same label is generated with each expansion and results in a multi-defined label. Unless a label is referenced from outside the macro, there is no reason for the programmer to be concerned with that label.

The range of these local symbols extends between two explicit labels. Each new explicit label creates a new local symbol block,

The macro processor creates a local symbol on each call of a macro whose definition contains a dummy argument preceded by the ? (question mark) character. Local symbols are generated only where the real argument of the macro call is either null or missing. If a real argument is specified in the macro call, the generation of a local symbol is inhibited and normal replacement is performed. Consider the following example and expansions.

```
2
5
6
                            .MACRO
                                     TEST, REG, ?LAB
7
                            TST
8
                                     REG
9
                            BEG
                                     LAB
                            AUD
                                     #5,REG
10
                  LABS
11
                            . ENDM
12
13
                            TEST
14 00122
                                     X 1
   00122 005701
                            TST
                                     % 1
                            BEQ
                                     64$
   00124 001402
                            ADD
                                     #5,%1
   00126 002701
          000005
                  64$1
   00132
15 00132
                            TEST
                                     X1,XYZ
   00132 005701
                            IST
                                     % 1
   00134 001402
                            BEQ
                                     XYZ
   00136 062701
                                     #5, %1
                            ADD
          000005
   00142
                  XYZ:
```

These assembler-generated symbols are restricted to the first 16 (decimal) arguments of a macro definition.

6.4 .NARG, .NCHR, AND .NTYPE

These three directives allow the user to obtain the number of arguments in a macro call (.NARG), the number of characters in an argument (.NCHR), or the addressing mode of an argument (.NTYPE). Use of these directives permits selective modifications of a macro depending upon the nature of the arguments passed.

The .NARG directive enables the macro being expanded to determine the number of arguments supplied in the macro call.

Format:

[label:] .NARG symbol

where

label is an optional statement label.

symbol is any legal symbol whose value is to be equated to the number of arguments in the macro call currently being expanded. The symbol can be used by itself or in expressions.

The .NARG directive can occur only within a macro definition.

```
123456789
                             .MACRO
                                       NUPP, NUM
                             .NARG
                                       SYM
                             . IF
                                       EQ, SYM
                             .MEXIT
                             . IFF
                             . REPT
                                       NUM
                             NOP
                             . ENOM
13
                             . ENOC
                             . ENDM
15
                             NOPP
16 00202
           UDDUDU
                             . NARG
                                       SYM
                             . IF
                                       EQ, SYM
                             .MEXIT
                             .IFF
                             . REPT
                             NOP
                             .ENOM
                             .ENDC
17
                             NOPP
18 00202
                                       6
                             . NARG
           000001
                                       SYM
                             .IF
                                       EQ, SYM
                             .MEXIT
                             . IFF
          000006
                             . REPT
                             NOP
                             . ENDM
   00202 000240
                             NOP
   00204 000240
                             NOP
   00206 000240
                             NOP
   00210 000240
                             NOP
   00212 000240
                             NOP
   00214 000240
                             NOP
                             . ENDC
```

The .NCHR directive enables a program to determine the number of characters in a character string.

Format:

[label:] .NCHR symbol, <character string>

where

label

is an optional statement label.

symbol

is any legal symbol that is to be equated to the number of characters in the specified character string. The symbol is separated from the character string argument by any legal separator.

The .NCHR directive can occur anywhere in a MACRO program.

```
2
3
4
5
6
                                      CHAR, MESS
7
                             . MACRO
8
                             . NCHR
                                       SYM, MESS
9
                             . WORD
                                       SYM
                             .ASCII
                                       /MESS/
10
                             .ENDM
11
12
13 00172
                             CHAR
                                       <HELLO>
                             .NCHR
          0000005
                                       SYM, HELLU
                             . WORD
                                       SYM
   001/2 000005
              110
                             . ASCII
                                       /HELLO/
   00174
   001/5
              105
    00176
              114
   00177
               114
              117
   00200
14
                             .EVEN
```

The .NTYPE directive enables the macro being expanded to determine the addressing mode of any argument.

Format:

[label:] .NTYPE symbol, arg

where

label is an optional statement label.

symbol is any legal symbol, the value of which is to be equated to the 6-bit addressing mode of the argument. The symbol is separated from the argument by a legal separator. This symbol can be used by itself or in expressions.

arg is any legal macro argument (dummy argument) as defined in Section 6-6.3.

The .NTYPE directive can occur only within a macro definition.

```
2
3
4
5
6
7
                            . MACRO
                                     SAVEIARG
                            .NTYPE
8
                                     SYM, ARG
                            .IF
                                     EQ,SYM&70
9
10
                            MOV
                                     ARG. TEMP
                                                        IREGISTER MODE
11
                            . IFF
                            MUV
12
                                     HARG, TEMP
                                                        INON-REGISTER MODE
                            . ENOC
13
14
                            . ENDM
15
16 00156 000000 TEMP:
                            . WORD
                                     Ø
17
18 00160
                            SAVE
                                     %1
                            NTYPE
          000001
                                     SYM, %1
                            . IF
                                     EQ, SYM&70
                            VQM
                                     X1, TEMP TREGISTER MODE
   00100 010167
          177772 -
                            .IFF
                            MOV
                                     4%1, TEMP
                                                        INON-REGISTER MODE
                            . ENDC
19
20 00164
                            SAVE
                                     TEMP
                            NTYPE
          000067
                                     SYM, TEMP
                            . IF
                                     EQ,SYM&70
                           MOV
                                     TEMP, TEMP
                                                        FREGISTER MODE
                            .IFF
                           MOV
   00164 012767
                                     ATEMP, TEMP
                                                        INON-REGISTER MODE
          0001561
          177764
                            . ENDC
```

6.5 .ERROR AND .PRINT

The .ERROR directive is used to output messages to the command output device during assembly pass 2. A common use is to provide diagnostic announcements of a rejected or erroneous macro call. The form of the .ERROR directive is as follows:

[label:] .ERROR [expr];text

where

Upon encountering an .ERROR directive anywhere in a MACRO program, the assembler outputs a single line containing the following information.

- 1. The sequence number of the .ERROR directive line.
- 2. The current value of the location counter.
- 3. The value of the expression if one is specified.
- 4. The text string specified.

For example,

.ERROR A; UNACCEPTABLE MACRO ARGUMENT

causes a line similar to the following to be output:

512 5642 ØØØØ76 ;UNACCEPTABLE MACRO ARGUMENT

where the above fields are, from left to right, sequence number, location counter, expression value, and text.

The line is flagged on the assembly listing with a P error code.

The .PRINT directive is identical to .ERROR except that it is not flagged with a P error code.

6.6 INDEFINITE REPEAT BLOCK: .IRP AND .IRPC

An indefinite repeat block is a structure very similar to a macro definition. An indefinite repeat is essentially a macro definition that has only one dummy argument and is expanded once for every real argument supplied. An indefinite repeat block is coded in line with its expansion, rather than being referenced by name as a macro is referenced.

An indefinite repeat block can occur either within or outside macro definitions, repeat ranges, or indefinite repeat ranges. The rules for creating an indefinite repeat block are the same as for the creation of a macro definition. Indefinite repeat arguments follow the same rules that apply to macro arguments.

Format:

[label:] .IRP arg,<real arguments>

(range of the indefinite repeat)

.ENDM

where

label

is an optional statement label. A label may not appear on any .IRP statement within another macro definition, repeat range or indefinite repeat range, or on any .ENDM statement.

arg

is a dummy argument that is successively replaced with the real arguments in the .IRP statement.

<real argument>

is a list of arguments to be used in the expansion of the indefinite repeat range and enclosed in angle brackets. Each real argument is a string of zero or more characters or a list of real arguments (enclosed in angle brackets). The real arguments are separated by commas.

range

is the block of code to be repeated once for each real argument in the list. The range may contain macro definitions, repeat ranges, or other indefinite repeat ranges. Note that only created symbols should be used as labels within an indefinite repeat range.

Figure 6-6 illustrates the use of .IRP.

```
1
2
Š
4
5
                             . IRP
                                       X, <A,B,C>
8
                             MOV
                                       X, (RU)+
                             . ENDM
  000216 016720
                             MOV
           177556
  000222 016720
                             MOV
                                       B, (RU)+
           177554
  000226 016720
                             MOV
                                       C, (RU)+
           177552
```

Figure 6-6 .IRP Example

A second type of indefinite repeat block is available which handles character substitution rather than argument substitution. The .IRPC directive is used as follows:

label: .IRPC arg, string

(range of indefinite repeat)

ENDM

On each iteration of the indefinite repeat range, the dummy argument (arg) assumes the value of each successive character in the string.

6.7 REPEAT BLOCK: .REPI

Occasionally it is useful to duplicate the same block of code a number of times in line with other source code. This is performed by creating a repeat block of the following form.

[.label:] .REPT expr

(range of repeat block)

.ENDM

;OR .ENDR

where

label is an optional statement label. The .ENDR or .ENDM directive may not have a label. A .REPT statement occurring within another repeat block, indefinite repeat block, or macro definition may not have a label associated with it.

expr is any legal expression controlling the number of times the block of code is assembled. When the value of expr = \emptyset , the range of the repeat block is not assembled.

range is the block of code to be repeated expr number of times. The range may contain macro definitions, conditionals, indefinite repeat ranges or other repeat ranges. Note that no statements within a repeat range can have a label.

The last statement in a repeat block can be an .ENDM or .ENDR statement. The .ENDR statement is provided for compatibility with previous assemblers.

The .MEXIT statement is also legal within the range of a repeat block.

1				
2			•	
3				
4				
5				
6				
7		000020	.REPT	20
8	-		. WORD	Ø
9			ENDM	
-	000232	600000	. WURU	0
	000234	000000	. WURD	0
	000236	000000	. WORD	Ø
	000240	DODDED	.wORD	0
	000242	000000	.WORD	0
	000244	000000	.WORD	Ø
	UUU246	020000	.WORD	Ø
	000250	000000	.WORD	0
	000252	BUUUDA	.WURD	Ø

000254	000000	.WORD	Ø
000256	688888	. WORD	0
000200	000000	, WORD	Ø
000262	000000	. WORD	Ø
000264	000000	WORD	0
000266	000000	.WORD	Ø
000270	000000	.WURD	0
10	0000011	.END	

6.8 MACRO LIBRARIES: .MCALL

All macro definitions must occur prior to their being referenced within the user program. MACRO provides a selection mechanism for the programmer to indicate in advance those system macro definitions required by his program.

The .MCALL directive is used to specify the names of all system macro definitions not defined in the current program but required by the program. The .MCALL directive must appear before the first occurrence of a macro call for an externally defined macro. The .MCALL directive has the following format.

.MCALL argl[,arg2,...]

where argl, arg2,... are the names of the macro definitions required in the current program.

When this directive is encountered, MACRO searches the system library SYSMAC.SML to find the requested definition(s).

PART 6

CHAPTER 7

OPERATING PROCEDURES

The MACRO Assembler assembles one or more ASCII source files containing MACRO statements. Its output consists of a relocatable binary object file and an assembly listing followed by the symbol table listing. A cross-reference listing (CREF) can be specified as part of the assembly output by means of a switch option.

7.1 LOADING MACRO

MACRO is loaded with the Disk Monitor RUN command.

\$RUN MACRO

(Characters printed by the system are underlined to differentiate them from characters typed by the user.) The assembler responds by identifying itself and its version number, followed by a # character to indicate readiness to accept a command input string.

MACRO Vxxx

#

7.2 COMMAND INPUT STRING

In response to the # printed by the assembler, the user types the output file specification(s), a left angle bracket, and the input file specification(s).

Format:

#object,listing<sourcel,source2,...,sourceN</pre>

where

object is the binary object file.

listing is the assembly listing file containing the assembly

listing and symbol table. Optionally, a separate CRF listing file can be appended to the assembly listing or

output as a separate file.

source1,source2,
...,sourceN

are the ASCII source files containing the MACRO source program(s). No limit is set on the number of input source

files, but the assembler is limited by the size of the

user-defined and macro symbol tables.

A null specification in any of the file fields signifies that the associated input or output file is not desired. Each file specification contains the following information and follows the standard DOS conventions for file specifications.

dev:filnam.ext[uic]/option:arg

One or more switch options can be specified with each file specification to provide the assembler with information about that file. The switch options are described in Appendix J.

A syntactical error detected in the command string causes the assembler to output the command string up to and including the point where the error was detected, followed by a ? character. The assembler then reprints the # character and waits for a new command string to be entered. The following command string errors are detected.

Error

Error Message

Illegal switch
Too many switches
Illegal switch value
Too many switch values

ILLEGAL SWITCH

Too many output file specifications

TOO MANY OUTPUT FILES

No input file specification

INPUT FILE MISSING

The default value for each file specification is noted below in Table 6-15.

Table 6-15
File Specification Default Values

	đev	filnam	ext	uic
object	system device	last source file name	.OBJ	current
listing	device used for object output	last source file name	.LST	current
CREF intermediate	system device	last source file name	.CRF	current
sourcel	system device	-	.MAC .PAL .null	current
source2 sourceN	device used for sourcel (last source file specified)	-	.MAC .PAL .null	current

(continued on next page

Table 6-15 (Cont.) File Specification Default Values

	dev	filnam	ext	uic
system macro	system device	SYSMAC	.SML	current [1,1]
file				

7.3 CROSS-REFERENCE TABLE GENERATION

A cross-reference listing (CREF) of all or a subset of all symbols used in the source program can be obtained by a call to the CREF routine. CREF can be used in two ways.

a. CREF can be called automatically following an assembly. In order to do this, the /CRF switch is specified following the assembly listing file specification. For example:

#,LP:/CRF<FILE1,FILE2

This command string sends the assembly listing (FILE2.LST) to the line printer. An intermediate CREF file is created and temporarily stored on the system device (FILE2.CRF) under the current UIC. The CREF routine takes this intermediate file, generates a CREF listing and routes that listing to the line printer. (The CREF listing is appended to the file FILE2.LST.) The CREF intermediate file is then deleted; there is no way to preserve this file when CREF is being called automatically.

b. If no CREF listing is desired immediately, the intermediate CREF file can be saved on the system device; the CREF listing can be generated at a later date. In order to preserve the intermediate CREF file, the following MACRO command string is given.

#,LP:/CRF:NG<FILE1,FILE2

This command string sends the assembly listing (FILE2.LST) to the line printer. The CREF intermediate file (FILE2.CRF) is sent to the system device under the current UIC. (The :NG argument is a mnemonic for "No Go" to CREF; i.e., no automatic transfer to the CREF routine following the output of the assembly listing.)

In order to generate the CREF listing, the CREF routine is run and given a command string indicating the input file specification(s) and a single output file specification. For example:

\$RU CREF VØØ1A #LP:<FILE2.CRF

In this case the intermediate file created automatically in the MACRO example above is processed to obtain a CREF listing, which is then sent to the line printer. The CREF intermediate file is then automatically deleted. If it is desired to preserve the intermediate file, the following command string should be given.

#LP:<FILE2.CRF/SA

Unless the /SA switch is specified, the default case is always to delete the CREF intermediate file.

The CREF listing is organized into one to five sections, each listing a different type of symbol. The sections follow here.

Section Type	Argument
user-defined symbols	: S
macro symbolic names	: M
permanent symbols (instructions, directives)	:P
.PSECT symbolic names	:C
error codes	:E

Where no arguments are specified following the /CRF switch, all of the above sections except the permanent symbols are cross-referenced. However, if any one argument is specified (other than :NG), then no other default sections are assumed or provided. For example, in order to obtain a CREF listing for all five section types, the following switch option specification is used.

/CRF:S:M:P:C:E

The order in which the arguments are specified does not affect the order of their output, as is listed above.

Figure 6-7 contains a segment of source code and Figure 6-8 contains a segment of a CREF listing with some references to the code in Figure 6-7.

In a CREF listing, each cross-referenced symbol is printed in the left-hand column, followed by a list of the page-line numbers of the places at which that symbol is referenced. A # character following a page-line number indicates the point at which the listed symbol is defined. An @ character designates a page-line number at which the contents of that symbol are possibly altered.

1		.SBTTL	OBJECT CODE HANDLE	RS
2	THIDD .			;END OF PASS HANDLER
3 Ø12Ø26	ENDP:	63.7.7	CDMMAN	, END OF PASS HANDER
4 Ø12Ø26		CALL	SETMAX	
Ø12Ø26 ØØ4767		JSR	PC, SETMAX	
17424Ø				
5 Ø12Ø32 ØØ5767		TST	PASS	;PASS ONE?
øøøøøø '				
6 Ø12Ø36 ØØ1142		BNE	ENDP2	;BRANCH IF PASS 2
7 Ø12Ø4Ø		ENTOVR	4	
8 Ø12Ø4Ø ØØ5767		TST	OBJLNK	; PASS ONE, ANY OBJECT?
ØØ1416'			•	
9 Ø12Ø44 ØØ1517		BEQ	3Ø\$; NO
1ø 12ø46 ø12767		MOV	#BLKTØ1,BLKTYP	;SET BLOCK TYP1 1
øøøøøl			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•
ØØØ542 '				
		CALL	OBJINI	;INIT THE POINTERS
11 12Ø54				, INII IIII I OINIIII
12054 004767	,	JSR	PC,OBJINI	
ØØ1542				COM UNDONU TABLE
12 12Ø6Ø Ø127Ø1		MOV	#PRGTTL,Rl	;SET "FROM" INDEX
øøøø5ø'				
13 12Ø64 Ø167Ø2		MOV	RLDPNT, R2	; AND "TO" INDEX
øøø54ø'				
14 12Ø7Ø		CALL	GSDDMP	;OUTPUT GSD BLOCK
12Ø7Ø ØØ4767		JSR	PC,GSDDMP	
øøø66ø				
15 12Ø74 ØØ5Ø46		CLR	-(SP)	; INIT FOR SECTOR SCAN
16 12Ø76 Ø12667	1Ø\$:	MOV	(SP)+,ROLUPD	;SET SCAN MARKER
риров бараба			(22,1,1,1)	,
17 121Ø2		NEXT	SECROL -	GET THE NEXT SECTOR
12102 012700		MOV	#SECROL, RØ	, car man date.
		MOV	#SECROLING	
ØØØØ1Ø		TOD	DC NEWE	
121Ø6 ØØ4767		JSR	PC, NEXT	
ØØ54ØØ			0.44	DDANGU TE BUDGUGU
18 12112 ØØ145Ø		BEQ	2Ø\$;BRANCH IF THROUGH
19 12114 Ø16746		VOM	ROLUPD,-(SP)	;SAVE MARKER
øøøøø6	·			
2Ø 1212Ø Ø127Ø1		MOV	#MODE,R1	
ф фффб6	ř			
21 12124 Ø111Ø5		MOV	(R1),R5	SAVE SECTOR
22 12126 Ø427Ø5		BIC	#377,R5	;ISOLATE IT
øøø377				
23 12132 ØØØ3Ø5		SWAB	R5	; AND PLACE IN RIGHT
24 12134 Ø42711		BIC	#-1- <relflg>,(R1)</relflg>	CLEAR ALL BUT REL BIT
177737			-	
25 1214Ø Ø52721		BIS	# <gsdtø1>+DEFFLG.(</gsdtø1>	R1)+ ;SET TO TYPE 1, DEFINED
ØØØ41Ø			.,,	,
26 12144 Ø1Ø521		MOV	R5,(R1)+	;ASSURE ABS
27 12146 ØØ14Ø1			11\$; OOPS!
		BEQ MOV	(R1),-(R1)	; REL, SET MAX
				SET FOR INNER SCAN
28 1215Ø Ø11141	110.	CID		PORT FOR THIRDY OCUM
29 12152 ØØ5Ø67	11\$:	CLR	ROLUPD	•
29 12152 ØØ5Ø67 ØØØØØ6	•			
29 12152 ØØ5Ø67 ØØØØØ6 3Ø 12156 Ø127Ø1	12\$:	MOV	#SYMBOL,R1	
29 12152 ØØ5Ø67 ØØØØØ6 3Ø 12156 Ø127Ø1 ØØØØØ2	12\$:	MOV	#SYMBOL,R1	
29 12152 ØØ5Ø67 ØØØØØ6 3Ø 12156 Ø127Ø1 ØØØØØ2 31 12162	12\$:	MOV	#SYMBOL,R1 GSDDMP	OUTPUT THIS BLOCK
29 12152 ØØ5Ø67 ØØØØØ6 3Ø 12156 Ø127Ø1 ØØØØØ2 31 12162 12162 ØØ4767	12\$:	MOV	#SYMBOL,R1	
29 12152 ØØ5Ø67 ØØØØØ6 3Ø 12156 Ø127Ø1 ØØØØØ2 31 12162	12\$:	MOV	#SYMBOL,R1 GSDDMP	

Figure 6-7 Assembly Listing

32	12166		13\$:	NEXT	SYMBOL	;FETCH THE NEXT SYMBOL
	12166	Ø127ØØ		MOV	#SYMBOL.RØ	
		øøøøøø			•	
	12172	ØØ4767	,	JSR	PC, NEXT	
		ØØ5314				
		ØØ1737		BEQ	1Ø\$; FINISHED WITH THIS GUY
34	122ØØ	Ø32767		BIT	#GLBFLG,MODE	;GLOBAL?
		øøø1øø			•	
		øøøøø6'			•	
		ØØ1767	*	BEQ	13\$; NO .
36	1221Ø	1267Ø5		CMPB	SECTOR, R5	;YES, PROPER SECTOR?
		øøøøø7'	-			
		ØØ1364		BNE	13\$; NO
38	12216	Ø42767	*	BIC	#-1- <defflg!relflg!< td=""><td>GLBFLG>,MODE ;CLEAR MOST</td></defflg!relflg!<>	GLBFLG>,MODE ;CLEAR MOST
		177627				
		øøøøø6'				e e
39	12224	Ø52767		BIS	#GSDTØ4,MODE	;SET TYPE 4
		ØØ2ØØØ				
		øøøøø6'				
4Ø	12232	ØØØ751		BR	12\$;OUTPUT IT
					• •	

Figure 6-7 (cont.)
Assembly Listing

ENDMAC	27-4Ø	1ø9-33#				•	
ENDP	23-23	72- 3#	•				
ENDP1M	73-16	72-22#					
ENDP2	72- 6	74- 1#					
•		•					
•			•				
•				-			
MDFFLG	12- 7#	35-28	92-8	92-24			
MEXIT	116- 1#	116-41#				,	
MODE	14- 6#	22-29@	34-12	35-17@	36-12	37- 4	4Ø-43
•	45- 60	48-160	58-38@	64-23	7Ø-1Ø	72-2Ø	72-34
	72-38@	72-39@	74-34	75-37	86- 8	91-2Ø@	1Ø6-27
	116-34#			*		•	
MOVBYT	18- 5	18- 9	28-44	74-41	83-11	83-2Ø	1Ø8-19#
MPDP	1Ø9-42	121-17#					
MPUSH	1Ø9-26	11Ø-48	121- 1#				
MSBARG	27- 9	121-18	121-4Ø#				
MSBBLK	121- 4	121-28	121-36#				
MSBCNT	27-15	1Ø9-33	116- 6	121-41#			•
MSBEND	121- 9	121-28	121-43#				
MSBMRP	25-19	27-25@	11Ø-49@	121-42#	2		
	,						

Figure 6-8
Excerpts from CREF Listing to Accompany Figure 6-7

Note particularly the CREF references for ENDP, ENDP2, and MODE.

PART 6

CHAPTER 8

A SUMMARY OF THE MACRO ASSEMBLY LANGUAGE AND ASSEMBLER

8.1 SPECIAL CHARACTERS

Character	Function
vertical tab	Source line terminator
•	Label terminator
=	Direct assignment indicator
%	Register term indicator
tab	Item terminator
	Field terminator
space	Item terminator
	Field terminator
#	Immediate expression indicator
 @	Deferred addressing indicator
(Initial register indicator
)	Terminal register indicator
(comma)	Operand field separator
;	Comment field indicator
+	Arithmetic addition operator or auto
•	increment indicator
-	Arithmetic subtraction operator or auto
*.	decrement indicator
*	Arithmetic multiplication operator
1	Arithmetic division operator
&	Logical AND operator
1	Logical OR operator
THE STATE OF THE S	Double ASCII character indicator
' (apostrophe)	Single ASCII character indicator
•	Assembly location counter
<	Initial argument indicator
>	Terminal argument indicator
†	Universal unary operator
`	Argument indicator
\	MACRO numeric argument indicator
::	Global label terminator
==	Global assignment indicator

8.2 ADDRESS MODE SYNTAX

n is an integer between \emptyset and 7 representing a register. R is a register expression, E is an expression, ER is either a register expression or an expression in the range \emptyset to 7.

Format	Address Mode Name	Address Mode Number	Meaning
R	register	Øn	Register R contains the operand. R is a register expression.
@R or (ER)	deferred register	· ln	Register R contains the operand address.
(ER)+	autoincrement	2n	The contents of the register specified by ER are incremented after being used as the address of the operand.
@ (ER) +	deferred auto- increment	3n	ER contains the pointer to the address of the operand. ER is incremented after use.
- (ER)	autodecrement	4n	The contents of register ER are decremented before being used as the address of the operand.
@- (ER)	deferred auto- decrement	5n	The contents of register ER are decremented before being used as the pointer to the address of the operand.
E (ER)	index	6n	E plus the contents of the register specified, ER, is the address of the operand.
@E (ER)	deferred index	7n	E plus the contents of the register specified, ER, is the address of the address of the operand.
#E	immediate	27 ,	E is the operand.
@#E	absolute	37	E is the address of the operand.
E	relative	. 67	E is the address of the operand.
@E	deferred relative	77	E is the pointer to the address of the operand.

8.3 ASSEMBLER DIRECTIVES

Form	Described In Section	Operation
•	6-5.3.3	A single quote character (apostrophe) followed by one ASCII character generates a word contains the 7-bit ASCII representation of the character in the low-order byte, and zero in the high-order byte.
	6-6.3.2	Concatenation within a macro.
п	6-5.3.3	A double quote character followed by two ASCII characters generates a word con- taining the 7-bit ASCII representation of the two characters.
↑Bn	6-5.4.2	Temporary radix control; causes the number n to be treated as a binary number.
†Cn	6-5.6.2	Creates a word containing the one's complement of n.
↑Dn	6-5,4.2	Temporary radix control; causes the number n to be treated as a decimal number.
↑Fn	6-5.6.2	Creates a one-word floating point quantity to represent n.
†On	6-5,4,2	Temporary radix control; causes the number n to be treated as an octal number.
.ASCII string	6-5.3.4	Generates a block of data containing the ASCII equivalent of the character string (enclosed in delimiting characters) one character per byte.
.ASCIZ string	6-5.3.5	Generates a block of data containing the ASCII equivalent of the character string (enclosed in delimiting characters), one character per byte with a zero byte following the specified string.
ASECT	6-5.9.2	Begin or resume absolute section.
.BLKB exp	6-5.5.3	Reserves a block of storage space exp bytes long.
.BLKW exp	6-5.5.3	Reserves a block of storage space exp words long.
.BYTE expl,exp2,	6-5.3.1	Generates successive bytes of data containing the octal equivalent of the expression(s) specified.
.CSECT symbol	6-5.9.2	Begin or resume named or unnamed relocatable section.

(continued on next page)

Form	Described In Section	Operation
.DSABL arg	6-5.2	Disables the assembler function specified by the argument.
.ENABL arg	6-5.2	Provides the assembler function specified by the argument.
.END exp	6-5.7.1	Indicates the physical end of source program. An optional argument specifies the transfer address.
.ENDC	6-5.11	Indicates the end of a conditional block.
.ENDM .ENDM symbol	6-6.1.2	Indicates the end of the current repeat block, indefinite repeat block, or macro. The optional symbol, if used, must be identical to the macro name.
.EOT	6-5.7.2	Ignored. Indicates end-of-tape, which is detected automatically by the hardware.
.ERROR exp,string	6-6.5	Causes a text string containing the optional expression and the indicated text string to be output to the command device.
.EVEN	6-5.5.1	Ensures that the assembly location counter contains an even address by adding 1 if it is odd.
.FLT2 argl,arg2,	6-5.6.1	Generates successive two-word floating- point equivalents for the floating-point numbers specified as arguments.
.FLT4 argl,arg2,	6-5.6.1	Generates successive four-word floating- point equivalents for the floating-point numbers specified as arguments.
.GLOBL syml,sym2,	6-5.10	Defines the symbol(s) specified as global symbol(s).
.IDENT symbol	6-5,1,5	Provides a means of labeling the object module with the program version number. The symbol is the version number between paired delimiting characters.
.IF cond, argl, arg2,	6-5.11	Begins a conditional block of source code, which is included in the assembly only if the stated condition is met with respect to the argument(s) specified.
.IFF	6-5.11.1	Appears only within a conditional block and indicates the beginning of a section of code to be assembled if the condition tested false.

(continued on next page)

Form	Described In Section	Operation
.IFT	6-5.11.1	Appears only within a conditional block and indicates the beginning of a section of code to be assembled if the condition tested true.
.IFTF	6-5.11.1	Appears only within a conditional block and indicates the beginning of a section of code to be unconditionally assembled.
.IIF cond, arg, statement	6-5.11.2	Acts as a one-line conditional block where the condition is tested for the argument specified. The statement is assembled only if the condition tests true.
.IRP sym, <argl,arg2,></argl,arg2,>	6-6.6	Indicates the beginning of an indefinite repeat block in which the symbol specified is replaced with successive elements of the real argument list (which is enclosed in angle brackets).
.IRPC sym,string	6-6.6	Indicates the beginning of an indefinite repeat block in which the symbol specified takes on the value of successive characters in the character string.
LIMIT	6-5.8	Reserves two words into which the Linker inserts the low and high addresses of the relocated code.
.LIST .LIST arg	6-5.1.1	Without an argument, .LIST increments the listing level count by 1. With an argument, .LIST does not alter the listing level count but formats the assembly listing according to the argument specified.
.MACRO sym,argl,arg2,	6-6.1.1	Indicates the start of a macro named sym containing the dummy arguments specified.
MEXIT	6-6.1.3	Causes an exit from the current macro or indefinite repeat block.
.NARG symbol	6-6.4	Appears only within a macro definition and equates the specified symbol to the number of arguments in the macro call currently being expanded.
.NCHR sym,string	6-6.4	Can appear anywhere in a source program; equates the symbol specified to the number of characters in the string (enclosed in delimiting characters).
.NLIST	6-5.1.1	Without an argument, .NLIST decrements the listing level count by 1. With an argument, .NLIST deletes the portion of the listing indicated by the argument.

(continued on next page)

-	Described	
Form	In Section	Operation
.NTYPE sym,arg	6-6.4	Appears only in a macro definition and sets the low-order six bits of the symbol specified to the six-bit addressing mode of the argument.
.ODD	6-5.5.2	Ensures that the assembly location counter contains an odd address by adding 1 if it is even.
.PAGE	6-5.1.6	Causes the assembly listing to skip to the top of the next page.
.PSECT	6-5.9	Begin or resume a program section.
.PRINT exp,string	6-6.5	Causes a text string to be output to the command device containing the optional expression specified and the indicated text string.
.RADIX n	6-5.4.1	Alters the current program radix to n, where n can be 2, 4, 8, or 10 .
.RAD5Ø string	6-5.3.6	Generates a block of data containing the Radix-50 equivalent of the character string (enclosed in delimiting characters).
.REPT exp	6-6.7	Begins a repeat block. Causes the section of code up to the next .ENDM or .ENDR to be repeated exp times.
.SBTTL string	6-5.1.4	Causes the string to be printed as part of the assembly listing page header. The string part of each .SBTTL directive is collected into a table of contents at the beginning of the assembly listing.
.TITLE string	6-5.1.3	Assigns the first symbolic name in the string to the object module and causes the string to appear on each page of the assembly listing. One .TITLE directive should be issued per program.
.WORD expl,exp2,	6-5.3.2	Generates successive words of data containing the octal equivalent of the expression(s) specified.

PART 6

CHAPTER 9

PERMANENT SYMBOL TABLE

The Permanent Symbol Table (PST) defines values for each symbol that is automatically recognized by MACRO. The symbols defined include op-codes and macro-calls. A listing of the Permanent Symbol Table forms the balance of this chapter.

```
PERMANENT SYMBOL TABLE
; EQUATED SYMBOLS
                                 *DESTRUCTIVE REFERENCE IN FIRST FIELD
DR1=
        200
                                 DESTRUCTIVE REFERENCE IN SECOND FIELD
DR2=
        100
                                 DIRECTIVE REQUIRES EVEN LOCATION
DFLGEV==020
                                  DIRECTIVE USES BYTE MODE
DFLGBM==010
DFLCND==004
                                  CONDITIONAL DIRECTIVE
DFLMAC==002
                                  MACRO DIRECTIVE
DFLSMC==001
                                  ; MCALL
; LOCAL MACROS
                                  PALITE SUBSET
         .IF DF
                 PAL11R
XMACRO=
X40=
X45=
         .ENDC
        , IIF DF X408X45.
                                  XFL TG=
         _IIF DF XMACRO, XSML=
        MACRO
                 OPCDEF
                         NAME.
                                  CLASS.
                                          VALUE.
                                                   FLAGS.
                                                           COND
        .IF NB
                 <COND>
        .IF DF
                 COND
        .MEXIT
        ENDC
        ENDC
        .RAD5Ø
                 /NAME/
        BYTE
                 FLAGS+0
         BYTE
                 200+OPCL CLASS
                 VALUE
         , WORD
         .ENDM
         MACRO
                 DIRDEE NAME,
                                  FLAGS.
                                          COND
         .RAD50
                 /. 'NAME/
         BYTE
                                  Ø
                 FLAGS+Ø.
         IF NB
                 <COND>
         IF OF
                 COND
```

```
.WORD
                   OPCERR
          MEXIT
          ENDC
         ENDC
         WORD
                   NAME
         .ENDM
         MACRO
                   DIRDF1 NAME, ENTRY, FLAGS, COND
         .RAD50
                   /. 'NAME/
         BYTE
                   FLAGS. Ø
         , IF NB
                   <COND>
         , IF DF
                   COND
         .WORD
                   OPCERR
          MEXIT
          ENDO
         . ENDC
         , WORD
                   ENTRY
         ENDM
PSTBAS: :
                                      PREF LABEL
         OPCDEF
                   <ABSD
                                               170600, DR1.
                                     01,
                                                                  X45
         OPCDEF
                   <ABSF
                           >,
                                     01.
                                               170600, DR1.
                                                                  X45
         OPCDEF
                                     01.
                   <ADC
                           >,
                                               005500, DR1
         OPCDEF
                   < ADCB
                                      01.
                                               105500, DR1
         OPCDEF
                   <ADD
                                     ۵2,
                                               960000. DR2
         OPCDEF
                   <ADDD
                                               172000, DR2.
                                      11,
                                                                  X45
         OPCDEF
                   < ADDF
                                               172000, DR2.
                                      11,
                                                                  X45
                                     09.
                                               072000, DR2.
         OPCDEF
                                                                  X408X45
                   <ASH
         OPCDEF
                   <ASHC
                                      79.
                                               073000, DR2.
                                                                  X408X45
         OPCDEF
                   < ASL
                                      01,
                                               006300, DR1
         OPCDEF
                           >,
                                      01.
                   < ASLB
                                               106300,
                                                        DR1
         OPCDEF
                   <ASR
                                               006200,
                                      01,
                                                        DRI
         OPCDEF
                                      01.
                   <ASRB
                           >,
                                               106200,
                                                        DR1
                                      04.
         OPCDEF
                           >,
                   <BCC
                                               103000,
                                      04.
         OPCDEF
                   <BCS
                           >,
                                               103400,
         OPCDEF
                   <BEQ
                                      94,
                                               001400.
                           >,
         OPCDEF
                   <BGE
                           >,
                                      04,
                                               002000,
         OPCDEF
                                      04,
                   <BGT
                                               003000,
                           >,
                                      04,
         OPCDEF
                   <BHI
                           >,
                                               101000,
                                      04,
         OPCDEF
                   <BHIS
                           >,
                                               103000,
                                      02,
         OPCDEF
                   <BIC
                           >.
                                               0400000
                                                        DR2
         OPCDEF
                   <BICB
                                      02.
                                               1400000.
                           >,
                                                        DR2
         OPCDEF
                   <8IS
                           >,
                                      02,
                                               0500000
                                                        DR2
         OPCDEF
                   <BISB
                           >,
                                      02,
                                               1500000,
                                                        DR2
         OPCDEF
                   <BIT
                                               030000,
                                      92,
                                      02,
         OPCDEF
                   <BITE
                                               130000,
                                      04.
         OPCDEF
                   <BLE
                                               003400.
                           >,
                                      74,
         OPCDEF
                   <BL0
                                               103400.
         OPCDEF
                   <BL08
                           >,
                                      04.
                                               101400,
         OPCDEF
                                      04.
                   <BLT
                           >,
                                               002400,
                                      04.
         OPCDEF
                   < BMI
                           >,
                                               100400,
         OPCDEF
                   <BNE
                                      04.
                           >,
                                               001000.
         OPCDEF
                   <BPL
                           >,
                                      04.
                                               1000000.
         OPCDEF
                   <BPT
                                               000003,
                                                                  X45
                           >,
                                      00,
         OPCDEF
                                      04.
                   <BR
                           >,
                                               000400,
         OPCDEF
                   <BVC
                                      04.
                           >,
                                               102000.
         OPCDEF
                   <BVS
                           >,
                                      04.
                                               102400,
         OPCDEF
                   <CCC
                           >,
                                      00,
                                               000257,
         OPCDEF
                   <CFCC
                                               170000.
                           >,
                                      00.
                                                                  X45
                                      00.
         OPCDEF
                   <CLC
                           >,
                                               000241,
                                      00.
         OPCDEF
                   <CLN
                           >,
                                               000250,
                                     01.
         OPCDEF
                   <CLR
                                               005000. DR1
                           >,
         OPCDEF
                   <CLRB
                                      01.
                                               105000,
                                                        DR1
```

```
01.
OPCDEF
         <CLRD
                                     170400, DR1.
                                                        X45
                 >,
                            Ø1 .
OPCDEF
         <CLRF
                                     170400, DR1.
                                                        X45
                 >,
OPCDEF
         <CL V
                            00.
                                     000242.
                 >,
                                     000244,
OPCDEF
         <CLZ
                            00,
                 >,
         <CMP
                            02,
                                     020000,
OPCDEF
                 >,
         <CMPR
                                     1200000,
OPCDEF
                            92.
                 >,
OPCDEF
         <CMPD
                                     173400.
                                                        ¥45
                            11,
                 >,
OPCDEF
         < CMPF
                 >,
                            11,
                                     173400.
                                                        X45
                            ØØ,
OPCDEF
         <CNZ
                 >,
                                     000254,
                                     005100, DR1
OPCDEF
         <COM
                 >,
                            91.
                                     105100, DR1
                 >,
OPCDEF
         <COMB
                            Я1,
                            01,
                                     005300, DR1
OPCDEF
         <DEC
                 >,
                            01,
OPCDFF
         <DECR
                                     105300, DR1
                 >.
                            07,
                                     071000, DR2.
                                                        X408X45
OPCDEF
         <DIV
                 >,
                            11.
                                     174400, DR2.
                                                        ¥45
OPCDEF
         <DIVD
                 >,
OPCDEF
         <DIVF
                 >,
                            11,
                                     174400, DR2.
                                                        ¥45
OPCDEF
         <EMT
                            96,
                                     104000,
                 >,
                                     075000, DR1.
OPCDEF
         <FADD
                 >,
                                                        YAD
                            03,
OPCDEF
                                     075030, DR1.
                                                        X40
         <FDIV
                            03,
OPCDEF
                 >,
                                     075020, DR1.
         <FMUL
                            03,
                                                        X40
OPCDEF
         <FSUB
                            Ø3.
                                     075010, DR1.
                                                        X40
                 >,
OPCDEF
         <HALT
                            00.
                                     addada,
                 >,
                                     005200, DR1
OPCDEF
                 >,
         <INC
                            91.
                            01,
                                     105200, DR1
OPCDEF
         < INCB
                 >,
OPCDEF
         <IOT
                            00.
                                     000004,
                 >,
                            01,
                                     000100,
                 >,
OPCDEF
         <JMP
OPCDEF
         <J$R
                                     004000, DR1
                 >,
                            05,
OPCDEF
         <LDCDF >,
                                     177400, DR2.
                                                        X45
                            11.
OPCDEF
                                     177400, DR2.
         <LOCFD >,
                            11.
                                                        X45
OPCDEF
         <LOCID >,
                                     177000, DR2.
                                                        ¥45
                            14.
OPCDEF
         <LDCIF >,
                            14.
                                     177000. DR2.
                                                        ¥45
                            14,
OPCDEF
         <LDCLD >,
                                     177000, DR2.
                                                        X45
                                     177000, DR2.
OPCDEF
         <LDCLF >,
                            14,
                                                        X45
OPCDEF
                 >,
                                     172400, DR2.
         <LDD
                                                        X45
                            11.
         <LDEXP >,
OPCDEF
                            14.
                                     176400, DR2.
                                                        X45
                 >,
                            11,
OPCDEF
         <LDF
                                     172400, DR2.
                                                        X45
OPCDEF
         <LDFPS >,
                            01,
                                     170100.
                                                        X45
OPCDEF
         <LDSC
                 >,
                            ag,
                                     170004,
                                                        X45
OPCDEF
         <LDUB
                            00,
                                     170003,
                                                        X45
OPCDEF
         KMARK
                                     006400,
                                                        X45
                            10.
PPCDEF
         <MFPD
                                     106500.
                                                        ¥45
                            01.
OPCDEF
         <MFPI
                            01,
                 >,
                                     ØØ65ØØ,
                                                        X45
OPCDEF
                                     171400, DR2.
         <MODD.
                 >,
                                                        X45
                            11.
OPCDEF
         < MODF
                            11.
                 >,
                                     171400, DR2.
                                                        X45
                                     010000, DR2
OPCDEF
         <MOV
                            02...
                            92,
                                     110000, DR2
OPCDEF
         < MOVE
                 >,
         <MTPD
                            01.
                                     106600, DR1.
OPCDEF
                                                        X45
                 >,
                            01,
OPCDEF
         <MTPI
                 >,
                                     006600, DR1.
                                                        X45
                                     070000, DR2.
OPCDEF
         <MUL
                            97.
                                                        X408X45
                 >,
OPCDEF
         <MULD
                            11,
                                     171000, DR2.
                 >,
                                                        X45
OPCDEF
         <MULF
                            11.
                                     171000, DR2.
                                                        X45
OPCDEF
         <NEG
                 >,
                            01.
                                     005400, DR1
OPCDEF
         <NEGR
                            Ø1,
                                     105400, DR1
                 >,
                            01.
OPCDEF
         <NEGD
                 >,
                                     170700, DR1.
                                                        X45
                            01.
OPCDEE
                                     170700, DR1.
         <NEGF
                 >,
                                                        X45
OPCDEF
         <NOP
                 >,
                            00.
                                     000240.
                                     000005,
OPCDEF
         <RESET >,
                            00.
                            01,
                                     006100, DR1
                 >,
OPCDEF
         <R0L
                            01,
OPCDEF
         < ROLB
                                     106100, DR1
                 >,
         <ROR
                            Ø1.
                                     0,06000, DR1
OPCDEF
                 >,
OPCDEF
         <RORB
                 >,
                            71,
                                     106000, DR1
OPCDEF
         <RTI
                 >,
                            aa.
                                     0000000,
OPCDEF
                            93,
                                     000200. DR1
         <RTS
```

```
OPCDEF
         <RTT
                           MO.
                                    000006,
                                                       ¥45
OPCDEF
         <SRC
                           01.
                                    005600, DR1
OPCDEF
         <SBCB
                                    105600, DR1
                 >,
                           91.
OPCDEF
         <SCC
                           00;
                 >,
                                    000277,
OPCDEF
         <SEC
                           ØØ,
                                    000261.
OPCDEF
         <SEN
                           au,
                                    00027a.
OPCDEF
         <SETD
                 >,
                           00.
                                    170011,
                                                       X45
OPCDEF
         <SETF
                           aa,
                                    170001,
                                                       X45
                           ØØ,
OPCDEF
         <SETI
                 >,
                                    170002,
                                                       ¥45
                           00.
OPCDEF
         <SETL
                                    170012,
                 >,
                                                       X45
OPCDEF
         <SEV
                 >,
                           ØØ,
                                    000262,
OPCDER
         <SEZ
                           ØØ,
                                    000264,
                                    077000, DR1.
OPCDEF
         < SQB
                           Ø8,
                                                       X45
OPCDEF
         <SPL
                                    000230,
                                                       X45
                           13,
OPCDEF
         <STA0
                           ØØ,
                                    170005,
                                                       X45
OPCDEF
         <STBØ
                           ØØ,
                                     170006,
                                                       X45
OPCDEF
         <STCDF >,
                           12,
                                    176000, DR2.
                                                       X45
OPCDEF
         <STCDI >,
                           12.
                                    175400, DR2,
                                                       X45
OPCDEF
         <STCDL >,
                           12,
                                    175400, DR2.
                                                       X45
OPCDEF
         <STCFD >,
                           12,
                                    176000, DR2.
                                                       X45
OPCDEF
         <STCFI >,
                           12.
                                    175400, DR2.
                                                       X45
OPCDEF
         <STCFL >,
                           12,
                                    175400, DR2.
                                                       X45
OPCDEF
         <STD
                           12,
                                    174000, DR2.
                                                       X45
OPCDEF
         <STEXP
                                    175000, DR2.
                           12.
                                                       X45
OPCDEF
         <STF
                           12,
                                    174000, DR2.
                                                       X45
OPCDEF
         <STFPS >,
                           01,
                                    170200, DR1.
                                                       X45
OPCDEF
         <STQ@
                           ØØ,
                                    170007,
                                                       X45
OPCDEF
         <STST
                           01.
                                    170300, DR1.
                                                       X45
OPCDEF
         <SUB
                           02.
                                    160000, DR2
OPCDEF
         <SUBD
                                                       X45
                           11,
                                    173000, DR2.
OPCDEF
         <SUBF
                                    173000, DR2.
                                                       X45
                           11.
OPCDEF
                           91.
         <SWAB
                                    000300, DR1
OPCDEF
         <SXT
                           01.
                                    006700, DR1.
                                                       X45
OPCDEF
         <TRAP
                           06,
                                    104400,
OPCDEF
         <TST
                                    005700,
                           01.
OPCDEF
         <TSTB
                           91,
                                    105700,
                           01,
OPCDEF
         <TSTD
                 >,
                                    170500,
                                                       ¥45
OPCDEF
         <TSTF
                          01.
                                    170500.
                                                       X45
                           ØØ,
OPCDEF
         <WAIT
                                    DODDOL,
OPCDEF
                           05,
         <XOR
                                    074000, DR2.
                                                       X45
DIRDEF
         <ASCII>.
                           DFI GRM
         <ASCIZ>.
DIRDEF
                           DFLGBM
DIRDEF
         <ASECT>,
                                    XREL.
DIRDEF
         <BLKB >
DIPDEF
                           DELGEV
         <BLKW >.
         <BYTE >.
DIRDEF
                           DELGRM
DIRDEF
         <CSECT>.
                                    XREL
 IF DF
         YPHASE
DIRDEF
         <DEPHA>
 ENDC
DIRDEF
         <DSABL>
DIRDEF
         <ENABL>
DIRDEF
         <END >
DIRDEF
         <ENDC >.
                           DEI CND
         <ENDM >, ENDM, DFL MAC, XMACRO
DIRDF1
DIRDF1
         <ENDR > ENDM, DFL MAC, XMACRO
DIRDEF
         <EQT
DIRDFF
         <ERROR>
DIRDEF
         <EVEN >
DIRDEF
         <FLT2 >.
                           DFLGEV, XFLTG
DIRDEF
         <FLT4 >.
                           DFL GEV.
                                    XFLTG
DIRDEF
         <GLOBL>,
                                     XREL
DIRDEF
         <IDENT>
```

```
DIRDEF
                                    DEL CND
                  <IF
         DIRDF1
                  <IFDF >, IFDF, DFL CND
         DIRDF1
                  <IFER >. IFDF, DFL CND
         DIRDEF
                  <IFF >.
                                    DFI CND
         DIRDF1
                  <IFG >, IFDF, DFI CND
         DIRDF1
                  <IFGF >, IFDF, DFLCND
         DIPDF1
                  <IFGT >, IFDF, DFL CND
         DIRDF1
                  <IFL >, IFDF, DFI CND
         DIPDF1
                  <IFLE >, IFDF, DFLCND
                  <IFLT >, IFDF, DFL CND
         DIRDF1
         DIRDF1
                  <IFNDF>, IFDF, DFLCND
         DIRDF1
                  <IFNE >. IFDF, DFLCND
         DIRDF1
                  <IFNZ >. IFDF, DFI CND
         DIRDEF
                  <IFT >.
                                   DFI CND
                  ∢IFTF >.
         DIRDEF
                                    DELCND
         DIRDF1
                  <IFZ >, IFDF, DFL CND
         DIRDEF
                  <IIF
                  <IRP >.
         DIRDEF
                                    DELMAC, XMACRO
         DIRDEF
                  <IRPC >.
                                   DELMAC, XMACRO
         DIRDEF
                  <LIMIT>,
                                   DFLGEV, XREL
         DIRDEF
                  <LIST >
                  <MACR > MACR, DFLMAC, XMACRO
         DIRDF1
         DIRDF1
                  <MACRO>, MACR, DFL MAC, XMACRO
         DIRDEF
                 <MCALL>.
                                   DFI SMC. XSML
         DIRDEF
                  <MEXIT> ,
                                            XMACRO
         DIRDEF
                  <NARG > .
                                            XMACRO
         DIRDEF
                  <NCHR > ,
                                            XMACRO
         DIRDEF
                  <NLIST>
         DIRDEF
                  <NTYPE> ,
                                             XMACRO
         DIRDEF
                  <0000 >
         DIRDEF
                  <PAGE >
         .IF DF
                  YPHASE
         DIRDEF
                  <PHASE>
         .ENDC
         DIRDEF
                  <PRINT>
         DIPDEF
                  <PSECT>
        DIRDEF
                  <RADIX>
                  <RAD50>.
         DIRDEF
                                   DFL GFV
         DIRDEF
                  <REM >
         DIRDEF
                  <REPT >.
                                   DELMAC, XMACRO
         DIRDEF
                  <SBTTL>
                  <TITLE>
         DIRDEF
WRDSYM:
                                    IRFF LABFL
         DIRDEF
                  <WORD >.
                                   DFI GFV
PSTTOP: :
                                   REF LABEL
```

.END

PART 6

CHAPTER 10

WRITING POSITION-INDEPENDENT CODE

All addressing modes involving only register references are position-independent. These modes are as follows.

R register mode

@R deferred register mode

(R)+ autoincrement mode

@(R)+ deferred autoincrement mode

-(R) autodecrement mode

@-(R) deferred autodecrement mode

When using these addressing modes, position-independence is guaranteed providing the contents of the registers have been supplied such that they are not dependent upon a particular core location.

The relative addressing modes are generally position-independent. These modes follow.

A relative mode

@A relative deferred mode

Relative modes are not position-independent when A is an absolute address (that is, a nonrelocatable address) that is referenced from a relocatable module.

Index modes can be either position-independent or nonposition-independent, according to their use in the program. These modes follow here.

X(R) index mode

@X(R) index deferred mode

If the base X is position-independent, the reference is also position-independent. For example:

MOV 2(SP), RØ ; POSITION-INDEPENDENT

N=4

MOV N(SP), RØ ; POSITION-INDEPENDENT

ADDR: CLR ADDR(R1) :NONPOSITION-INDEPENDENT

Caution must be exercised in the use of index modes in position-independent code.

Immediate mode can also be either position-independent or not, according to its usage. Immediate mode references are formatted as shown here.

#N immediate mode

where N is an absolute number or a symbol defined by an absolute direct assignment, the code is position-independent. When a label replaces N, the code is nonposition-independent. (That is, immediate mode references are position-independent only where N is an absolute value.)

Absolute mode addressing is unlikely to be position-independent and should be avoided when coding position-independently. Absolute mode addressing references are formatted as shown here.

@#A absolute mode

Since this mode is used to obtain the contents of a specific core address, it violates the intentions of position-independent code.

Such a reference is position-independent if A is an absolute address.

Position-independent code is used in writing programs such as device drivers and utility routines, which are most useful when they can be brought into any available core space. Figure 6-9 and Figure 6-10 show pieces of device driver code; one is position-independent and one is not.

- ; DVRINT -- ADDRESS OF DEVICE DRIVER INTERRUPT SERVICE
- ; VECTOR -- ABSOLUTE ADDRESS OF DEVICE "INTERRUPT VECTOR
- ; DRIVER -- START ADDRESS OF DEVICE DRIVER

	MOV	#DVRINT, VECTOR	;SET INTERRUPT ADDRESS
MOVB		DRIVER+6, VECTOR+2	;SET PRIORITY
	CLRB	VECTOR+3	CLEAR UPPER STATUS BYTE

Figure 6-9 Nonposition-independent Code

VOM	PC,Rl	GET DRIVER START
ADD	#DRIVER,Rl	
MOV	#VECTOR,R2	;& VECTOR ADDRESSES
CLR	@R2	;SET INTERRUPT ADDRESS
MOVB	5(R1),@R2	;AS START ADDRESS+OFFSET
ADD	R1,(R2)+	
CLR	@R2	;SET PRIORITY
MOVB	6(R1),@R2	•

Figure 6-10 Position-independent Code

In both examples the program calling the device driver has correctly initialized its interrupt vector (VECTOR) within absolute memory locations Ø-377. The interrupt entry point offset is in byte DRIVER+5. (The contents of the driver table shows at DRIVER+5: .BYTE DVRINT, DRIVER.) The priority level is at byte DRIVER+6.

In the first example, the interrupt address is directly inserted into the absolute address of VECTOR. Neither of these addressing modes is position-independent.

The instruction to initialize the driver priority level uses an offset from the beginning of the driver code to the priority value, and places that value into the absolute address VECTOR+2, which is not position-independent. The final operation clearing the absolute address VECTOR+3 is also not position-independent.

In the position-independent code, operations are performed in registers wherever possible. The process of initializing registers is carefully planned to be position-independent. For example, the first two instructions obtain the starting address of the driver. The current PC value is loaded into Rl, and the offset from the start of the driver to the current location is added to that value. Each of these operations is position-independent. The immediate mode value of VECTOR is loaded into R2, which places the absolute address of the transfer vector into a register for later use. The transfer vector is then cleared, and the offset for the driver starting address is loaded into the vector. The starting address of the driver is then added into the vector, giving the desired entry point to the driver. (This is equivalent to the first statement in Figure 6-9.) Since R2 has been updated to point to VECTOR+2, that location is then cleared and the priority level inserted into the appropriate byte.

The position-independent code demonstrates a principle of PDP-11 coding practice discussed earlier; that is, the programmer is advised to work primarily with register addressing modes wherever possible, relying on the setup mechanism to determine position-independence.

The MACRO Assembler provides the user with a way of checking the position-independence of the code. In an assembly listing, MACRO inserts a 'character following the contents of any word that requires the Linker to perform an operation. In some cases this character indicates a nonposition-independent instruction; in other cases it merely draws the user's attention to the use of a symbol that may or may not be position-independent. The cases that cause a 'character in the assembly listing follow.

1. Absolute mode symbolic references are flagged with an 'character when the reference is not position-independent. References are not flagged when they are position-independent (i.e., absolute). For example:

MOV @#ADDR,R1 ;PIC ONLY IF ADDR IS ABSOLUTE.

2. Index mode and index deferred mode references are flagged with an 'character when the base is a symbolic label address (relocatable rather than an absolute value). For example:

MOV ADDR(R1),R5; NON-PIC IF ADDR IS RELOCATABLE.

MOV @ADDR(R1),R5; NON-PIC IF ADDR IS RELOCATABLE.

3. Relative mode and relative deferred mode are flagged with an 'character when the address specified is a global symbol. For example:

MOV GLB1,R1 ;PIC WHEN GLB1 IS A GLOBAL SYMBOL.
MOV @GLB1,R1 ;PIC WHEN GLB1 IS A GLOBAL SYMBOL.

If the symbol is absolute, the reference is flagged and is not position-independent.

4. Immediate mode references to symbolic labels are always flagged with an 'character.

MOV #3,RØ ;ALWAYS POSITION-INDEPENDENT.
MOV #ADDR,R1 ;NON-PIC WHEN ADDR IS RELOCATABLE.

Examples of assembly listings containing the 'character are shown in Figure 6-11.

```
1 Ø11744
                                                       ;END OF PASS 2
                 ENDP2:
                           .IF NDF
                                    XCREE
3 Ø11744 Ø167Ø2
                                                       ; ANY CREF IN PROGRESS?
                           MOV
                                    CRFPNT, R2
         ØØØ142*
4 Ø1175Ø ØØ14Ø2
                           BFO
                                    8$
                                                       ; NO
5 Ø11752
                           CALL
                                    CRFDMP
                                                       ;YES, DUMP AND CLOSE BUFFER
6 Ø11756
                 8$:
                           .ENDC
8 Ø11756 ØØ5767
                           TST
                                    BLKTYP
                                                       ;ANY OBJECT OUTPUT?
         ØØØ542'
9 Ø11762 ØØ1423
                           BFO
                                    1$
                                                       ; NO
1Ø 11764
                           CALL
                                    OPJDMP
                                                       ;YES, DUMP IT
11 1177Ø Ø12767
                           VOM
                                    #PLKTØ6,BLKTYP
                                                       ;SET END
          øøøøø6
          ØØØ542'
12 11776
                           CALL
                                    REDDMP
                                                       ; DUMP IT
13
                           .IF NDF
                                    XFDABS
14 12ØØ2 Ø32767
                           BTT
                                    #FD.ABS,EDMASK
                                                       ;ABS OUTPUT?
          øøøøø2
          ØØØ124'
15 12Ø1Ø ØØ1Ø1Ø
                           BNE
                                    1$
                                                         NO
                                    OBJPNT, RØ
16 12Ø12 Ø167ØØ
                           MOV
         ØØØ536'
17 12Ø16 Ø1672Ø
                           MOV
                                    ENDVEC+6, (RØ)+
                                                       ;SET END VECTOR
         øøøø44'
18 12Ø22 Ø1ØØ67
                                    RØ,OBJPNT
                           MOV
         ØØØ536'
19 12026
                                    OBJDMP
                           CALL
2Ø
                           ,FNDC
                                       Figure 6-11
```

Continued on next page

Assembly Listing Showing ' Character

21	12Ø32	1Ø5767 1\$:	TSTR	LLTPL+2	;ANY LISTING OUTPUT?
		ØØØ546'			
22	12Ø36	ØØ1474	BFQ	15\$; NO
23	12Ø4Ø	Ø32767 Ø4ØØØØ ØØØ11Ø'	BIT	#LC.SYM,LCMASK	;SYMBOL TABLE SUPPRESSION?

Figure 6-11
Assembly Listing Showing ' Character

• • .