PDP-11/35 BUSINESS PLAN

Lib

COMPANY CONFIDENTIAL DO NOT COPY

Jack MacKeen PDP-11/OEM Marketing March, 1973

PDP-11/35 BUSINESS PLAN - SYNOPSIS

1. Product

PDP-11/40 CPU in $10\frac{1}{2}$ Inch Box

- 2. Basic price includes:
 - 1. CPU
 - 2. Box with slides
 - 3. Console
 - 4. Power Supply
 - 5. 8K memory (MF/ME/MM11S)
- Cost (on basis of 1,000 units)

\$2,482

4. Price Recommended

\$9,995

5. Discount/Terms

Type I OEM - Return to Factory Warranty

6. Gross Margin at Average OEM Discount (29%)

\$4,614-65%

7. Related/Affected Product

PDP-11/05, PDP-11/15, PDP-11/40

8. Announcement/Delivery Plans

Announced to selected customers starting in April. General announcements in June. Initial deliveries end of May/June to selected customers (current 11/15 or 11/40 customers) based on availability of memory.

TABLE OF CONTENTS

		<u>Page</u>
I.	Product Description	1
II.	Cost Data	4
III.	Margin Analysis/Recommended Price	5
IV.	Product Unit Forecast	6
V.	Related/Affected Products	7
VI.	Product Schedules	9
VII.	Competition	13
APPENI	OIX A . Cost/Margin Work Sheets	

APPENDIX B

Product Photographs/Sketches

I. PRODUCT DESCRIPTION

The PDP-11/35 packages the 11/40 processor in a 10½ inch high chassis. It consists of a rack-mountable box 10½ inches high, 17 inches wide, and 23¼ inches deep. This box has the capability of mounting five PDP-11 System units. Two of these are used for the central processor and its options. The three remaining spaces are for memory and/or peripherals. Power is provided by the H750 supply. System units mount front-to-back on the left side of the BAll-DA Box (as viewed from the front). Power Supply mounts on the right side. Air is drawn in from the sides at the front and exhausted at the rear (see sketch App. B).

The PDP-11/35 will be available only as a rack-mountable box with three possible memory variations. (No plans have been made for a table-top version with super cover as practically no table-top machines are sold to OEM's.) All memories will be 8K minimum bundled into the basic system which will consist of the following:

Central Processor - KD11A (same as PDP-11/40).

Mounting Box - BA11-DA/DB (includes slides).

Power Supply - H750.

I. PRODUCT DESCRIPTION (Cont.)

Console

Memory - Minimum 8K in one of three versions,

(see table next page)

All other components or options are to be purchased as line items. No bundled systems will be offered.

Although the PDP-11/35 is intended to eventually replace the PDP-11/15, the recommended packaging/pricing policy is not to unbundle to the level which the PDP-11/15 did. Analysis of the PDP-11/15 orders shows a 100 percent order rate for Programmer's Consoles, and nearly 100 percent for Power Fail/Restart and Multi-Level Priority Interrupt Options. With the sophisticated systems possible with the PDP-11/35, these features should be standard. Therefore, the PDP-11/35 basic price will include the individual items listed in the product description above plus the standard features of Power Fail/Restart, Multi-Level Priority Interrupt, Prewired/Pretested CPU Option Slots, and capability for serial or parallel console terminals.

I. FRODUCT DESCRIPTION (Cont.)

The table below presents the PDP-11/35 nomenclature including variations in memory and available spaces for mounting peripherals.

Type #	Me	TABLE 1 emory Variati	on <u>Voltage</u>		em Unit Available
PDP-11/35 PDP-11/35		MF11 MF11	115V 230V	·	1
PDP-11/35 PDP-11/35		MM11S MM11S	115V 230V	•	2
PDP-11/35 PDP-11/35		MEllLA . MEllLB	115V 230V		3

The PDP-11/35 will be sold initially as an OEM machine only under a Type 1 discount. Terms and conditions will be those of the OEM discount agreement i.e., doc-umentation with the first system only, circuit schematics with each system, 30 day Return-to-Factory Warranty, and reproducible diagnostics with the first system only. All other services such as system software, training, additional documentation, installation, and extended warranty will be available at established prices.

II. COST DATA

Presented below is the product cost for the basic packaging as described in Section I. These costs were obtained from the Cost Accounting Group (Larry Rasile). These costs include system integration, but not manuals or inventory obsolesence charges.

KD11-A Processor 655 KY11 Console 147 MM11S Memory 700 BAll-DA Box and Cables 136 H750 Power Supply 244 System Integration Misc. Parts 100 F.A. & T. 500 \$2,482

III. MARGIN ANALYSIS/RECOMMENDED PRICING

The detail chart below presents the margins to be realized at the various discount levels on the Type I schedule based on the cost listed in Section II. The recommended price for the product was arrived at by first examining the distribution of discount levels under our existing OEM discount agreements. The average discount level was then used to arrive at a net price for the processors as this is the only price the OEM cares about. This net price was then factored back up to arrive at a list price. Recommended list price is \$9,995 U.S. for the basic system as defined in Section I. (MM11S and MF11L only - ME11L version is \$10,495 to reflect \$500 price difference between MEILL and MFILL).

List	Discount	Net	Gross M	argin
<u>Price</u>	<u>Level</u>	<u>Price</u>	\$	<u>%</u>
\$9, 995	1 - 15%	\$8,496	\$6,014	70.8%
	2 - 20%	\$7,996	\$5,514	69.0%
	3 - 29%	\$7,096	\$4,614	65.0%
	4 - 34%	\$6,597	\$4,115	62.4%
	5 - 36%	\$6,397	\$3,915	61.2%
	6 - 38%	\$6,197	\$3,715	60.0%

Recommended Pricing Summary (Refer to Table I, Section I.)

Type #		Price
PDP-11/35 PDP-11/35		\$9,995 \$9,995
PDP-11/35	•	\$10,495

IV. PRODUCT UNIT/\$ FORECAST

The PDP-11/35 is estimated to have a product life in the OEM Marketplace of three to four years. Based on the projected announcement date and start of deliveries, this active product life will include Fiscal Years 1973 through 1977. The table below projects the expected unit shipments over these fiscal years from the OEM Group alone.

Fiscal Year	<u>Q1</u>	<u>Q2</u>	<u>Q3</u>	<u>Q4</u>	<u>Total</u>
FY, '73 FY, '74 FY, '75 FY, '76 FY, '77	- 140 240 250 250	170 250 290 220	5 195 260 280 150	30 210 270 280 50	35 715 1,020 1,100 670 3,540

The table below represents the estimated gross revenues to the corporation (for both basic processor/memories (column 3) and as systems.

Fiscal Year	CPU's #	<pre>Basic CPU/Memory\$*</pre>	Systems \$*
FY, '73	35	.35	.91
FY, '74	715	7.15	21.45
FY, '75	1,020	10.2	32.64
FY, '76	1,100	11.0	37.40
FY, '77	670	6.7	23.45

^{*\$} in millions

V. RELATED/AFFECTED PRODUCTS

Primary intent of the PDP-11/35 will be to replace the PDP-11/15 thus completing a "second generation" PDP-11 Family for both limited (OEM) and full service (end-user) models.

Availability of PDP-11/35 will impact all of the OEM PDP-11/40's to some degree. This will be due to three factors:

- 1. Type 1 Discounts
- 2. Unbundling.
- 3. Convenience of the smaller package 10½" box versus full 72" cabinet.

However, since more and more large PDP-11 systems will be sold and the PDP-11/35 announcement will occur during the manufacturing build up of PDP-11/40's to a full product rate, the actual effect of the PDP-11/35 will be to cause a leveling in the OEM PDP-11/40 order rate rather than an actual decrease in PDP-11/40 orders. It is expected that for large systems the PDP-11/40 will still be selected versus the PDP-11/35 due to the flexibility in power and packaging inherent in a single large chassis.

V. RELATED/AFFECTED PRODUCTS (Cont.)

There is potential impact as well on the PDP-11/05, primarily due to packaging (e.g., the availability of PDP-11/35 power in a 10½" box will be attractive to those PDP-11/05 users who want more performance, but have balked at the fully bundled PDP-11/40 price.) However, the packaging consideration will be minimized because the 10½" chassis PDP-11/05 will actually offer greater packaging advantages for peripherals than the PDP-11/35.

The PDP-11/35 price has been recommended so as to maintain a substantial margin over the projected 10½" chassis PDP-11/05. This should therefore leave the highly flexible PDP-11/05 as the low price entry from the PDP-11 Family. Since the PDP-11/05 business has accelerated rapidly with no decrease in the PDP-11/15 business there is little actual impact expected on the PDP-11/05.

The charts in Appendix A show comparisons of the PDP-11/35 versus the PDP-11/40, PDP-11/15, and PDP-11/05 at gross and net dollars for approximately equivalent system configurations.

VI. PRODUCT SCHEDULES

1. Manufacturing Forecast

Forecasts have been entered through Q4 of FY '74. The intent is to establish some inventory of basic products to have on the shelf at time of general announcement. Initial delivery availability will be specified at time of announcement in a manner which will allow relief of PDP-11/15 backlog if required, and to forestall losses of orders to competition because of delivery. The OEM Product Group has received allocations for Q4 of FY '73.

2. Customer Commitments

Commitments have been made to only two customers Kodak and Time Data. Kodak is a major customer
and the early delivery (March) of PDP-11/35's
will provide a valuable test bed prior to volume
deliveries. Two systems have already been
delivered to Kodak and two more will be shipped
by the end of the month. We are currently on
schedule with PDP-11/35 deliveries to Kodak.

VI. PRODUCT SCHEDULES (Cont.)

- 2. Customer Commitments (Cont.)
 All delivery commitments for this product are
 being made only by the OEM Group at this time.
- 3. Due to the current backlog situation and long lead times quoted for both PDP-11/40 and PDP-11/15 (300 PDP-11/40 - ten months ARO and 200 PDP-11/15 six months ARO), it is proposed that the PDP-11/35 be preannounced to selected PDP-11/15 - PDP-11/40 customers. By converting these customers to PDP-11/35's, the backlog/lead time situation which is currently causing DEC to lose business can be improved to levels which present and potential customers can accept.

This conversion will begin in Q4 of FY '73 and continue through Q1 of FY '74. Since the average OEM requires 60-90 days to turn a system around after computer delivery, the PDP-11/35 will not show up in public until after that time. This will allow us to delay announcement for this period of time while receiving revenues and working on the backlog problem.

VI. PRODUCT SCHEDULES (Cont.)

3. (Cont.)

This conversion can be implemented immediately upon approval of this plan, subject only to manufacturing's ability to build product in Q4, FY '73. Assuming implementation, the PDP-11/35 should be announced in June at the National Computer Show in New York.

4. Phase Over Program

Major users of the PDP-11/35 will come from the present major users of the PDP-11/15's. Currently, 80% of the PDP-11/15 business comes from ten customers. In order to facilitate the rapid transition of PDP-11/15 users to PDP-11/35's and therefore minimize duplicating our manufacturing efforts, presentations on the PDP-11/35 will be made to the following key PDP-11/15 OEM's prior to announcement. These OEM's are:

Time Data
Eastman Kodak
Applied Color
Frederick Electronics
Computer Machinery Corporation
Hendrix Electronics
Foxboro Company
Periphonics
Tektronix

VI. PRODUCT SCHEDULES (Cont.)

5. Advertisement/Support Materials

An -ad to support product announcement has been drafted. Cost versus need is being reviewed and the ad may be dropped.

A brochure is underway with a target date for availability in the field offices by May 1, or at announcement date if that is later.

Particular emphasis is being placed on making this brochure a working document from which the customer can understand packaging variations and thereby reduce ordering confusion.

The processor is included in the new PDP-11 Family Processor Handbook scheduled for completion at the end of March.

Release of all promotional material will be coordinated with the actual product announcement.

VII. COMPETITION

The PDP-11/35 will compete primarily with the following equipment:

Data General - Nova 800

Hewlett-Packard - 2100

Interdata - Model 70/74

General Automation - SPC 16 Series

NOTE:

The competitive chart in Appendix B shows a feature/price comparison for a number of machines in addition to the above. Note that a price of \$9,995 for the PDP-11/35 compares favorably with:

General Automation SPC 16/40 \$ 9,150 Hewlett-Packard 2100A \$11,000 Interdata 74 \$ 9,900

The new DG 840 is also an interesting price comparison. Base price includes 16K core and memory management.

DG 840

DEC PDP-11/35

\$16,530

CPU/8K 9,995 MM11L 4,400

KT11-D 2,480

APPENDIX

PDP-11/35 Business Plan (Continued)

-Al-

March, 1973

MANUFACTURING COST ESTIMATES

I. Rasile

	Present Estimate PDP-11/35	PDP-11/40 Estimate
KD11A Processor		
M7231 M7232 M7233 M7234 M7235 M981 Logic (70-9009) Assy & C/O (from KAll processor)	\$110 std. \$103 std. \$ 96 std. \$ 85 std. \$ 78 std. \$ 18 std. \$165 std. (Included in F.A.&T.)	\$110 std. \$103 std. \$ 96 std. \$ 85 std. \$ 78 std. \$ 18 std. \$165 std. (Included in F.A.&T.)
KYll-D Console	\$147	\$145
MM11S	\$700	\$700
BAll-DA Box, Bezel, and Cable	\$136	\$249
H750 Power Supply	\$244	\$390
DL11-A	\$ 84	\$ 84
LT33-DC	\$931	\$931
Basic System Integration Material (Misc. & parts not accounted for.)	\$100	\$100
F.A.&T	\$500	\$500
	\$3,497	\$3,754
Inventory Obsolescence	\$353	\$376

11/35 is Less DL11A/LT33DC/
Inv. Obsolescence -\$1,368

11/35 Cost

\$2,482

\$3,850

\$4,130

PDP-11/35 Business Plan (Continued)

-A2-

March 1973

11	/15	MARG	IN	ANA	LYS	IS

	<u>List</u>	Total <u>Net</u>	•	Cost		G.M.	% G.M.
2-9	\$9,200	8,020	-	2,778	=	5,242	65%
10-19	\$9,200	7,560	-	2,778	=	4,782	63%
20-49	\$9,200	6,972	-	2,7 78	=	4,194	60%
50-99	\$9,200	6,632		2,778	-	3,854	58%
100-199	\$9,200	6,448	_	2,778	. =	3,670	57%
200	\$9,200	6,264	_	2,778	=	3,486	56%

PDP-11/15 List Price \$4,000 + \$5,200 (ME11L) = \$9,200. CPW is Type II Discountable and Memory is Type I Discountable.

PDP-11/35 Business Plan (Cont.)

-A3-

March, 1973

PDP-11/35 VERSUS PDP-11/15 MARGIN ANALYSIS

PDP-11/35					
List	1_	_2_	_3_	_4_	_5_
\$9,995	2-9	8,496	+476	6,014	+772
18.	10-19	7,996	+436	5,514	+732
	20-49	7,096	+124	4,614	+420
	50 – 99	6,597	- 35	4,115	+261
	100-199	6,397	-51	3,915	+245
	200	6,197	-67	3,715	+229

EXPLANATION OF COLUMNS

- 1. Discount Quantity Level
- 2. PDP-11/35 Net
- 3. Unit increase in net due to PDP-11/35 (PDP-11/35 Net -PDP-11/15 Net)
- 4. PDP-11/35 Gross Margin
- 5. Unit increase in Gross Margin due to PDP-11/35 (PDP-11/35 G.M. PDP-11/15 G.M.)

March 1973

PDP-11/35 Business Plan (Continued)

-A4-

PDP-11/35 - PDP-11/05 - PDP-11/40 PRICE COMPARISON AN EQUIVALENT SYSTEM BASIS

		Present PDP-11/40	PDP-11/35 List	PDP-11/35 Net	10 1/2" Chassis PDP-11/05 List	PDP-11/05 Net
	Teletype	std.	1,620	1,620	1,620	1,620
	TTY Control	std.	400	328	std.	std.
	Cabinet	std.	650	533	650	533
	Inst. & 30-Day Warranty	260	250	250	250	250
	CPU W/8K	12,995	9,995	7,096	*7,295	5,180
*	Exp. Box	N/A	1,500	1,065	1,500	1,065
	List	13,255	14,415		11,315	
	Total Net	(PDP-11/40) \$10,915		10,892		8,648

Discounts Assumed

Type I - 29%

Type II - 18%

* Price is estimated


An .	orine, in offi The state of the state of th	COMPA	ARISON TAB	SLE: 8K WOF	RD SYSTEMS		!		1		4	•	JANUARY	Y 1973	
	DEC (5½) PDP-11/05			20 Nova 1210			GRI 99-10	HP 2100A	70	74	ı		TI 960A	Texas TI 980A	Varian 620/L
CPU (16b)	6,495	4,750	6,300	5,400	5,550	5,650	2,040	3,750	6,800	3,600	3,600 /	3,54 5 7 50	1 /	0 4,975	7,7
CONSOLE	11	11	1	1	1	760	975	1	1	300	91	750	J /	1	1
TTY CTRL.	1	150	0 4010 350	5040 10 3 50) /	N/A	348	110	1	350	01		450	0 450	.0
POWER F/R	1	350	0 8106 400	008106 400	J 🗸	310	0 300	d /	200	250	300	V ,	1		1
CLOCK	1	350	0 4008 400	004008 400	J /	260	350	osc 1,250	osc 400	osc 400	10	1	200	0 200	0
4 LVL. INT	17.	500	1	\	500	0 🗸	1,000	11	1	1	1	5 50	L		1
DMA	1	. 400	J /	1	• 500	1 / '	300	1,000	1,000	1,000	1,000	850	0 200	0 200	.0 /
8K	1	1.		1	+4K 2,600	0 +4K 2,950	2,400	5,000	+4K 2,700	4,000	4,200	3,600	1	1	1
XPN SLOTS	4	11	8	ļ,	8	1	2	14	13	3	2	6	NGP	NG P	
XPN AMPS	5	2 ''	20	4	?	<u>'</u>	4		?	9	4		NGP	NGP	
1	6,495	6,500	7,450	6,550	9,150	9,930	7,713	MPR	FP	M/D	9,100	10,045	MPR	EAE	
]	1	1 /		,		'		EAE	11.100	9,900	,d		PTY	MPR	ΛE
<u>; </u>	1	1		'	1	1	1	PTY	· ·		1		5,350	1	8,2
1 - 1 - 1	1	1		, , , , , , , , , , , , , , , , , , ,		1	1	11,000	d '	1				BOOTS	
1	1	1				,	1		1					5,325	5
XPN SLOTS	24 400	5 900	0	10	19	16 350	016 . 350	1		8 500	ON/A	20		NGP	2
BOX AMPS	22 600	12 600	1	24	? .	12 600	. [1	24 600	0027.5 750	1		NGP	5 7
, J	1,000	1,500	اد	1,850	0 1,200	950	0 950	4 .	.	1,100	750	1,200	,	1,400	1,0
·	1'	<u> </u>				<u>'</u>			-			<u> </u>	A		
OEM QTY.	1- 0%	1-5%		1-10%	1-10%	,	1-10%	1-15%		1-15%				,	
DISCOUNT	20-29%	20-18%		20-31%	20-30%	1	20-25%	20-29%		20-30%		1			
1	119-36%	49-40%		200-40%	199-40%	1 '	99-33%	34-32%		61-40%		1		1	
1	1 :	1		1		,	1	1		100-45%	· .	1	1	1	1
SOURCE	DEC	CA	DG	DG	GA	GRI	GRI	н.р.	AUERBACH	ID .	AUERBACH	MD	TI	TI	AUERRAC
DATE	NOV 72	NOV 72	APR 72	APR 72	NOV 72	APR 71	NOV 72	NOV 72	MAY 72	NOV 72	SEPT 72	SEPT 72	JULY 72	JULY 72	JULY 7
	N/A - Not	Available	a	OSC -#Osc	cillator	EAE - Ex	tended Ari	thmetic El	.ement M/D	- Multiply		<u></u>	Boots -	- Bootstrap	1
<i>t</i>	MPR - Memo	ory Protec	it	PTY - Par	city	FP - Flor	ating Point	<u>.</u>	NGP	P - Not Gene Purpos	eral se	:,	- 2		:

CONFIDENTIAL

APPENDIX B

CONFIDENTIAL

The PDP-11/35 offers in its unique package five system units; of these only two are required to house the CP and all the mentioned options plus Line Clock (KWllL) and terminal in orface.



The next two system units can be filled with up to 24K and there is still one system unit for whatever use you can imagine. The room available will prove sufficient for most applications, but if more space is needed, any expansion box can be used.

Concerning power, a typical system with 8K will have 11 Amps at +5V, 2 Amps at -15V and 1 Amp at +15V available for expansion.

