RT-11

September 1978

AD-C740B-B5

THE SOFTWARE DISPATCH



RT-11 SOFTWARE DISPATCH

Published by
Administrative Services Group, Software Services
Digital Equipment Corporation
P.O.Box F
Maynard MA 01754

The RT-11 Software Dispatch complements the RT-11 V3B Software Dispatch Review. It publishes new and revised Software Product Descriptions, programming notes, software problems and solutions, and documentation corrections. Much of the material is developed from answers to customer Software Performance Reports (SPRs) significant to the general audience, and is printed here to establish a reference notebook for the customer's software interests.

PRODUCTS SUPPORTED in the RT-11 SOFTWARE DISPATCH

APL-11 V1	FORTRAN GRAPHICS PKG V1.1	MSB/FORTRAN IV V1
BASIC/RT-11 V2	FORTRAN/RT-11 Extensions V1B	MU BASIC/RT-11 V1
BASIC/RT Extensions V1	FORTRAN/RT-11 LSI Extensions V1	PDL/RT-11 V1
COS-350/2780	FORTRAN IV/RT-11 V2	PEAK-11 V2
CTS-300 V3, V4	GAMMA-11 F/B V2, V2C	PLOT-11/RT-11 V1.1
CTS-300 DICAM V1	INDUSTRIAL BASIC/RT-11 V1	RT-11/03 FORTRAN Extensions V1
CTS-300 DICAM II V1	LA-11 V3	REMOTE/RT-11 V1
CTS-300/DIS V1	LSP-11 V1	RT-11 V3, V3B
DECnet/RT-V1	LV11/RT-11 Plotting Pkg.V2	RT-11(CTS-300)LSI-11 2780 V2
FOCAL/RT-11 V1B	MSB11-V1	RT-11/2780 V2
	SSP-11/RT-11 V1	·

DISTRIBUTION

The Dispatch is directed to one software contact for each licensed Category A and B software product for one year after installation. No mailing will be made to addresses without a software contact name. Address changes and requests for information about maintenance service after the first year should be sent to the nearest DIGITAL Field Office. For address changes, include the new address and mailing label from the most recently received publication.

Software binaries and sources are provided only under licenses. The standard Terms and Conditions, OEM Agreement, and/or Quantity Discount Agreement contain the licenses for all binaries other than for DECsystem-10.

Eleanor F.Hunter, Editor Roxanne Alexander, Associate Editor

The material in this document is for information purposes only and is subject to change without notice. Digital Equipment Corporation assumes no responsibility for any errors which may appear in this document. Comments on the contents of this publication should be directed to your local DIGITAL Field Office.

TRADEMARKS of DIGITAL EQUIPMENT CORPORATION Maynard, Massachusetts

COMPUTER LABS COMTEX DDT DEC DECCOMM DECsystem-10 DECtape DECUS	DIBOL DIGITAL EDUSYSTEM FLIP CHIP FOCAL INDAC LAB-8 MASSBUS	OMNIBUS OS/8 PDP PHA RSTS RSX TYPESET-8 TYPESET-11
	UNIBUS	

RT-11 Software Dispatch, September 1978

TABLE OF CONTENTS

USER LETTER	SEQ	.NO.	PAGE 1
BASIC-11/RT-11 V2			
CONVERSION PROGRAM	1ø	M	3
CTS-3ØØ V3			
FILEX BLANK RECORDS (PATCH 55)	4	M	5
ISMUTL THREE PROBLEMS IN ISMUTL (PATCH 54)	14	М	7
SORTM MERGE WITH DESCENDING KEY (PATCH 53)	7	М	11
CTS-3ØØ/DIS VØ3.5			
FILEX BLANK RECORDS (PATCH 56)	4	М	13
ISMUTL THREE PROBLEMS IN ISMUTL (PATCH 55)	13	м	15
SORTM MERGE WITH DESCENDING KEY (PATCH 54)	6	М	19
CTS-3ØØ V4			
ISMUTL THREE PROBLEMS IN ISMUTL (PATCH 1Ø4)	8	M	21
REDUCE BAD FILE CAUSES SYSTEM HALT (PATCH 1Ø3)	2	M	25
SINGLE USER DIBOL TTSTS DOES NOT WORK UNDER SINGLE USER DIBOL (PATCH 10/1)	23	M	27
TSD PROBLEM WITH SEND (PATCH 1Ø2)	53	М	29
GAMMA-11 F/B, V2C			
GATED LIST MODE IMAGES TU16 SUPPORT		O M	31 32
PDL/RT-11 V1B			
PDL SUBROUTINE 'RDAA' PDL PEAK ALGORITHM WILL NOT RECOGNIZE VALID PEAKS		M M	33 34

RT-11 Software Dispatch, September 1978

TABLE OF CONTENTS (CONT.)

REMOTE/RT-11 V1	SEQ	.NO.	PAGE
THE OPTIONAL RMON IS OMITTED FROM RTSIM BY DEFINING NORMON=Ø	31	М	35
RT-11 VØ3-Ø2			
SOURCES DISTRIBUTED MAGTAPE HANDLER CORRECTIONS	2	М	37
UTILITIES LINK PRODUCES INCORRECT .LDA FILES	14	М	41
RT-11 VØ3B-ØØ			
MONITOR FPU EXCEPTION HANDLING IN XM MONITOR	9	м	45
SOURCES ISSUING SEEKS TO DX HANDLER IN XM CAUSES RANDOM SYSTEM FAILURES DISTRIBUTED MAGTAPE HANDLER CORRECTIONS		M M	47 48
SYSTEM HANDLERS RLØ1 HANDLER CORRECTIONS	1	М	53
UTILITIES LINK PRODUCES INCORRECT .LDA FILES	2	M	57
RT-11/278Ø V2			
PATCHING THE 278% IN RT-11 V3	3	М	59
RT-11 CUMULATIVE INDEX			63
SOFTWARE PRODUCT DESCRIPTION (SPDs)			73
DECUS SPECIAL INTEREST GROUPS			83

USER LETTER Jan Fair, SPR Administration

Customers (and others) have brought to our attention the need for additional information regarding SPR service, particularly as it involves SPR Administration. The following represents our attempt to fulfill this need. Your comments and suggestions are most welcome.

HOW TO MAKE THE BEST USE OF SPR FORM

What WE Can Do for YOU

- 1. Blank SPR forms are available upon request in the desired quantities through SPR Administration (P.O.Box F) and your local office/SPR Center.
- Copies of the SPR acknowledgment and answer are sent to the appropriate DIGITAL Office/SPR Center for their information.
- 3. SPRs marked SOFTWARE ERROR or INQUIRY will have a response for supported Category A and B products. These SPRs should refer to suspected deficiencies in the software.
- 4. SPRs marked FYI or SUGGESTION are forwarded to the pertinent software group for information purposes, and are responded to at their discretion.
- 5. SPRs marked *DOCUMENTATION ERROR* should report those problems dealing with software manuals or newsletters, and will be forwarded to the pertinent software group.

What YOU Can Do For US

- 1. Customer Name and Address and Problem Statement should always be typed or printed clearly.
- 2. SPRs should not be used for problems concerning software policy, software distribution, or hardware. Your local office should be contacted in these cases.
- 3. It would be most helpful to all concerned, if problems with patches are reported as soon as possible.
- 4. For security SPRs, it is imperative that the DO NOT PUBLISH box be marked.
- 5. It would be helpful if tapes submitted with SPRs are labeled (track and density), and have a directory attached.
- 6. Should you ever receive an unacceptable SPR response, please contact us or the appropriate SPR Center so that the response may be readdressed.

RT-11 Software Dispatch, September 1978

GAMMA-11 F/B, V2C

Seq 1 0 1 of 1

GATED LIST MODE IMAGES (PL)

When a gated list mode study is framed, spurious counts will appear in the upper right-hand cell of some images. These counts are actually the gate marks. This cell can be used to identify those images which correspond to the R-wave. The cell will not intefere with the display scaling, as long as it remains in the upper right-hand corner of the image.

Users who rotate their images may find this cell objectionable since it will then intefere with the scaling algorithm. This can be circumvented by using the GAMMA-ll translate commands (TH and TV) to move the cell out of the image. This feature can be permanently removed with the following optional patch.

.R PATCH

FILE NAME-*DATANL/O
3:60014/ 240 1401
*E

GAMMA-11 F/B, V2C

Seq 2 M 1 of 1

TU16 SUPPORT (SPR 11-18656 DG/RP)

GAMMA-11 V2C does not include support for the TU16 magtape (MM.SYS handler)

- 1. The MM handler is not included on the distribution disks.
- The distribution magtape does not include MDUP.MM.
 The study transfer program (TS) references device MT even if the user specifies device MM.

It should be noted that most (if not all) GAMMA-11 user with magtape have the TM11 controller which uses the MT handler. The MT handler is completely supported and there are no known problems with the support.

TU16 support can be implemented as follows

1. Users who built their GAMMA-11 system from a distribution disk must delete the MT handler from their GAMMA-11 disk and copy the MM handler from an RT-11 distribution medium. Assuming that the user's GAMMA-11 system disk is the system device and that the RT-11 distribution medium is device 'dev:', the RT-11 commands to do this are

DELETE/SYSTEM/NOLOG MT.SYS CJPY/SYSTEM dev:MM.SYS SY:

2. After configuring the GAMMA-11 system disk, the user start up file GMUSER.COM must be editted as follows

.EDIT GMUSER.COM *IINSTALL MM ASSIGN MM MT <ESC>EX<ESC><ESC>

The distribution magtape can be copied as follows

Mount an RT-11 V3B disk in drive 0 and boot it. Mount a scratch disk in drive 1 and then type

INIT/BAD DK1: DK1:/Init are you sure?Y COPY/SYSTEM/NOLOG MM:/POS:-1 DK1: COPY/BOOT DK1:xxmNFB DK1: (where xx is RK for RK05 disks, DM for RK06,7 disks) DELETE/NOQ DK1:MT.SYS

Perform the system generation procedure, Section 1.3 of the GAMMA-11 SYSTEM REFERNECE manual and then perform the edit in step 2 above.

RT-11 SOFTWARE DISPATCH CUMULATIVE INDEX SEPTEMBER 1978

This is a complete listing of all articles for current versions of RT-ll and related products. In the case of subordinate software, missing sequence numbers may pertain to problems unique to interaction with previous versions of the same product.

IMPORTANT!

Retracted articles are indicated: RETRACTION.

Flags are currently being installed for all articles. The flags and definitions are as follows:

- M = <u>Mandatory</u> patch. These are critical patches which each customer is required to install.
- $0 = \frac{Optional\ patch}{occurred}$. These articles are applicable only if the reported problems have occurred at the customer site or if they are unique to his operation.
- R = Restriction. These problems are not patchable in released software. Restrictions are reviewed and corrected when possible as part of the normal release cycle.
- N = NOTE. This information may be helpful to the user.

Component	Sequence	Mon/Yr
APL-11 V1		
APL.SAV PROGRAM PATCHES ERRONEOUS "DEFINITION ERROR" DURING FUNCTION EDITING LOSS OF LOWER-CASE ON RE-ENTRY TO APL-11 APL WORKSPACE "SYSTEM ERROR"S GENERATED BY NULL LINE ELEMENTS INTERNAL MEMORY ALLOCATION PROBLEMS ERROR FOR SCALAR RESULT OF DECODE OR INNER PRODUCT OPERATION SYSTEM ERROR ON PARAMETER RETURN	01 M 02 M 03 R 04 05 M 06 M	Nov 77 Nov 77 Nov 77 Dec 77 Dec 77 Feb 78 May 78
BASIC-11/RT-11 V2		
RESEQUENCE PRODUCES AN INCORRECT PROGRAM UNDER CERTAIN CONDITIONS PRINT USING MAX SIZE OF LINE ENTERED TO BASIC-11 REM STATEMENT CONTAINING LEFT PARENTHESIS CAUSES SUBSEQUENT SPACES AND PERIODS TO BE REMOVED RUN (NH) COMMAND MAY GIVE AN ERROR MESSAGE TERMINAL MAY HANG DATA FILES SAVE DEV: AND REPLACE DEV: SINGLE PRECISION HANG AND NUMERIC CONVERSION PROBLEM (PATCH F) CONVERSION PROGRAM	01 M 02 M 03 M 04 R 05 M 06 M 07 M 08 M	Aug 78 Jun 78 Jun 78 Jun 78 Jul 78 Jul 78 Jul 78 Jul 78 Jul 78
BASIC/RT-11 EXTENSIONS V1		
"IPK" SUBROUTINE SAMPLING A/D CHANNEL NO. 15 SAMPLING AR11 "CLRD" AND "PUTD" ROUTINES "SETR" AND "WAIT" COMBINATION MAY FAIL	01 M 02 R 03 M 04 M 05	Aug 77 Aug 77 Sep 77 Nov 77 Apr 78
CTS-300 V3		
CTS-300 V03 RELEASE NOTES USE OF RSTAT WITH ISAM FILES PATCH NUMBERS AND TITLES	Ø1 Ø2 R Ø3	Apr 77 Aug 77 Nov 77

Component	Sequence	Mon/Yr
DECFORM DECFORM ERRORS REPLACEMENT PAGES SEARCHMODE AND RENAM PROBLEM - NEW VERSION NUMBER EXTRA CHARACTERS AT STATEMENT END FOCOMP INCORRECTLY ALLOCATES AN EXTRA CHARACTER REPLACEMENT PAGES DECFORM RESTRICTIONS CONDITIONAL GOTO AND CONDITIONAL SKIP DECFORM PROBLEMS AND RESTRICTIONS HANG ON EXIT TWO PROBLEMS IN FOCOMP EOF AFTER CHANGED RECORD LOST RECORD ON DUPLICATE KEY MESSAGE FOR SPEED READERS EXCITING DECFORM VIA FIVE-PART QUESTION	01 02 03 04 05 06 07 08 09 R 10 11 M 12 M 13 M 14 M	Apr 77 Apr 77 Jun 77 Jun 77 Nov 77 Aug 77 Sep 77 Oct 77 Nov 77 Jan 78 Feb 78 Mar 78 Apr 78 Apr 78
DOCUMENTATION MULTIVOLUME FILES ON MAGTAPE PAGE CORRECTION DOCUMENT ERROR	Ø1 N Ø2 Ø3	Feb 78 Apr 78 Apr 78
DICOMP IMPROPER GLOBAL INFORMATION COMMENT CAUSES ERROR	Ø1 1 Ø2	Jul 77 Aug 77
FILEX RESTRICTION ON FILEX FILEX INFORMATION AND RESTRICTION OUT ERR WITH 128-CHARACTERS RECORDS BLANK RECORDS	Ø1 Ø2 R Ø3 M Ø4 M	Sep 77 Mar 78 Jul 78 Sep 78
ISMUTL INDEXING PROBLEM WRONG RECORD COUNT CTS-300 SYSTEM REFERENCE MANUAL INCORRECT APPEND CALCULATION ERR 16 IN REORG THREE PROBLEMS IN ISMUTL REPLACEMENT PAGES WRONG FILE SPACE ALLOCATION ERRONEOUS ERROR MESSAGE ERROR 28 LEGAL CHARACTERS IN ISAM RECORDS DUPLICATE KEYS IN THE INPUT FILE MORE INPUT RECORDS THAN SPECIFIED THREE PROBLEMS IN ISMUTL	01 02 03 04 05 06 M 07 N 08 M 09 M 10 M 11 R 12 M 13 M	Jul 77 Jul 77 Oct 77 Sep 77 Oct 77 Jan 78 Feb 78 Apr 78 Apr 78 Apr 78 Jun 78 Jun 78 Jul 78 Sep 78
LPTSPL NO CONTINUE AFTER PROGRAM ABORT	01 M	May 78
SINGLE USER DIBOL SPURIOUS I/O ERRORS DURING ISAM STORE CHANGE READS STATEMENT TO ACCEPT 8-BIT ASCII LOCASE CONVERTS UNDERLINE TO RUBOUT ISAM RECORDS CROSSING BLOCK BOUNDARIES PROBLEM WITH 32KB OR LESS REPLACEMENT PAGES "NOT ENOUGH MEMORY" CONDITION RECORDS BEING LOST RUNNING V3 ON LSI	01 02 03 04 05 06 07 M 08 M 09 M	Jun 77 Apr 77 Jun 77 Aug 77 Sep 77 Oct 77 Jan 78 Feb 78 Apr 78
SORTG TAGSORTS NOT ALLOWED ON ISAM FILES CORRECTION TO VERSION "A" PATCH	Ø1 Ø2	May 77 Oct 77
SORTM I/O ERROR INTERPRETED AS AN INPUT END OF FILE NEGATIVE NUMBERS IN SORT/MERGE SORTING CARETS INCORRECT RECORD COUNT FIRST RECORD OUT OF ORDER ERR 16 IN TSD MERGE WITH DESCENDING KEY	01 02 03 M 04 M 05 M 06 M 07 M	Apr 77 Oct 77 Jan 78 Feb 78 Mar 78 Jul 78 Sep 78

Component	Sequence	Mon/Yr
TSD		
CHANGE READS STATEMENT TO ACCEPT 8-BIT ASCII REPLACEMENT PAGES	Ø1 Ø2	Apr 77 Apr 77
PROGRAM SIZE CALCULATIONS FOR TSD I/O RACE CONDITION	Ø3 Ø4	May 77 Jun 77
GARBLED OUTPUT DUE TO ALPHA OR DECIMAL DISPLAYS	Ø5	May 77
RENAM FEATURE OF DIBOL LOCASE CONVERTS UNDERLINE TO RUBOUT	Ø6 Ø7	Jun 77 Jun 77
ISAM FILE SHARING PROBLEM	Ø8	Jun 77
IMPOSSIBLE TRAP ON OVERLAYING ISAM RECORDS CROSSING BLOCK BOUNDARIES	Ø9 1Ø	Jun 77 Aug 77
RECORDS BEING LOST	11 M	Feb 78
PERMANENTLY LOCKED GROUP RUNNING V3 ON LSI	12 M 13 M	Mar 78 Apr 78
CLOSING ISAM FROM AN EXTERNAL SUBROUTINE	14 M	Apr 78
PROBLEM WITH ISAM INPUT	15 M	Apr 78
CTS-300 V3 AND CTS-300/DIS V3.5	5	
ISAM REPAIR PROGRAM	Ø1 O	Mar 78
Omc 246 VA		
CTS-300 V4		
DECFORM ADDITONAL INFORMATION ON MATH OPTION	Ø1 N	Dec 77
UNDEFINED GLOBALS WITH DECFORM	Ø2	Jan 78
TWO PROBLEMS IN FOCOMP EOF AFTER CHANGED RECORD	Ø3 M Ø4 M	Feb 78 Mar 78
LOST RECORD ON DUPLICATE KEY	Ø5 M	Apr 78
MESSAGE FOR SPEED READERS EXITING DECFORM VIA FIVE-PART QUESTION	06 M 07 M	Apr 78 Jun 78
TOO FEW DATA FIELDS RETURNED	Ø8 M	Jun 78
USR NOSWAP CAUSES TRAP TO 4	Ø9 M	Aug 78
DICOMP TRAP TO 4 UNDER XM	81 M	D-1 70
TRAP TO 10 UNDER FB	01 M 02 M	Feb 78 Feb 78
DON'T WASTE PAPER ERR 16 IN TSD	03 M 04 M	Jul 78 Jul 78
DOCUMENTANTON		5 41 75
DOCUMENTATION REPLACEMENT PAGES	Øl N	Dec 77
DOCUMENTATION CHANGES TO CTS-300 SYSTEM USER'S GUIDE DOCUMENTATION CHANGES TO DECFORM USER'S GUIDE	02 N 03 N	Jun 78
	03 N	Jun 78
ISMUTL THREE PROBLEMS IN ISMUTL	Ø1 M	Dec 77
WRONG FILE SPACE ALLOCATION	Ø2 M	Apr 78
ERRONEOUS ERROR MESSAGE ERROR 28	03 M 04 M	Apr 78 Apr 78
LEGAL CHARACTERS IN ISAM RECORDS	Ø5 R	May 78
DUPLICATE KEYS IN THE INPUT FILE MORE INPUT RECORDS THAN SPECIFIED	06 M 07 M	Jun 78 Jul 78
THREE PROBLEMS IN ISMUTL	08 M	Sep 78
LPTSPL	43	
JOB MISHANDLING	01 M	Jan 78
REDUCE MULTIPLE FILE PROBLEM	01 M	Jan 78
BAD FILE CAUSES SYSTEM HALT	Ø2 M	Sep 78
SINGLE USER DIBOL		
PROBLEM WITH CLOSING A FILE RANDOM ACCESS PROBLEM	01 M 02 M	Dec 77 Jan 78
MINUS ZERO	Ø3 M	Jan 78
LPQUE DOES NOT WORK CHANNEL 1	04 M 05 M	Jan 78 Jan 78
FIELD EDITING	Ø6 M	Jan 78
WRONG ERROR MESSAGE MINUS ZERO	07 M 08 M	Feb 78 Feb 78
S.U. DIBOL WORKS ONLY UNDER XM	Ø9 M	Feb 78

Component	Sequence	Mon/Yr
RECORDS BEING LOST NO SINGLE USER ON 11/10 RENAME PROBLEM	10 M 11 M 12 M	Feb 78 Feb 78 Apr 78
NO MAGTAPE IN V4 ABORT ON SECOND LPQUE STATEMENT XCALL VERSN BEGETS TRAP TO 4	13 M 14 M 15 M	Apr 78 Jun 78 Jun 78
LPNUM CAUSES FILE NOT FOUND BAD OPEN	16 M 17 M	Jun 78 Jul 78
MONITOR TRAP WITH DIVIDE RECORD NUMBERS GREATER THAN 65,535 PROBLEM ACCEPTING FROM A FILE	18 M 19 M 20 M	Jul 78 Jul 78 Jul 78
NO CTRL/C TRAP UNDER SUD DIRECT CURSOR POSITIONING UNDER SUD TTSTS DOES NOT WORK UNDER SINGLE USER DIBOL	21 M 22 M 23 M	Aug 78 Aug 78 Sep 78
SORTG KDTYP MISSING	01 M	Feb 78
SORTM	01 N	Dec 77
TAGSORTS WITH MULTIPLE KEYS FIRST RECORD OUT OF ORDER ERR 16 IN TSD	02 M 03 M 04 M	Jan 78 Mar 78 Jul 78
SORTP NO PROTECTION FROM MIXING DATA MODES	01 M	Jun 78
STATUS. TSD	··	
WRONG JX INFORMATION PENDING MESSAGES PROBLEM DURING JOB STARTUP	01 M 02 M 03 M	Dec 77 Jan 78 Mar 78
TSD	65 H	Mat 70
TNMBR TRAPS TO 4 RANDOM ACCESS PROBLEM	01 M 02 M	Jan 78 Jan 78
MINUS ZERO DELETE CAUSES STACK OVERFLOW FIELD EDITING	03 M 04 M 05 M	Jan 78 Jan 78 Jan 78
PROBLEM WTIH ISAM INPUT SEND CAUSES STACK OVERFLOW	06 M 07 M	Jan 78 Feb 78
STATUS GIVES FALSE REPORT FILE SHARING	08 M 09 M 10 M	Feb 78 Feb 78 Feb 78
CHANNEL IN USE PROBLEM PROGRAMS CREATED IN REGION Ø IMPLICIT JOB STARTUP PROBLEM	11 M 12 M	Feb 78 Feb 78
PENDING MESSAGES DESTROY SYMBOL TABLE TERMINALS IGNORED	13 M 14 M	Feb 78 Feb 78
TROUBLE WITH TSD UNDER FB MEMORY FAULT WITH SEND/RECV PERMANENTLY LOCKED GROUP	15 M 16 M 17 M	Feb 78 Feb 78 Mar 78
SLOW TERMINAL I/O PROBLEM WITH FORCED JOB AND TERMINAL NUMBER	18 M 19 M	Mar 78 Mar 78
INCORRECT CHECK FOR FREE SPACE SYSGEN/TSDGEN PROBLEM	20 M 21 M	Mar 78 Mar 78
OPENING LP: GENERATES ERRORS RECORDS BEING LOST BAD I/O, FLAG NOT CLEARED	22 M 23 M 24 M	Mar 78 Apr 78 Apr 78
CLOSING ISAM FROM EXTERNAL SUBROUTINE DISPLAY FROM DETACHED PROGRAM TO DETACHED TERMINAL	25 M 26 M	Apr 78 Apr 78
NO MAGTAPE IN V4 BASE LEVEL 2 R6 STACK OVERFLOW	27 M 28 M 29 M	Apr 78 Apr 78 May 78
TSD HANGS IF LP GOES OFF LINE SLEEP PAST MIDNIGHT, NEVER WAKE UP	30 M 31 M	Jun 78 Jun 78
LOWER CASE CONVERTS TO UPPER CASE THREE PROBLEMS IN XMTSD	32 M 33 M	Jun 78 Jun 78
XCALL VERSN BEGETS TRAP TO 4 SLAVE REFUSES TO WORK MORE LP: NOHANG DIFFICULTIES	34 M 35 M 36 M	Jun 78 Jun 78 Jun 78
MORE TRAPS TO 4 AND 10 NO ALIGN OR DELETE WITH LPQUE	37 M 38 M	Jun 78 Jun 78
TRAP TO 10 CAUSED BY OPEN ISAM FILE NO ROOM FOR BUFFER CAUSES TRAP TO 4/10 MAGTAPE READ DOES NOT WORK	39 M 40 M 41 M	Jun 78 Jun 78 Jul 78

Component	Sequence	Mon/Yr
	42 M 43 M 44 M 45 M 46 M 47 M 48 M 49 M 50 M 51 M 52 M 53 M	Jul 78 Jul 78 Jul 78 Aug 78
CTS-300/DIS V3.5		
USE OF RSTAT WITH ISAM FILES	Ø1 R	NOV 77
DECFORM SEARCHMODE AND RENAM PROBLEM - NEW VERSION NUMBER MICRO CODE CAUSES TRAP TO 10 DECFORM RESTRICTIONS EXTRA CHARACTERS AT STATEMENT END FOCOMP INCORRECTLY ALLOCATES AN EXTRA CHARACTER CONDITIONAL GOTO AND CONDITIONAL SKIP DECFORM PROBLEMS AND RESTRICTION HANG ONE EXIT TWO PROBLEMS IN FOCOMP EOF AFTER CHANGED RECORD NEGATIVE NUMBER ENDING IN ZERO LOST RECORD ON DUPLICATE KEY MESSAGE FOR SPEED READERS EXITING DECFORM VIA FIVE-PART QUESTION	01 02 03 04 05 06 07 08 M 09 M 10 M 11 M 12 M 13 M	Oct 77 Oct 77 Nov 77 Nov 77 Nov 77 Nov 77 Jan 78 Feb 78 Mar 78 Apr 78 Apr 78 May 78
DICOMP IMPROPER GLOBAL INFORMATION COMMON CAUSES ERROR	Ø1 Ø2	Nov 77 Nov 77
DOCUMENTATION MULTIVOLUME FILES ON MAGTAPE PAGE CORRECTION DOCUMENT ERROR	01 N 02 N 03 N	Feb 78 Apr 78 Apr 78
FILEX RESTRICTION ON FILEX FILEX INFORMATION AND RESTRICTION OUT ERR WITH 128-CHARACTERS RECORDS BLANK RECORDS	01 R 02 R 03 M 04 M	Nov 77 Mar 78 Jul 78 Sep 78
ISMUTL INDEXING PROBLEM INCORRECT APPEND CALCULATION ERR 16 IN REORG WRONG RECORD COUNT THREE PROBLEMS IN ISMUTL' REPLACEMENT PAGES WRONG FILE SPACE ALLOCATION ERRONEOUS ERROR MESSAGE ERROR 28 LEGAL CHARACTERS IN ISAM RECORDS DUPLICATE KEYS IN THE INPUT FILE MORE INPUT RECORDS THAN SPECIFIED THREE PROBLEMS IN ISMUTL	01 02 03 04 05 06 N 07 M 08 M 09 M 10 R 11 M 12 M	Nov 77 Nov 77 Nov 77 Nov 77 Jan 78 Feb 78 Apr 78 Apr 78 Apr 78 Apr 78 Jun 78 Jun 78 Jun 78
LPTSPL NO CONTINUE AFTER PROGRAM ABORT	Ø1 M	May 78
SINGLE USER DIBOL LOCASE CONVERTS UNDERLINE TO RUBOUT ISAM RECORDS CROSSING BLOCK BOUNDARIES PROBLEM IN 32K OR LESS "NOT ENOUGH MEMORY" CONDITION SPURIOUS I/O ERRORS CURING ISAM STORE RECORDS BEING LOST	01 02 03 04 05 06 M	Oct 77 Nov 77 NOV 77 JAN 78 JAN 78 Feb 78

Component	Sequence	Mon/Yr
SORTG TAGSORTS NOT ALLOWED ON ISAM FILES CORRECTION TO VERSION "A" PATCH	01 02	Oct 77 Nov 77
SORTM NEGATIVE NUMBERS IN SORT/MERGE SORTING CARETS INCORRECT RECORD COUNT FIRST RECORD OUT OF ORDER ERR 16 IN TSD MERGE WITH DESCENDING KEY	01 02 N 03 M 04 M 05 M 06 M	Nov 77 Jan 78 Feb 78 Mar 78 Jul 78 Sep 78
I/O RACE CONDITION ERRONEOUS PATCH TO TSD INCORRECT JOB NUMBER AT STARTUP TIME PROBLEM WITH RENAM LOCASE CONVERTS UNDERLINE TO RUBOUT ISAM FILE SHARING PROBLEM IMPOSSIBLE TRAP ON OVERLAYING ISAM RECORDS CROSSING BLOCK BOUNDARIES RECORDS BEING LOST PERMANENTLY LOCKED GROUP CLOSING ISAM FROM AN EXTERNAL SUBROUTINE PROBLEM WITH ISAM INPUT	01 01a 02 03 04 05 06 07 08 M 09 M 10 M	Sep 77 Nov 77 Sep 77 Sep 77 Oct 77 Nov 77 Nov 77 Feb 78 Mar 78 Apr 78
DECnet-RT Vl		
DDCMP DDCMP LINE COUNTERS OVERFLOW TO ZERO	Ø 1 O	Jul 78
DMC DMC LINE COUNTERS OVERFLOW TO ZERO	Øl O	Jul 78
FORTRAN INTERFACE DIFFERENCES IN RT AND RSX FORTRAN INTERFACE IMPLEMENTATIONS	01 N	Jul 78
MODEM CONTROL SUPPORT OF ASYNCHRONOUS HALF DUPLEX MODEMS	01 R	Jul 78
FOCAL/RT-11 V1B		
FOR COMMAND WITHOUT AN ARGUMENT OPERATE COMMAND CAUSES ERROR FCLK ROUTINE GIVES INCORRECT TIME "LIBRARY ASK" COMMAND "/Z" SWITCH @START NOT WORKING WHEN DOWN-LINE LOADING LIBRARIES FROM FOCAL SOURCE DISK MUST BE REFORMATTED	01 M 04 M 05 O 06 O 07 M 08 M 09 N	Oct 75 Aug 76 Aug 76 Feb 77 Aug 77 Mar 78 Aug 78
FORTRAN IV/RT-11 V2		
COMPILER KNOWN FORTRAN IV V2 BUGS USE OF THE FIND STATEMENT RAISING COMPLEX NUMBERS EXTRA CHARACTERS MAY RESULT IN COMPILER TRAPPING SIMRT SIMRT CONTINUED TRANSMITTING ASCII DATA IN-LINE CODE DOSPOSE= 'KEEP' OPTION CRASH DUMPS SYNTAX ERRORS IN SOURCE PROGRAM MAY CAUSE COMPILER TO ABORT ERRORS OCCUR WITH NO DO LOOP	01 N 02 M 03 M 04 M 05 M 06 M 07 R 08 N 09 R 10 N	Feb 78 Feb 78 Feb 78 Feb 78 May 78 Mar 78 Mar 78 Apr 78 Apr 78 May 78

Component	Sequence	Mon/Yr
GAMMA-11 F/B V2		
DATA ANALYSIS PROGRAM STUDY TRANSFER PROGRAM DISPLAYS TOO MANY INDEX LINES	Øl M	Feb 77
PER PAGE BASIC AND FOCAL BACKGROUND PROGRAM CAN HANG THE FOREGROUND TERMINAL CNTL/C UNDER SINGLE JOB MONITOR CROSSHAIRS FAIL TO APPEAR IN SLICE UNDOCUMENTED PROGRAMS FORTRAN SUPPORT INCORRECTLY CONVERTS DATA AND TIME	02 M 03 M 04 M 05 M 06 M 07 N	Feb 77 Feb 77 Feb 77 Feb 77 Feb 77 Mar 77
OF INQUISITION "RS" COMMAND IS INCORRECTLY	08 M 09 N	May 77 Jun 77
GAMMA-11 F/B V2C		
GATED LIST MODE IMAGES TU16 SUPPORT	Ø1 O Ø2 M	Sep 78 Sep 78
LABORATORY APPLICATIONS-11 V3	3	
A NEW MODULE TO ENHANCE DATA FLOW WITHIN LA-11	01 N	Oct 76
HISTO.MAC ACQUIRING AND PROCESSING HISTOGRAM DATA	Ø1 M	Sep 76
LABMAC.SML ERRONEOUS MACRO	Øl M	Sep 77
PEAK.MAC WIDE PEAKS PEAK PROBLEMS AND CORRECTIONS ARITHMETIC CORRECTION FOR PEAK AREA MISSING PATCH IN RELEASE NOTES	01 M 02 M 03 M 04 M	Mar 76 Jul 76 Dec 76 Oct 77
SPARTA LPS AND AR-11 VECTOR AND STATUS REGISTER USING SPARTA AND FLOATING POINT BUFFERS AR-11 TIMING PROBLEMS WITH ADSAM AND SPARTA FFT SCALING CORRECTION SCALE FACTOR CORRECTION FOR SPARTA COMMANDS FAC AND FCC DATA DISPLAYS USING LA-11 DATA PREPARATION FOR SPARTA COMMANDS FAC AND FCC SPARTA CORRECTIONS FOR POINT-PLOT DISPLAY ADDING COMMANDS TO SPARTA	01 N 02 N 03 O 04 M 05 M 06 N 07 N 08 M 09 M	Dec 75 Feb 76 Feb 76 Feb 76 Mar 76 Apr 76 Apr 76 May 76
CORRECTION FOR THE DPV COMMAND WITH POINT PLOT DISPLAY GENERAL SUBROUTINE MODULE FOR EAE INCORRECT PHASE ANGLE CALCULATION "MOU" AND "MIN" COMMANDS CAN BE READ OUT AND IN	10 M 11 O 12 M	Jun 76 Jun 76 Oct 76
CORRECTLY MULTIPLE SYNCH PULSES AUTO AND CROSS CORRELATION ALLOCATING MORE THAN 16K BUFFERS IN SPARTA A/D SAMPLING: FAST MODE A/D SAMPLING: FAST MODE EXIT	13 N 14 M 15 M 16 M 17 M 19 M	Jan 77 Jan 77 Jan 77 Feb 77 Jul 77 Mar 78
SWEEP.MAC SWEEP SAMPLING: FAST MODE	Øl M	Aug 77
THRU HOW TO START DATA ACQUISITION WHEN CSTART EQUALS ZERO MULTICHANNEL SINGLE RATE SCHMIT TRIGGER SWITCH BOUNCE CONTINUOUS SAMPLING: CONDITIONAL ASSEMBLY ERRORS CONTINUOUS SAMPLING: DMA WITH DUAL SAMPLE + HOLD DOCUMENTATION CORRECTIONS	01 N 02 M 03 M 04 M 05 M	Jun 76 Dec 76 Jul 77 Jul 77 Nov 77
LV11/RT-11 PLOTTING PACKAGE V	2	
SUBROUTINE PLOT DOES NOT CORRECTLY REPRODUCT VT11 PICTURE	Ø1 M	Apr 78

Component	Sequence	Mon/Yr
MU BASIC/RT-11 V1		
BUILDING MU BASIC/RT-11 UNDER RT-11 V2C REMOTE TERMINAL SUPPORT ON MODEMS OVERLAY LINE WORKS INCORRECTLY USING IMMEDIATE MODE "GOSUBS" CLOCK LOSES TIME ON RT-11 WHEN RUNNING MU BASIC REM STATEMENTS ADDITIONAL FILES ON RELEASE KIT (MUB*.*)	01 02 03 04 05 06 07 N	Feb 76 May 76 May 76 Dec 76 Jul 77 Feb 78 May 78
MU BASIC/RT-11 SYSTEM INSTALLATION GUIDE DEC-11-LIBMA-A-DN1 REPLACEMENT PAGES REPLACEMENT PAGES REPLACEMENT PAGES	01 02 N 03 N	Jan 77 Jan 78 Jan 78
PDL/RT-11 V1B		
CLARIFICATION OF SEARCH FAILURE IN SUBROUTINE FIND FIND SUBROUTINE PATCHES TO PDL	01 N 02 R 03 M	Jul 78 Jul 78 Jul 78
SUBROUTINE QKGT PDL SUBROUTINE 'RDAA' PDL PEAK ALGORITHM WILL NOT RECOGNIZE VALID PEAKS	04 M 05 M 06 M	Jul 78 Sep 78 Sep 78
PEAK-11 VI		
"MREPRT" AND "REPRT" GET CONFUSED	Ø1 M	Aug 78
REMOTE/RT-11 V1		
SCHEDULER DOES NOT PROPERLY SET PROCESSOR PRIORITY	Øl M	May 76
NOEDIT- Ø HALTS NUSERS-1 STAYS IN A FILE MESSAGE LOOP	Ø2 M Ø3 M	May 76 May 76
INCORRECT SWAP AREA ALLOCATION FOR FOUR OR MORE USERS REBOOT FROM SATELLITE DURING EDIT HANGS HOST	Ø4 M	May 76
HARD ERROR ON LOOKUP IS FATAL	Ø5 M Ø6 M	Jun 76 Jun 76
SECONDARY MODE PROGRAM LOAD FEATURE NOT COMPLETELY FUNCTIONAL	47 M	
ONE SECOND TIMER FOR LINE TIMEOUTS IS SET INCORRECTLY LINE FEEDS MAY CAUSE SYSTEM ERRORSASSEMBLY ERROR	07 M 08 M	Jun 76 Aug 76
WITH DIAL AND NODDC PROPER GENERATION OF REMOTE IS DEPENDENT ON MODULE ORDER	09 M	Aug 76
ASCII CODES 173 AND 174 DO NOT PRINT	10 M 11 M	Aug 76 Aug 76
IMPROPER FILLER HANDLING FOR VT05 SYSTEM CRASHES IF RUN IN FOREGROUND WITHOUT /N	12 0	Aug 76
"UNSAVE" COMMAND CAUSES SYSTEM ERRORS	13 O 14 M	Aug 76 Dec 76
FLET WILL REMOVE MORE THAN ONE USER FROM THE WAIT QUEUE	15 M	Dec 76
STACK FOR USER THREE IMPROPERLY SET SECONDARY MODE LOADS DO NOT OPERATE PROPERLY	16 O 17 M	Dec 76
@START COMMAND GIVEN ON TERMINAL WITHOUT SATELLITE	1 / M	Jan 77
CAUSES CRASH "RTSIM" DOES NOT SUPPORT 50 Hz LINE CLOCK	18 0	Jan 77
CHANNEL ACTIVE ERROR	19 O 20 M	Jan 77 Mar 77
THREE WORDS LOST ON DOWNLINE LOAD	21 M	Mar 77
CSISPC NOT PROPERLY SIMULATED EXCEEDING CHARACTERS PER LINE LIMIT	22 M	May 77
UNASSIGNED	23 M 24	Oct 77 XXX XX
@RE IN THE SATELLITE DOES NOT WORK	25 R	Mar 78
"HANG" CONDITIONS UANSSIGNED	26 R	Apr 78
USING KG-11 CRC CALCULATOR	27 28 M	XXX XX Aug 78
PASTE CAUSES LINE DUPLICATION	29 M	Aug 78
"DAISY CHAIN" ARRANGEMENT IN RTSIM.MAC OPTIONAL RMON IS OMITTED FROM RTS1M BY DEFINING NORMON=0	30 M 31 M	Aug 78 Sep 78
The state of the s	·- ··	265 \Q

Component	Sequence	Mon/Yr		
RT-11 V3				
DOCUMENTATION				
TYPOGRAPHICAL ERRORS ERROR IN FOREGROUND/BACKGROUND DEMONSTRATION	01 N 02 M	Mar 78 Aug		
EDIT DOES NOT OPERATE CORRECTLY UNDER XM MONITOR	Øl M	Mar 78		
MACRO .NARG FAILS WHEN AUTOMATIC LABEL GENERATION IS USED	01 M	Apr 78		
MISCELLANEOUS				
GETSTR AND PUTSTR ROUTINES FOR IN-LINE CODE ERROR IN THE CONCAT ROUTINE	01 M 02 M	Jun 78 Jun 78		
MONITOR INCORRECT IDENTIFIER IN .TWAIT REQUEST CAUSES PROBLEMS .CHAIN, .EXIT FROM VIRTUAL JOB; USR MOVING INTO	Øl M	Mar 78		
PAR1 AREA	Ø2 M	Apr 78		
PATCH TO INTERRUPT EXIT ROUTINE IMPROPER HANDLING OF THE KW11-P CLOCK	03 M 04 M	Apr 78 May 78		
SPECIFYING 50-CYCLE CLOCK SUPPORT DURING SYSGEN	51 11	na, ro		
OPERATIONS	05 M 06 M	Jun 78 Jun 78		
EDITORS AND V3B MONITORS TYPING NON-ASCII FILES TO CONSOLE AFTER ISSUING A GTON	мо м	Juli 78		
HANGS THE SYSTEM LINK/FRUN FAILS WHEN PROGRAM IS OVERLAYED AND USES	07 M	Jun 78		
LIBRARIES	Ø8 M	Jul 78		
MULTITERMINAL CORRECTIONS	Ø9 M	Aug 78		
PATCH TO XM ADDRESS CHECKING FIXES FOR TWO FB/XM PROBLEMS	10 M 11 M	Aug 78 Aug 78		
TERMINATING CONSOLE OUTPUT	12 M	Aug 78		
SOURCES				
UNRESOLVED DIFFERENCES IN DEMOX1.MAC DISTRIBUTED MAGTAPE HANDLER CORRECTIONS	01 M 02 M	Aug 78 Sep 78		
UTILITIES				
DUP DEFAULT FILE SIZE AND NULL FILE TYPES ARE INCORRECT DIR MAY INCORRECTLY LIST DIRECTORIES OF MAGTAPES	Ø1 M Ø2 M	Mar 78 Mar 78		
/L OPTION TO PIP MAY CUASE SYSTEM CRASH	Ø3 M	Mar 78		
LINK OUTPUT INVALID IF OBJ HAS AN EMPTY GSD RECORD	Ø4 M	Mar 78		
PAT GIVES FATAL ERROR IF OBJ HAS AN EMPTY RECORD UNASSIGNED	Ø5 M Ø6	Apr 78 XXX XX		
EDIT VT11 DISPLAY FUNCTIONS WILL NOT OPERATE UNDER		- 50		
XM MONITOR TRANSFERS IN INTERCHANGE FORMAT WHEN NO SYSTEM DATE	07 M/R	Apr 78		
IS GIVEN	Ø8 M	Jun 78		
DUP SCAN RATE FOR FLOPPY	09 M 10 M	Jun 78 Jun 78		
DUP /I AND /W SWITCHES DO NOT WORK PROPERLY LINK/FRUN FAILS WHEN PROGRAM IS OVERLAYED AND USES	ID II			
LIBRARIES DUP DOES NOT DIFFERENTIATE BETWEEN DELETED .BAD FILES	11 M	Jul 78		
AND PERMANENT ONES	12 M	Jul 78		
ERRORS IN FILEX INTERCHANGE FORMAT	13 M 14 M	Jul 78 Sep 78		
LINK PRODUCES INCORRECT .LDA FILES	14 M	Sep 70		
RT-11 V3B				
DOCUMENTATION ERROR IN FOREGROUND/BACKGROUND DEMONSTRATION	Øl M	Aug		
MISCELLANEOUS ERRORS IN THE SYSGEN CONDITIONAL FILE	Øl M	Jul 78		
MONITOR				
SOURCE PATCHING PROCEDURES FOR V3B	01 M 02 M	Aug 78 Aug 78		
MULTITERMINAL CORRECTIONS SINGLE JOB TIMER SUPPORT CORRECTIONS	02 m 03 m	Aug 78 Aug 78		
FIXES FOR TWO FB/XM PROBLEMS IN VP3B	Ø4 M	Aug 78		
TERMINATING CONSOLE OUTPUT	Ø5 M	Aug 78		

Component	Sequence	Mon/Yr			
EDITORS AND VØ3B MONITORS SEEK IN RK DRIVER RLØ1 CONTROLLER VECTOR AT 160 FPU EXCEPTION HANDLING IN XM MONITOR	06 O 07 M 08 M 09 M	Aug 78 Aug 78 Aug 78 Sep 78			
SOURCES UNRESOLVED DIFFERENCES IN DEMOX1.MAC ISSUING SEEKS TO DX HANDLER IN XM CAUSES RANDOM SYSTEM FAILURES	01 M 02 M	Jul 78 Sep 78			
DISTRIBUTED MAGTAPE HANDLER CORRECTIONS	Ø3 M	Sep 78			
SYSTEM HANDLERS RLØ1 HANDLER CORRECTIONS MISCELLANEOUS ERRORS IN THE SYSGEN CONDITIONAL FILE	01 M 01 M	Sep 78			
	DI W	Jul /6			
UTILITIES ERRORS IN FILEX INTERCHANGE FORMAT LINK PRODUCES INCORRECT .LDA FILES	Ø1 M Ø2 M	Jul 78 Sep 78			
RT-11/278Ø V2					
CORRECTIONS TO 2780 PACKAGE RUNNING 2780 ON RT-11 V3 PATCHING THE 2780 IN RT-11 V3	01 02 03 M	Sep 77 Nov 77 Sep 78			

digital Software Product Description

PRODUCT NAME: RT2/PDT, Version 3B

SPD 12.13.0

DESCRIPTION:

RT2/PDT software provides, on a PDT-11, a Single Job (SJ) or Foreground/Background (FB) execute-only environment for applications that the user develops on an RT-11 Version 03B system. RT2/PDT includes a license to use, on a PDT-11 based system, a specified subset of RT-11, Version 03B. The license-only option allows duplication for a PDT-11 based system of special PDT monitors (included in the RT2/PDT software) as well as the specified subset of RT-11. It is the user's responsibility to integrate his application(s) with the PDT monitor, and to transport the resulting runtime system from the RT-11 Version 03B system to the target PDT-11 system.

RT2/PDT Version 03B licenses the user to copy only the following modules as distributed from DIGITAL:

From RT-11 Version 03B distribution:

	-
MODULE	DESCRIPTION
PIP.SAV	Peripheral Interchange Program for file copying
DUP.SAV	Disk Utility Program for volume main- tenance
DIR.SAV	Directory program for listing volume directories
From RT ² /PDT	distribution:

MODULE DESCRIPTION

SWAP.SYS Monitor scratch blocks for system swap-

ping

PDMNSJ.SYS PDT-11 Single Job Monitor

PDMNFB.SYS PDT-11 Foreground Background Monitor

PDT-11 Base Line Single Job Monitor PDMNSJ.BL

PDMNFB.MT PDT-11 Multiterminal Foreground/Back-

around Monitor

LP.SYS Line Printer Handler

TT.SYS Terminal Handler for Single Job Moni-

A single-use license is available to operate BASIC-11/RT-11, Version 2, as optional software under RT2/PDT. Applications developed under FORTRAN IV/RT-11 may be copied under the RT²/PDT license. along with the FORTRAN IV OTS. The FORTRAN IV compiler may not be used on RT2/PDT.

MINIMUM HARDWARE REQUIRED:

PDT-11/150-AA, with 16K bytes of memory. An RT-11 Version 03B system is required for developing applications software and integrating the RT2/PDT monitor.

OPTIONAL HARDWARE:

- 30K words (60K bytes) of main memory
- RXT-11-EA Floppy diskette system
- LA180-P line printer
- LA36 hardcopy terminal
- VT52 or VT100 video terminal
- DFT11-AB Cluster Controller (3 EIA Ports)

PREREQUISITE SOFTWARE:

RT-11 Version 03B Operating System (with category A support).

OPTIONAL SOFTWARE:

BASIC-11/RT-11, Version 2

TRAINING CREDITS:

None

SUPPORT CATEGORY:

B - Software Support will be provided as stated in the Software Support Categories Addendum to this SPD

UPDATE POLICY:

No updates are planned for this product.

ORDERING INFORMATION:

All binary licensed software, including any subsequent updates, is furnished under the licensing provisions of DIGITAL's Standard Terms and Conditions of Sale, which provide in part that the software and any part thereof may be used on only the single CPU on which the software is first installed, and may be copied, in whole or in part (with the proper inclusion of the DIGITAL copyright notice and any DIGITAL proprietary notices on the software) only for use on such CPU. All source licensed software is furnished only under the terms and conditions of a separate Software Program Sources Agreement between Purchaser and DIGITAL.

July 1978

AE-D889A-TC

-2-

A single-use license only option is a license to copy the software previously obtained under license, and use such software in accordance with DIGITAL's Standard Terms and Conditions of Sale. The category of support applicable to such copied software is Category C.

The following key (Y, Z) represents the distribution media for the product and must be specified at the end of the order number, e.g., QJV33-AY = binaries on floppy diskette.

Y = RX01 Floppy Diskette

Z = No hardware dependency

Standard Options

O.IV33 -A— Single-use license, binaries, documentation, support services (media: Y)

OJV33 -D— Single-use license only, no binaries, no documentation, no support services (media: Z) Minimum quantity: 50. Requires one OJV33-A option.

ADDITIONAL SERVICES:

None

ADDENDUM SOFTWARE SUPPORT CATEGORIES

Each software product (hereinafter 'SOFTWARE') with a designated Support Category A or B in the applicable Software Product Description (SPD) existing at the time of order will be the current release at the time of delivery and will conform to the SPD. DIGITAL's sole obligation shall be to correct defects (nonconformance of the SOFTWARE to the SPD) as described below. Any SOFTWARE with a designated Support Category C will be furnished on an 'as is' basis.

For SOFTWARE with a designated Support Category A or B. DIGITAL will provide the services set forth below without additional charge.

CATEGORY A

- 1. Upon notification by customer to the nearest DIGITAL office that the computer system, including all required prerequisite hardware and software, is ready for the installation of the SOFTWARE, DIGITAL will install such SOFTWARE in any location within the contiguous forty-eight (48) United States, the District of Columbia, or a country in which DIGITAL or a subsidiary of DIGITAL has a software service facility. The notification must be received by DIGITAL and the system must be ready for installation within thirty (30) days after the delivery of the SOFTWARE to customer or DIGITAL will have no obligation to install, Installation will consist of: (1) verification that all components of the SOFTWARE have been received by customer, (2) loading the SOFTWARE, and (3) executing a DIGITAL sample procedure.
- 2. During the ninety (90) day period after installation, if the customer encounters a problem with the current unaltered release of the SOFTWARE which DIGITAL determines to be a defect in the SOFTWARE, DIGITAL will provide the following remedial service (on site where necessary): (1) if the SOFTWARE is inoperable, apply a temporary correction (TC) or make a reasonable attempt to develop an emergency by-pass, and (2) assist the customer to prepare a Software Performance Report (SPR) and submit it to DIGITAL.
- 3. During the one (1) year period following installation, if the customer encounters a problem with the SOFTWARE which his diagnosis indicates is caused by a SOFTWARE defect, the customer may submit an SPR to DIGITAL DIGITAL will respond to problems reported in SPRs which are caused by defects in the current unaltered release of the SOFTWARE via the Maintenance Periodical for the SOFTWARE, which reports SPRs received, code corrections, temporary corrections, generally useful emergency by-passes and/or notice of the availability of corrected code. Software Updates, if any, released by DIGITAL during the one (1) year period, will be provided to the customer on DIGITAL's standard distribution media as specified in the applicable SPD. The customer will be charged only for the media on which such updates are provided, unless otherwise stated in the applicable SPD, at DIGITAL's then current media prices.

CATEGORY B

During the one (1) year period following delivery, the services provided to the customer will be the same as set forth in 3 above. CATEGORY C

SOFTWARE is provided on an 'as is' basis. Any software services, if available, will be provided at the then current charges.

DIGITAL shall have the right to make additional charges for any additional effort required to provide services resulting from customer use of other than current unaltered release of the SOFTWARE operated in accordance with the SPD.

GligitalSoftware Product Description

PRODUCT NAME: GAMMA-11 F/B, Version 2C

SPD 15.60.3

DESCRIPTION:

GAMMA-11 F/B is a hardware/software system for nuclear medicine. GAMMA-11 is designed to acquire, store, display and manipulate images from the gamma camera in order to supply quantitative, meaningful clinical information.

In the foreground/background configuration, gamma camera data acquisition can take place independent of another process. This configuration includes two terminals. One terminal is designated the foreground acquisition terminal for the gamma camera and controls the setup and initiation of data collection. The other terminal, designated the background terminal, can be used simultaneously with the foreground terminal for data analysis by GAMMA-11 programs, for program development in BASIC or FORTRAN, or for running any other programs that do not need immediate access to the disks for successful completion.

In the single job configuration, only one terminal is included. This configuration has all the capabilities of the foreground/background system, except that data acquisition and processing may not be carried out simultaneously.

Data Acquisition

GAMMA-11 programs allow data acquired to be stored in five different size matrices for static studies and four different size matrices for dynamic studies. Thus a user can choose the proper size and resolution for the job at hand. List mode acquisition (i.e., unstructured data) is also available. Static studies can be collected and terminated by a preset time, preset count, or matrix element overflow. Static studies can be linked to provide easy collection of and access to sequential static views. Dynamic studies are collected at a specified frame rate. List mode studies can be acquired with an effective frame rate of 100 frames per second. An external synchronizing time marker can be included when acquiring either dynamic or list mode studies. These acquisition modes are called Gate Synchronized Acquisition (GSA) and Physiological List Mode (PLM), respectively, and are used primarily for cardiac studies.

GSA data is stored in either 32x32 or 64x64 matrices. The maximum number of images per study is determined by the amount of available memory. During acquisition, images are displayed "live" on the video display. The heart cycle time (or the time between

external synchronizing events) is continously monitored and displayed. For GSA data acquisition, the operator can either choose fixed time intervals for each image or allow the program to divide the heart cycle time (averaged over 30 seconds) by the number of images chosen. A heart cycle time window can be selected so that if a given cycle time falls outside of this window, then the following cycle is rejected.

NOTE: GSA must be run from the background terminal.

Physiological List Mode studies are acquired with 1 millisecond time intervals.

Data is reframed by creating a number of images based on the interval between successive external time markers.

With dual isotope collection, two separate images (one for each isotope) can be collected simultaneously. (Note: The gamma camera must also have the dual isotope option). This capability does not apply to GSA or PLM.

Once collection parameters and procedures are established, they can be set up as protocols or predefined studies. Up to 20 predefined studies can be used to speed set up, minimize error, and standardize collection procedures.

Patient Study Index

Once collected, patient studies are identified by a system-generated index file. Each study is identified by patient name, number, organ, study type and acquisition date. Studies are selected for analysis by index number; the user need not be concerned with the physical location of disk data.

Data Analysis and Display

Data is displayed on the VSV01 color video monitor. The VSV01 color display includes a hardware character generator permitting display, along with the image, of patient identification and image counting statistics. All photographs taken from the display are thus positively identified.

Display Features:

- Color or monochrome display
- Sixty-four colors; 16 colors simultaneously displayed
- Up to 31 color spectra can be defined
- · Intensity or isometric display

July 1978

AE-3428D-TC

- Four or eight image display (16 with optional VSV01 bit maps)
- Normal or magnified display
- Lower and upper thresholding with or without contrast enhancement
- Dual/full size image display (split screen or overlayed)
- Negative image display

Data Manipulation Features:

- · Skip frames (forward or backward)
- · Sequential frame add
- Image rotation (90 degree steps)
- Image translation (horizontal and vertical)
- · Non-uniformity correction
- Frame algebra add, subtract, multiply, divide or merge frames; add, subtract, or multiply frames by a constant
- Nine point smoothing
- Nine save areas for temporary storage of images or BOI curves
- Up to 55 optional save areas for temporary storage of images
- · Slice profiles (vertical or horizontal)
- Isocontour generation
- Interpolation of images (optional VSV01 bit maps required for 256 x 256 interpolation)

Region of Interest Features:

- · Regular (keyboard controlled)
- Irregular (joystick controlled)
- Circumference or fill mode definition (irregular)
- Pertinent count rate information for each region displayed with image
- Up to 12 regions can be displayed.
- Simultaneous display of curves and images with ROIs outlined
- Select regions by thresholding (irregular)
- · Select regions in magnified mode (irregular)
- Time/activity curves can be displayed normally, averaged, or overlayed.
- Selected portions of ROI curves can be expanded.

Dynamic Playback:

- Sequences of preprocessed images can be displayed in cine mode
- Two to four playback buffers can be combined into one and displayed synchronously.
- Speed and direction of playback can be controlled via the joystick or keyboard.

Predefined Analysis Features:

- Multiple commands can be entered on a single line.
- Predefined analysis procedures (macros) can be created, edited, saved, and executed from the system disk.
- Predefined analysis can be linked with predefined study acquisition to semi-automate the system.
- Macros can call FORTRAN or BASIC programs; special calls allow macro re-entry.

Miscellaneous Features:

- Routine for patient positioning and detection of a valid gate signal
- · Dual isotope display and processing
- List mode analysis does not require additional disk space for recontructed images
- Comment editor

Utility Programs

Study Deletion — This function requires user verification to prevent accidental deletion of important data.

Study Transfer — This function transfers patient studies between any two RT-11 file structured devices (disks, magtape, floppy disks, etc.)

MINIMUM HARDWARE REQUIRED:

Any UNIBUS PDP-11 with line frequency clock that meets the following main memory requirements:

- 32K bytes for single job operation with RK05 as system disk
- 64K bytes for foreground/background operation with RK05 as system disk
- 64K bytes for single job operation with RL01, RK06, or RK07 as system disks
- 96K bytes for foreground/background operation with RL01, RK06, or RK07 disks

and includes.

MASS STORAGE: (one of the following)

- One RK05, RL01, or RK06 disk with a second disk or RT-11 supported magnetic tape unit, or
- One RK07 disk and a RT-11 supported magnetic tape unit

TERMINALS:

 Any console terminal supported by the prerequisite software. (Two terminals are required for foreground/background operation. The foreground terminal must operate at 1200 baud or greater.)

Display:

VSV01 Video Display

Interface: (One of the following)

- NC11 gamma camera interface with KW11-P (AR11 needed for foreground/background operation and/or GSA or PLM), or
- NCV11 gamma camera interface (includes KWV11; AR11 not needed)

OPTIONAL HARDWARE SUPPORTED:

- Any RT-11 supported mass storage device for offline data storage except TA11 cassette
- · A system total of 256K bytes main memory

PREREQUISITE SOFTWARE:

- RT-11, Version 3B, or later release of Version 3
- BASIC-11/RT-11, Version 2, or later release of Version 2

OPTIONAL SOFTWARE SUPPORTED:

FORTRAN IV/RT-11, Version 2 or later release of Version 2

-3-

TRAINING CREDITS:

TWO (2) — Applies only to options that include support services. Consult the latest Educational Services Catalog at your local office for the available courses, course requirements, and guidelines.

SUPPORT CATEGORY:

A — Software Support will be provided as stated in the Software Support Categories Addendum to this SPD.

UPDATE POLICY:

Software Updates, if any, released by DIGITAL during the one (1) year period following installation, will be provided to the customer for a media charge (includes no installation). After the first year, updates, if any, will be made available according to then prevailing DIGITAL policies.

ORDERING INFORMATION:

All binary licensed software, including any subsequent updates, is furnished under the licensing provisions of DIGITAL's Standard Terms and Conditions of Sale, which provide in part that the software and any part thereof may be used on only the single CPU on which the software is first installed, and may be copied, in whole or in part (with the proper inclusion of the DIGITAL copyright notice and any DIGITAL proprietary notices on the software) only for use on such CPU. All source licensed software is furnished only under the terms and conditions of a separate Software Program Sources Agreement between Purchaser and DIGITAL.

Source and/or listing options are only available after the purchase of at least one binary license and after a source license agreement is in effect.

The following key (A, D) represents the form of power source for the product and must be specified at the end of the 'GMA11' number, i.e., GMA11-AA= system using 115 volt/60 hertz power.

A = 115 volt/60 Hertz

D = 230 volt/50 Hertz

The following key (D, E, Q, T, Z) represents the distribution media for the product and must be specified at the end of the order number, e.g., QJ723-AD = binaries on 9-track magnetic tape.

D = 9-track Magnetic Tape

E = RK05 Disk Cartridge

Q = RL01 Disk Cartridge

T = RK06 Disk Cartridge

Z = No hardware dependency

Standard Options

GMA11 -A— GAMMA-11 single job system includes hardware, single-use license for GAM-MA-11, RT-11, BASIC-11/RT-11, binaries on RK05 disk, documentation, support services (power: A, D)

GMA11 -B— GAMMA-11 single job system, includes hardware, single-use license for GAM-MA-11, RT-11, BASIC-11/RT-11, binaries on RK06 disk, documentation, support services (power: A, D)

GMA11 -C— GAMMA-11 single job system includes hardware, single-use license for GAM-MA-11, RT-11, BASIC-11/RT-11, binaries on RL01 disk, documentation, support services (power: A, D)

Source/Listing Options

QJ721 -E— All GAMMA-11 sources (media: D, E, Q, T)

Upgrade Options

The following option is available as an upgrade kit from GAMMA-11, Version 7, for use on the same single CPU on which GAMMA-11, Version 7, is licensed. The license previously granted for GAMMA-11, Version 7, shall be extended to cover this upgrade.

QJ723 -A— Single-use license for GAMMA-11 F/B, RT-11, BASIC-11/RT-11, binaries, documentation, support services (media: D. E)

Update Options

Users of GAMMA-11 F/B, Version 2, whose specified Support Category warranty has expired may order under license the following software update at the then current charge for such update. The update is distributed in source or binary form on the appropriate medium and includes no installation or other services unless specifically stated otherwise.

QJ721 -H— Binaries, GAMMA-11 documentation , (media: D, E, Q, T)

Users of GAMMA-11 F/B, Version 2, whose specified Support Category warranty has not expired may order under license the following software update for the then current media charge. The update is distributed in source or binary form on the appropriate medium and includes no installation or other services unless specifically stated otherwise.

QJ721 -W— Binaries, GAMMA-11 documentation (media: D, E, Q, T)

Micellaneous Options:

QJ721 -G-- Pre-delivery kit (media: Z)

ADDITIONAL SERVICES:

None

4

ADDENDUM SOFTWARE SUPPORT CATEGORIES

Each software product (hereinafter 'SOFTWARE') with a designated Support Category A or B in the applicable Software Product Description (SPD) existing at the time of order will be the current release at the time of delivery and will conform to the SPD. DIGITAL's sole obligation shall be to correct defects (nonconformance of the SOFTWARE to the SPD) as described below. Any SOFTWARE with a designated Support Category C will be furnished on an 'as is' basis.

For SOFTWARE with a designated Support Category A or B, DIGITAL will provide the services set forth below without additional charge.

CATEGORY A

- 1. Upon notification by customer to the nearest DIGITAL office that the computer system, including all required prerequisite hardware and software, is ready for the installation of the SOFTWARE, DIGITAL will install such SOFTWARE in any location within the contiguous forty-eight (48) United States, the District of Columbia, or a country in which DIGITAL or a subsidiary of DIGITAL has a software service facility. The notification must be received by DIGITAL and the system must be ready for installation within thirty (30) days after the delivery of the SOFTWARE to customer or DIGITAL will have no obligation to install. Installation will consist of: (1) verification that all components of the SOFTWARE have been received by customer, (2) loading the SOFTWARE, and (3) executing a DIGITAL sample procedure.
- 2. During the ninety (90) day period after installation, if the customer encounters a problem with the current unaltered release of the SOFTWARE which DIGITAL determines to be a defect in the SOFTWARE, DIGITAL will provide the following remedial service (on site where necessary): (1) if the SOFTWARE is inoperable, apply a temporary correction (TC) or make a reasonable attempt to develop an emergency by-pass, and (2) assist the customer to prepare a Software Performance Report (SPR) and submit it to DIGITAL.
- 3. During the one (1) year period following installation, if the customer encounters a problem with the SOFTWARE which his diagnosis indicates is caused by a SOFTWARE defect, the customer may submit an SPR to DIGITAL. DIGITAL will respond to problems reported in SPRs which are caused by defects in the current unaltered release of the SOFTWARE via the Maintenance Periodical for the SOFTWARE, which reports SPRs received, code corrections, temporary corrections, generally useful emergency by-passes and/or notice of the availability of corrected code. Software Updates, if any, released by DIGITAL during the one (1) year period, will be provided to the customer on DIGITAL's standard distribution media as specified in the applicable SPD. The customer will be charged only for the media on which such updates are provided, unless otherwise stated in the applicable SPD, at DIGITAL's then current media prices.

CATEGORY B

During the one (1) year period following delivery, the services provided to the customer will be the same as set forth in 3 above. CATEGORY C

SOFTWARE is provided on an 'as is' basis. Any software services, if available, will be provided at the then current charges.

DIGITAL shall have the right to make additional charges for any additional effort required to provide services resulting from customer use of other than current unaltered release of the SOFTWARE operated in accordance with the SPD.

digital Software Product Description

PRODUCT NAME: FORTRAN GRAPHICS PACKAGE, Version 1.1

SPD 15.81.2

DESCRIPTION:

The FORTRAN Graphics Package is a collection of FORTRAN-callable routines for users of FORTRAN on RT-11, RSX-11M, RSX-11D, or IAS operating systems who wish to use the graphics capabilities of the VT55 terminal and the VT11 or VS60 display processors. The package includes two sets of routines: a PLOT55 routine for the VT55 graphics terminal, and DECgraphic-11 routines for the VT11 and VS60 display processors.

PLOT55

The PLOT55 routine is accessed by a FORTRAN CALL statement. The routine has four arguments that allow the user to construct two graphs, set their mode (histogram or point-plot), add vertical and/or horizontal grid lines and manipulate graphics cursors (short vertical bars used for coordinate identification). In multi-user systems, several VT55 terminals can be in use simultaneously.

DECgraphic-11

The DECgraphic-11 package provides support for the VT11 or VS60 display processors in either of two ways:

- As a component of a satellite GT41 or GT43 (for the VT11), or GT62 (for the VS60) system. This "intelligent terminal" is connected to an RSX-11M, RSX-11D, or IAS host system by a standard asynchronous serial line terminal interface. The number of satellite intelligent terminal subsystems is limited only by the number of terminals that the host system supports.
- As a peripheral on the PDP-11 UNIBUS. The package includes a device driver that enables operation of one VT11 or one VS60 on an RT-11 or RSX-11M system configuration.

Over 60 routines are provided in the DECgraphic-11 package. They allow the FORTRAN programmer to display, modify and interact with graphic information at the display console. Through CALL statements, the user can display points, vectors, text, and graph data. The subpicture feature enables the programmer to display repeated images. Special graphic routines enable the programmer to display an entire array of data with one subroutine call. General "attention handling" facilities for the light pen, LK11 push-button box, and LK40 keyboard are also included in the package. Subroutines are available that enable the programmer to display menus for light pen selection.

Miscellaneous routines enable the programmer to move, modify, delete, and otherwise manipulate images.

DECgraphic-11 also provides support for the special hardware features of the VS60. The user can alter the scale at which images and text strings are displayed, "window" the display viewing area over a large "drawing area," and select output on an optional second display scope of the VS60.

Most of the routines in the DECgraphic-11 package are available on either the satellite or standard peripheral configurations. In satellite configurations, however, the programmer has the additional capability to construct user-controlled programs in the satellite processor. This permits "attention handling" and other simple tasks to be carried out without affecting the host processor.

MINIMUM HARDWARE REQUIRED:

RT11 SUPPORT

- Any valid RT11 operating system configuration supporting FORTRAN IV/RT-11 that includes:
 - 1. A UNIBUS PDP-11 processor.
 - 2. At least 32K bytes of memory.
 - An RL11, RK11, or RK611 disk cartridge drive with an additional disk drive, or one of the following magnetic tape systems (for software distribution):

TME11 controller with TE10 transport TMB11 controller with TS03 transport.

FOR VT55 GRAPHICS TERMINAL SUPPORT

 A VT55 graphics terminal with asynchronous serial line interface (in place of the console terminal).

FOR VT11 OR VS60 DISPLAY PROCESSOR SUP-PORT AS A UNIBUS PERIPHERAL

5. A VT11 or VS60 display processor.

RSX-11M, RSX-11D, IAS SUPPORT

- Any valid RSX-11M, RSX-11D, or IAS operating system configuration supporting either FORTRAN IV/IAS-RSX or FORTRAN IV-PLUS that includes:
 - 1. A UNIBUS PDP-11 processor.
 - 2. At least 48K bytes of memory.

AE-D354C-TC

July 1978

-2-

3. An RL11, RK11, or RK611 disk cartridge drive and controller with an additional disk drive on one of the controllers, or one of the following magnetic tape systems (for software distribu-

TME11 controller with TE10 transport TMB11 controller with TS03 transport TJE16 (TUE16 for PDP-11/70) controller with TE16 transport.

FOR VT55 GRAPHICS TERMINAL SUPPORT

4. A VT55 graphics terminal with any asynchronous serial line interface supported by the operating system.

FOR VT11 OR VT60 DISPLAY PROCESSOR SUP-PORT AS A UNIBUS PERIPHERAL (RSX-11M only)

- 5. A VT11 display processor (display file must reside in the lowest 56K bytes of memory), or VS60 display processor.
- 6. Not more than 248K bytes of memory.

FOR VT11 or VS60 DISPLAY PROCESSOR SUPPORT AS A SATELLITE SYSTEM

7. A DL11 single-line asynchronous serial interface or one line of a DZ11 or DH11 multiplexer for each satellite system.

And one of the following display processor sub-(satellite system must include FORTRAN IV (QP230) if FORTRAN IV-PLUS is run on the host system):

8. For VT11 support, one of the following:

A GT41 or GT43 display processor subsystem.

A UNIBUS PDP-11 processor, 32K bytes of memory, an asynchronous serial line interface compatible with a DZ11, DL11, or DH11, a programmer's processor console, an LA36 or LK40 terminal keyboard, and a VT11 display processor.

9. For VS60 support:

The GT62 display terminal system or equivalent.

OPTIONAL HARDWARE:

VT11 or VS60 based satellite display processor subsystems support the RX11 floppy disk system for local storage and loading of display files.

PREREQUISITE SOFTWARE:

One of the following operating systems is required:

- RSX-11M, Version 3.1, and either FORTRAN IV/IAS-RSX, Version 2, or FORTRAN IV-PLUS, Version 2.5
- IAS, Version 2, and either FORTRAN IV/IAS-RSX, Version 2, or FORTRAN IV-PLUS, Version 2.5
- RSX-11D. Version 6.2, and either FORTRAN IV/IAS-RSX. Version 2. or FORTRAN IV-PLUS, Version 2.5

Note that if FORTRAN IV-PLUS is selected for RSX-11M, RSX-11D, or IAS based host systems that FORTRAN IV will also be required for the graphic satellite.

• RT-11, Version 3B, SJ or FB monitors, and FORTRAN IV/RT-11, Version 2 or later

OPTIONAL SOFTWARE:

TRAINING CREDITS:

None

SUPPORT CATEGORY:

B - Software Support will be provided as stated in the Software Support Categories Addendum to this SPD

UPDATE POLICY:

Software Updates, if any, released by DIGITAL during the one (1) year period following installation, will be provided to the customer for a media charge (includes no installation). After the first year, updates, if any, will be made available according to then prevailing DIGITAL policies.

ORDERING INFORMATION:

All binary licensed software, including any subsequent updates, is furnished under the licensing provisions of DIGITAL's Standard Terms and Conditions of Sale, which provide in part that the software and any part thereof may be used on only the single CPU on which the software is first installed, and may be copied, in whole or in part (with the proper inclusion of the DIGITAL copyright notice and any DIGITAL proprietary notices on the software) only for use on such CPU. All source licensed software is furnished only under the terms and conditions of a separate Software Program Sources Agreement between Purchaser and DIGITAL.

The following key (D, E, Q, T) represents the distribution media for the product and must be specified at the end of the order number, i.e., QJ647-XD = sources on 9-track magnetic tape.

D = 9-track Magnetic Tape

E = RK05 Disk Cartridge

Q = RL01 Disk Cartridge

T = RK06 Disk Cartridge

Standard Options

For RT-11 Systems: QJ647 -X— Single Single-use license, source license, sources, documentation, support services (media: D, E, Q, T)

For RSX-11M, RSX-11D, or IAS systems: QJ747 -X— Single-use license, sou

Single-use license, source license, sources, documentation, support services (media: D, E, Q, T)

Upgrade Options

The following option is available as an upgrade kit from RSX-11M Graphics Extensions, Version 2, for use on the same single CPU on which RSX-11M Graphics Extensions, Version 2, is licensed. The license previously granted for RSX-11M Graphics Extensions, Version 2, shall be extended to cover this upgrade.

This option is also available as an upgrade kit from FORTRAN/RT-11 Extensions for use on the same single CPU on which FORTRAN/RT-11 Extension is licensed. The license previously granted for FORTRAN/RT-11 Extensions shall be extended to cover this upgrade.

For RT-11 Systems:

QJ648 -X— Single-use license, source license, sources, documentation, support services (media: D, E, Q, T)

QJ648 -Y— Single-use license, source license, sources, documentation, no support services (media: D, E, Q, T)

For RSX-11M, RSX-11D, or IAS systems:

QJ748 -X— Single-use license, source license, sources, documentation, support services (media: D, E, Q, T)

QJ748 -Y— Single-use license, source license, sources, documentation, no support services (media: D, E, Q, T)

Update Options:

Users of FORTRAN Graphics Package, Version 1, whose specified Support Category warranty has expired may order under license the following software update at the then current charge for such update. The update is distributed in source or binary form on the appropriate medium and includes no installation or other services unless specifically stated otherwise.

For RT-11 Systems:

QJ647 -N— Sources update (media: D, E, Q, T)

For RSX-11M, RSX-11D, or IAS Systems: QJ747 -N— Sources update (media: D, E, Q, T)

Users of FORTRAN Graphics Package, Version 1, whose specified Support Category warranty has not expired may order under license the following software update for the then current media charge. The update is distributed in source form on the appropriate medium and includes no installation or other services unless specifically stated otherwise.

For RT-11 Systems:

QJ647 -V— Sources update (media: D, E, Q, T)

For RSX-11M, RSX-11D, or IAS System:

QJ747 -V— Sources update (media: D, E, Q, T)

ADDITIONAL SERVICES:

None

ADDENDUM SOFTWARE SUPPORT CATEGORIES

Each software product (hereinafter 'SOFTWARE') with a designated Support Category A or B in the applicable Software Product Description (SPD) existing at the time of order will be the current release at the time of delivery and will conform to the SPD. DIGITAL's sole obligation shall be to correct defects (nonconformance of the SOFTWARE to the SPD) as described below. Any SOFTWARE with a designated Support Category C will be furnished on an 'as is' basis.

For SOFTWARE with a designated Support Category A or B, DIGITAL will provide the services set forth below without additional charge

CATEGORY A

- 1. Upon notification by customer to the nearest DIGITAL office that the computer system, including all required prerequisite hardware and software, is ready for the installation of the SOFTWARE, DIGITAL will install such SOFTWARE in any location within the contiguous forty-eight (48) United States, the District of Columbia, or a country in which DIGITAL or a subsidiary of DIGITAL has a software service facility. The notification must be received by DIGITAL and the system must be ready for installation within thirty (30) days after the delivery of the SOFTWARE to customer or DIGITAL will have no obligation to install. Installation will consist of: (1) verification that all components of the SOFTWARE have been received by customer, (2) loading the SOFTWARE, and (3) executing a DIGITAL sample procedure.
- 2. During the ninety (90) day period after installation, if the customer encounters a problem with the current unaltered release of the SOFTWARE which DIGITAL determines to be a defect in the SOFTWARE, DIGITAL will provide the following remedial service (on site where necessary): (1) if the SOFTWARE is inoperable, apply a temporary correction (TC) or make a reasonable attempt to develop an emergency by-pass, and (2) assist the customer to prepare a Software Performance Report (SPR) and submit it to DIGITAL.
- 3. During the one (1) year period following installation, if the customer encounters a problem with the SOFTWARE which his diagnosis indicates is caused by a SOFTWARE defect, the customer may submit an SPR to DIGITAL. DIGITAL will respond to problems reported in SPRs which are caused by defects in the current unaltered release of the SOFTWARE via the Maintenance Periodical for the SOFTWARE, which reports SPRs received, code corrections, temporary corrections, generally useful emergency by-passes and/or notice of the availability of corrected code. Software Updates, if any, released by DIGITAL during the one (1) year period, will be provided to the customer on DIGITAL's standard distribution media as specified in the applicable SPD. The customer will be charged only for the media on which such updates are provided, unless otherwise stated in the applicable SPD, at DIGITAL's then current media prices.

CATEGORY B

During the one (1) year period following delivery, the services provided to the customer will be the same as set forth in 3 above. CATEGORY C

SOFTWARE is provided on an 'as is' basis. Any software services, if available, will be provided at the then current charges.

DIGITAL shall have the right to make additional charges for any additional effort required to provide services resulting from customer use of other than current unaltered release of the SOFTWARE operated in accordance with the SPD.



DECUS SPECIAL INTEREST GROUPS

A DECUS Special Interest Group (SIG) is an activity whereby members of the DIGITAL Equipment Computer Users Society who share common interests in a particular field, join together to promote the interchange of information. Specialization may be in application areas such as education or industry, specific software systems such as OS/8 and RSX-11, or a specific main-frame such as the DECsystem-10/20.

SIG members derive numerous benefits from communicating with others who share specialized interests and who may wish to share their experiences. SIG s sponsor business meetings, tutorials, and workshops at the various chapter symposia which fulfill the two-fold purpose of fostering communication among users and between users and DIGITAL. Channeled communication provides DIGITAL and the users with insight into the direction of future developments. SIG s provide direct feedback to DIGITAL's in-house activities and have thereby made substantial contributions to OS/8, RSX-11, RSTS and TOPS-10.

User submitted articles, minutes of local meetings, and letters comprise the major portion of the individual SIG newsletters. Suggestions, hints, bug fixes, program plans, or questions of a non-commercial nature are suitable material for SIG newsletters.

SIG members are encouraged to make presentations at the SIG sessions held during DECUS Symposia.

The semi-annual U.S. Symposia sessions are organized by special interest areas. Submissions received from the user community are reviewed by symposia committee members from the special interest groups for appropriate placement on the agenda.

Special Interest Group participation in the review of programs submitted to the DECUS Program Library provides an opportunity to improve the quality and utility of programs available to you and to fellow users.

DIGITAL standards are issued to DECUS members for review and on the theory and philosophy of the standards. DECUS is a voting member of ANSI X3. Users are encouraged to register their areas of expertise with DECUS and assist with reviewing standards. SIG s often play a role in this process.

Below is a list of U.S. based Special Interest Groups within DECUS.

If you would like information regarding membership in any of the Special Interest Groups, contact DECUS U.S. Chapter, 129 Parker Street, PK3-1/E55, Maynard, Massachusetts 01754 or one of the other DECUS Chapter offices in Kanata, Sidney or Geneva.

NETSIG-Networks Special Interest Group RSTS SIG-RSTS and RSTS/E Special Interest Group SIGIG-Special Interest Group on Interactive Graphics ESIG-Engineering Applications Special Interest Group SIG-18-18-Bit Users Special Interest Group 12-Bit SIG-12-Bit User Special Interest Group RSX-11/IAS SIG RT-11 SIG EDUSIG-Educational Users Special Interest Group DEBUG-Digital Equipment Business Users Group MUSIG-Mumps Special Interest Group PASCAL SIG **DBMS SIG TECO SIG** LSI-11 SIG **FOCAL SIG** STANDARDS SIG



7.

DIGITAL EQUIPMENT COMPUTER USERS SOCIETY

RT-11 SPECIAL INTEREST GROUP

A Special Interest Group has been formed to serve users of RT-11. The organization of the SIG consists of a SIG Chairman and working committees for standards, documentation, library submissions, newsletters, and help for new users. Submissions to the newsletter should be directed to:

John T. Rasted JTR Associates 58 Rasted Lane Meriden, CT 06450 (203) 634-1632

Other communications can be sent to:

Thomas J. Provost P.O. Box 95 Middleton, MA 01949 (617) 774-2370 (617) 245-6600 (Boston tie line)

John T. Rasted c/o DECUS

One Iron Way - MR2-3/E55 Marlboro, MA 01752

SIG's activities encompass the following:

- Preparation of a SIG newsletter (user submissions are strongly encouraged). 1.
- Exchange of user-written programs. This exchange could include TASKS representing user-written extensions to RT-11 2. RT-11 (including, but not limited to device drivers) as well as utility and applications programs, etc.
- Establishment of communications with the DECUS staff to obtain for SIG members early information on RT-11 3. related additions to the DECUS Library. These communications will also serve to provide prompt testing of such submissions.
- Establishment of user input to appropriate groups within DEC, so that they will receive user feedback on any additions or needed changes to RT-11. Additionally, SIG members may receive early warning from DEC about RT-11 changes.
- Establishment of SIG-maintained files of RT-11 errors and error solutions, where they exist, independent of DEC
- Establishment of RT-11 "Welcome Wagon" type services to aid new users. 6. Coordination of user input to standards and documentation work.

e form below and return it to the DECUS Office.		
e form below and return to the December		
*DECUS MEMBERSHIP NO		
ZIP CODE		
Version Number		

*Please note one must be a member of DECUS prior to requesting RT-11 SIG involvement. For general membership information, contact the DECUS Office, One Iron Way - MR2-3/E55, Marlboro, MA 01752

Basic? _

SOFTWARE PROBLEMS OR ENHANCEMENTS

Questions, problems, and enhancements to DIGITAL software should be reported on a Software Performance Report (SPR) form and mailed to the SPR Center at one of the following DIGITAL Offices: (SPR forms are available from the SPR Center).

AREAS COVERED	SPR CENTER	AREAS COVERED	SPR CENTER
United States, remainder of Far East, Middle East, Africa Latin America	Administrative Services Group, SWS P.O.Box F Maynard MA 01754	Italy	Digital Equipment SPA Viale Fulvio Testi 117 20092 Cinisillo Balsamo Italy
Canada	Digital Equipment Canada P.O.Box 11500 Kanata Canada K2H 8K8 Ontario	Japan	Digital Equipment Corp., INTL 3rd Floor Kowa Building 8-7 Sanban Cho Chiyoda Ku Tokyo 102 Japan
United Kingdom	Digital Equipment Corp., LTD Fountain House Butts Centre RG1 7QN Reading England	New Zealand	Digital Equipment Corp., LTD Challenge House 3 Wolfe Street P.O.Box 2471 Auckland New Zealand 10010
Australia-Melbourne	Digital Equipment Aust. Pty., LTD 60 Park Street South Melbourne Victoria Australia 3205	Belgium, Holland	Digital Equipment BV Kaap Horndreef 38 3563 AV Utrecht Netherlands
Australia-Sydney	Digital Equipment Aust. Pty., LTD 123 125 Willoughby Road P.O.Box 491 Crows Nest NSW Australia 2065	Denmark, Finland, Norway, Sweden	Digital Equipment Corp., AB Englundavaegen 73 TR 171 41 Solna Sweden
Brazil	Digital Equipment Comercio Ind Rua Batatais 429 Esq AL Campin 01423 Jardim Paulista Sao Paulo 0100 Brazil	Switzerland, Spain, Greece, Romania, Portugal, Bulgaria Yugoslavia	Digital Equipment Corp., SA 20 Quai Ernest Ansermet Boite Postale 23 CH 1211 Geneva Switzerland
Caribbean	De Latin America P.O.Box 11038 Fernando Juncos Sta. Santurce PR 00910	Austria, Poland Hungary, Rumania East Germany, West Germany, Russia, Czechslovakia	Digital Equipment Corp., GMBH Wallsteinplatz 2 8000 Munchen 40 Germany 8000
France	Digital Equipment Corp., LTD. Centre Silic Cidex L225 18 Rue Saarinen 94533 Rungis France	Israel	DECSYS Computers, LTD 7 Habakuk Street II-Tel Aviv 63505 Israel

DIGITAL EQUIPMENT CORPORATION, Corporate Headquarters: Maynard, Massachusetts 01754, Telephone: (617)897-5111-SALES AND SERVICE OFFICES: UNITED STATES - ALABAMA, Huntsville • ARIZONA, Phoenix and Tucson • CALIFORNIA, El Segundo, Los Angeles, Oakland, Ridgecrest, San Diego, San Francisco (Mountain View), Santa Ana, Santa Clara, Stanford, Sunnyvale and Woodland Hills • COLORADO, Englewood • CONNECTICUT, Fairfield and Meriden • DISTRICT OF COLUMBIA, Washington (Lanham, MD) • FLORIDA, Ft. Lauderdale and Orlando • GEORGIA, Atlanta • HAWAII, Honolulu • ILLINOIS, Chicago (Rolling Meadows) • INDIANA, Indianapolis • IOWA, Bettendorf • KENTUCKY, Louisville • LOUISIANA, New Orleans (Metairie) • MARY-LAND, Odenton • MASSACHUSETTS, Marlborough, Waltham and Westfield • MICHIGAN, Detroit (Farmington Hills) • MINNESOTA, Minneapolis • MISSOURI. Kansas City (Independence) and St. Louis • NEW HAMPSHIRE, Manchester • NEW JERSEY, Cherry Hill, Fairfield, Metuchen and Princeton • NEW MEXICO, Albuquerque • NEW YORK, Albany, Buffalo (Cheektowaga), Long Island (Huntington Station), Manhattan, Rochester and Syracuse • NORTH CAROLINA, Durham/Chapel Hill • OHIO, Cleveland (Euclid), Columbus and Dayton • OKLA-HOMA, Tulsa • OREGON, Eugene and Portland • PENNSYLVANIA, Allentown, Philadelphia (Bluebell) and Pittsburgh • SOUTH CAROLINA, Columbia • TEN-NESSEE, Knoxville and Nashville • TEXAS, Austin, Dallas and Houston • UTAH, Salt Lake City • VIRGINIA, Richmond • WASHINGTON, Bellevue • WISCONSIN, Milwaukee (Brookfield) • INTERNATIONAL-ARGENTINA, Buenos Aires • AUSTRALIA, Adelaide, Brisbane, Canberra, Melbourne, Perth and Sydney • AUSTRIA, Vienna • BELGIUM, Brussels • BOLIVIA, La Paz • BRAZIL, Rio de Janeiro and Sao Paulo • CANADA, Calgary, Edmonton, Halifax, London, Montreal, Ottawa, Toronto, Vancouver and Winnipeg • CHILE, Santiago • DENMARK, Copenhagen • FINLAND, Helsinki • FRANCE, Lyon, Grenoble and Paris • GERMAN FEDERAL REPUBLIC, Cologne, Frankfurt, Hamburg, Hannover, Munich, Nuremburg, Stuttgart and West Berlin • HONG KONG • INDIA, Bombay • INDONESIA, Djakarta • IRELAND, Dublin • ITALY, Milan, Rome and Turin • IRAN, Tehran • JAPAN, Osaka and Tokyo • MALAYSIA, Kuala Lumpur • MEXICO, Mexico City • NETHERLANDS, Utrecht • NEW ZEALAND, Auckland and Christchurch • NORWAY, Oslo • PUERTO RICO, Santurce • SINGAPORE • SPAIN, Madrid • SWEDEN, Gothenburg and Stockholm • SWITZERLAND, Geneva and Zurich • UNITED KINGDOM, Birmingham, Bristol, Epsom, Edinburgh, Leeds, Leicester, London, Manchester and Reading VENEZUELA, Caracas