RT-11 November 1982 AD-C740C-33

RT-11 SOFTWARE DISPATCH

Published by Corporate Administrative Systems Group, Software Services Digital Equipment Corporation P.O. Box F Maynard, MA 01754

The RT-11 Software Dispatch complements the RT-11 Software Dispatch Review. New and revised Software Product Descriptions, programming notes, software problems and solutions, and documentation corrections are published here. Much of the material is developed from Software Performance Report (SPR) answers significant to the general audience and is printed here to supplement the maintenance notebook (established by the Software Dispatch).

PRODUCTS SUPPORTED in the RT-11 SOFTWARE DISPATCH

BASIC-11/RT-11 V2	FORTRAN IV/RT-11 V2.5	MSB/FORTRAN IV V1
CTS-300 V6/V7	GAMMA-11 F/B V3.1	RT-11 V4
DECnet-RT V1.1	LSP-11 V1.1	RT-11 2780 3780
FMS-11/RT-11 V1.1	MSB11 V1.2	Protocol Emulator V4
		SSP-11 V1.3

DISTRIBUTION

The RT-11 Software Dispatch is directed to one software contact for each software product. No mailing will be made to addresses without a software contact name. Address change requests should be sent to the nearest DIGITAL field office. Include the new address and mailing label from the most recently received publication.

Software binary and sources are provided under licenses only. The standard Terms and Conditions, OEM Agreement, and/or Quantity Discount Agreement contain the licenses for all binaries other than DECsystem-10.

Ann Owens, Associate Editor

Copyright © 1982 Digital Equipment Corporation

The material is this document is for information purposes only and is subject to change without notice. Digital Equipment Corporation assumes no responsibility for any errors which may appear in this document. Comments on the contents of this publication should be directed to your local DIGITAL Field Office.

TRADEMARKS of DIGITAL EQUIPMENT CORPORATION Maynard, Massachusetts

DEC DECUS DIGITAL LOGO DECnet DECsystem-10 DECSYSTEM-20	DECwriter DIBOL EDUsystem IAS MASSBUS PDP	PDT RSTS RSX UNIBUS VAX VMS
DECSYSTEM-20	PDP	VMS VT

TABLE OF CONTENTS

	Sequence No.	Page
PRODUCT AVAILABILITY DATES		i
SPR USER LETTER		1
MicroPower/Pascal V1.0		
COMPILER INCORRECT PASCAL DEFINITION OF THE PCB RECORD CHANGE IN DATA TYPE STRUCTURE_DESC IN PASCAL INCLUDE FILE	37.5.1.7 N 37.5.1.8 N	3 7
MicroPower/Pascal V1.1		
KERNAL UNMAPPED, MIXED ROM/RAM POWER-UP IS INCORRECT	37.4.1.8 N	9
COMPILER INCORRECT CODE GENERATED FOR STRUCTURED FUNCTION RESULTS	37.5.1.6 N	11
OTS UROUND AND UTRUNC FUNCTIONS DO NOT WORK CORRECTLY PACK AND UNPACK FUNCTIONS ARE MISSING FROM THE OTS LIBRARY	37.6.1.3 N 37.6.1.4 N	13 15
FORTRAN IV V2.5		
OTS INVALID DATA IS ACCEPTED DURING LIST DIRECTED I/O	45.2.22 M	17
CTS-300 V07		
DOCUMENTATION NO ROOM FOR SOME BACKGROUND JOBS UNDER CTS-300 CTS-300 AUTOPATCH KIT A PATCH LEVEL	52.1.6 N 52.1.7 N	19 21
DIBOL RUN-TIME SYSTEMS PATCH 18: RUN-TIME SYSTEM PROBLEMS WITH USR LOCKED, COMILATION ERRORS	52.3.5 M	23
DICOMP V07-00 PATCH 16: CONDITIONAL COMPILATION ERROR, AND NO ERROR FOR LARGE RECORD	52.5.1 M	27
MACRO SORT PATCH 17: PROBLEMS WITH HANDLING ERRORS IN SORT COMMAND FILE	52.15.4 M	31
QUILL V1.0		
QUILL.SAV/TSD PATCH 1: PRIMARY FILE BLOCK COUNT PROBLEM	60.1.1 F	35
QBUILD.SAV/TSD PATCH 2: QBUILD WORK FILE SIZE ALLOCATION	60.2.1 F	37
RT-11 CUMULATIVE INDEX		39
DIGITAL SOFTWARE LICENSING		51
DIGITAL EQUIPMENT COMPUTER USERS SOCIETY (DECUS)		53

PRODUCT AVAILABILITY DATES - RT-11

NOVEMBER 1982

The following are dates products have become available. Customers who are in warranty or have a Software Product Service contract during the month the product became available are eligible to receive the update. Customers who are eligible and have not received the update should contact their local Digital office.

Autopatch is distributed to Software Product Service Basic contract customers and to Self-Maintenance contract customers who have selected this option. Autopatch will be installed for DECsupport contract customers as part of their Preventive Maintenance.

PRODUCT	VERSION	AVAILABLE
CTS-300	7.0	MAR 82
DECNET-RT	2.0	MAR 82
DECTYPE-300	1.2	APR 82
GAMMA-11	3.2	AUG 82
LSP-11	1.2	NOV 81
MACDBG	1.0	MAR 82
MACSYS-RT	1.0	JUL 82
MU-BASIC	2.1	SEP 81
PROM/RT-11	2.0	AUG 82
SPETS-11	1.0	JUL 82
SSP-11	1.3	NOV 81
RT-11 AUTOPATCH	G	AUG 82
RGL FEP/RT-11	1.0	MAY 82
QUILL	1.0	MAR 82

SPR USER LETTER

Submitted by Sheila Hatchell, 8/11 Administration

How to Make the Best Use of the SPR Form

What We Can Do for You:

- 1. Blank SPR forms are returned with each SPR acknowledgement and are available upon request in the desired quantities through the SPR Administration (P.O. Box F) and your local office/SPR Center.
- 2. Copies of the SPR acknowledgement and answer are sent to the appropriate DIGITAL Office/SPR Center for their information.
- 3. STATUS FOR SUBMITTED SPRs IS PROVIDED UPON REQUEST.
- 4. SPRs marked PROBLEM/ERROR will have a response for DIGITAL SUPPORTED products. These SPRs should refer to suspected deficiencies in the software.
- 5. SPRs marked SUGGESTION are forwarded to the pertinent software group for information purposes, and are responded to at their discretion.

What You Can Do for Us:

- 1. Fill out the form completely either by typing or printing clearly. PLEASE INCLUDE YOUR SOFTWARE SERVICE CUSTOMER NUMBER IN THE ADDRESS BOX.
- 2. Limit only one problem per SPR form. Several problems on an SPR can lengthen the turnaround time.
- 3. WHENEVER POSSIBLE, SUBMIT AN SPR WITH ATTACHMENTS, SUCH AS MACHINE READABLE DATA, DETAILED INSTRUCTIONS ON HOW TO REPRODUCE THE PROBLEM, PROGRAM AND/OR DATA FILES, LISTINGS, AND CONSOLE LOG.
- 4. It would be helpful to all concerned if problems with patches are reported as soon as possible.
- 5. For security SPRs, it is imperative that the DO NOT PUBLISH box be marked.
- 6. It would be helpful if tapes submitted with SPRs are labeled (track and density), and have a directory attached.
- 7. Complete the questionnaire that is supplied with each SPR answer. Your feedback is essential in monitoring the quality of our responses.
- 8. SPRs should not be used for problems concerning software policy, software distribution, or hardware. The local office should be contacted in these cases.

MicroPower/Pascal V1.Ø COMPILER

Seq 37.5.1.7 N

1 of 3

INCORRECT PASCAL DEFINITION OF THE PCB RECORD

PROBLEM STATEMENT:

The definition of the Process Control Block (PCB) record in the Pascal include file, EXC.PAS, for version 1.0 of MicroPower/Pascal is incorrect. There are five missing fields which contain information about stack limit checking. The names of these fields are: GOS, GUS, EPC, EPS, and BPC.

The definition of the PCB record in EXC.PAS also does not correctly show the four possible versions of a PCB.

Please note that these errors are NOT in the MACRO file DATDEF.MAC.

RESPONSE:

The following are the correct definitions of both the mapped and unmapped versions of the PCB record. Version 1.1 of MicroPower/Pascal will contain two separate files (PCBU.PAS and PCBM.PAS) each containing one of these definitions. The file PCBU.PAS will contain the unmapped version and the file PCBM.PAS will contain the mapped version. A Vl.0 workaround is to remove the definition of the PCB record from the file EXC.PAS and insert it into two new files, PCBU.PAS and PCBM.PAS. Edit the definition in PCBU.PAS to match the definition of the unmapped PCB below and similarly edit PCBM.PAS to match the definition of the mapped PCB. Also remove the data type PCB POINTER and procedure definition for RELEASE EXCEPTION from EXC.PAS and insert into PCBU.PAS and PCBM.PAS. Then add "%INCLUDE 'PCBx.PAS'" to your Pascal source code following the "%INCLUDE 'EXC.PAS'", where the "x" is a U or an M.

2 of 3

The definition of an unmapped PCB.

```
PCB = PACKED RECORD
FLK : PCB POINTER;
BLK : PCB_POINTER;
PRI : [BYTE] BYTE RANGE;
STA: [BYTE] PROCESS STATE;
TYP : [BYTE] PROCESS TYPE;
STS : [BYTE] STATUS TYPE;
PNT : PCB POINTER;
EXC : UNIVERSAL;
MSK : UNSIGNED;
SPT : ^STRUCTURE DESC;
ALK : PCB POINTER;
SPC : INTEGER:
RLK : PCB POINTER;
CXW : [BYTE] BYTE RANGE;
GRP : [BYTE] EXC GROUP;
TER : UNIVERSAL;
MCX: UNIVERSAL;
GOS : UNSIGNED;
GUS: UNSIGNED;
EPC : UNSIGNED;
EPS : UNSIGNED;
BPC : UNSIGNED;
ESF : UNSIGNED;
KSP : UNSIGNED;
KSV: PACKED RECORD
        R4, R3, RØ: UNSIGNED;
END;
USV: PACKED RECORD
        SP, RØ, R1, R2, MCX : UNSIGNED;
END:
FSV: PACKED RECORD
        CASE CONTEXT SWITCH OPTIONS OF
        FPP: (STAT: UNSIGNED;
            FØ, F1, F2, F3, F4, F5 : QUAD WORD );
END:
END;
```

```
MicroPower/Pascal V1.Ø COMPILER
```

Seq 37.5.1.7 Name 3 of 3

The definition of a mapped PCB.

```
PCB = PACKED RECORD
FLK : PCB POINTER;
BLK : PCB POINTER;
PRI : [BYTE] BYTE RANGE;
STA: [BYTE] PROCESS STATE;
TYP : [BYTE] PROCESS TYPE;
STS : [BYTE] STATUS TYPE;
PNT : PCB POINTER;
EXC : UNIVERSAL;
MSK : UNSIGNED;
SPT : ^STRUCTURE DESC;
ALK : PCB POINTER;
SPC : INTEGER;
RLK : PCB POINTER;
CXW : [BYTE] BYTE RANGE;
GRP: [BYTE] EXC GROUP;
TER : UNIVERSAL;
MCX : UNIVERSAL;
GOS : UNSIGNED;
GUS : UNSIGNED;
EPC : UNSIGNED;
EPS : UNSIGNED;
BPC : UNSIGNED;
ESF : UNSIGNED;
KSP : UNSIGNED;
KSV : PACKED RECORD
        R4, R3, RØ, PAR2, PAR3 : UNSIGNED;
END;
USV: PACKED RECORD
         RØ, R1, R2, R3, R4, R5, PC, PS, SP, MCX: UNSIGNED;
END;
MAP : PACKED RECORD
         PAR 0, PAR 1, PAR 2, PAR 3, PAR 4, PAR 5, PAR 6, PAR 7, PDR 0, PDR 1, PDR 2, PDR 3,
         PDR 4, PDR 5, PDR 6, PDR 7: UNSIGNED;
END;
STK: PACKED ARRAY [1..38] OF UNSIGNED;
FSV: PACKED RECORD
         CASE CONTEXT SWITCH OPTIONS OF
         FPP: (STAT: UNSIGNED;
              FØ, F1, F2, F3, F4, F5 : QUAD WORD );
END;
END;
```

MicroPower/Pascal V1.0 COMPILER

Seq 37.5.1.8 N

1 of 1

CHANGE IN DATA TYPE STRUCTURE_DESC IN PASCAL INCLUDE FILE

PROBLEM STATEMENT:

The data type STRUCTURE DESC in the include file PREDFL.PAS for version 1.0 of MicroPower/Pascal is defined as:

STRUCTURE DESC = RECORD

INDEX : UNSIGNED; SERIAL NUMBER : LONGINT; NAME : NAME STR;

This definition has been changed in version 1.1 to the following:

STRUCTURE DESC = RECORD

ID : STRUCTURE_ID;
NAME : NAME_STR;

END;

where

STRUCTURE ID = RECORD

INDEX : UNSIGNED; SERIAL_NUMBER : LONGINT;

END;

RESPONSE:

This change was made for reasons of efficiency when passing a structure identifier to a device handler.

MicroPower/Pascal V1.1 KERNEL

Seq 37.4.1.8 N

1 of 1

UNMAPPED, MIXED ROM/RAM POWER-UP IS INCORRECT (SHD)

PROBLEM STATEMENT:

The kernel RAM initialization routine is incorrect for the case of an unmapped, mixed RCM/RAM system with more than 16K of RAM specified in the configuration file. The problem will cause a trap to 4 or other unpredictable halt depending on the target hardware configuration at power up time.

RESPONSE:

This problem is caused by an incorrect divide in the kernel memory initialization routine. It can be avoided by changing the memory specification in the Configuration file. Any memory macro that specifies 16K words or more of RAM can be broken up into several, contiguous smaller sections. For example:

A specification of 16K words of RAM starting at the 12K word boundary:

MEMORY base=600, size=1000, type=RAM

can be broken up into:

MEMORY base=600, size=400, type=RAM
MEMORY base=1200, size=400, type=RAM

The problem will be avoided as long as each individual RAM section specified is smaller than 16K words.

This problem will be fixed in a future update kit.

MicroPower/Pascal Vl.1 COMPILER

Seq 37.5.1.6 N

1 of 1

INCORRECT CODE GENERATED FOR STRUCTURED FUNCTION RESULTS

PROBLEM STATEMENT:

Invoking a function, whose result type is structured (e.g., array, record), may result in incorrect code being generated. Note, structured function result types are an extension to standard Pascal.

Example:

RESPONSE:

This problem will be fixed in a future release of MicroPower/Pascal.

MicroPower/Pascal Vl.1

Seq 37.6.1.3 N

1 of 1

UROUND AND UTRUNC FUNCTIONS DO NOT WORK CORRECTLY

PROBLEM STATEMENT:

The UROUND and UTRUNC transfer functions always return a result of \emptyset .

RESPONSE:

This will be fixed in a future release of MicroPower/Pascal.

MicroPower/Pascal Vl.1 OTS

Seq 37.6.1.4 N

1 of 2

PACK AND UNPACK FUNCTIONS ARE MISSING FROM THE OTS LIBRARY

PROBLEM STATEMENT:

The PACK and UNPACK transfer functions are not in any of the four OTS libraries: LIBFPP.OBJ, LIBFIS.OBJ, LIBEIS.OBJ, and LIBNHD.OBJ. If an application uses these functions, there will be undefined globals when the application is MERGEd with the OTS library. These global are \$B81 and \$B83, respectively.

RESPONSE:

A workaround is to perform the PACKing/UNPACKing with a FOR loop. The following example shows this:

```
RT-11 Software Dispatch, November 1982
                                                                           Seq 37.6.1.4 N
MicroPower/Pascal V1.1
OTS
                                                                           2 of 2
[SYSTEM(MICROPOWER)] PROGRAM TEST;
CONST
      T = TRUE;
      F = FALSE;
TYPE
      Packed b = PACKED ARRAY [1..10] OF BOOLEAN;
      Unpacked b = ARRAY [1..10] OF BOOLEAN;
VAR
      Pbl, Pb2, Pb3 : Packed_b;
      Ub1, Ub2, Ub3: Unpacked b;
      I : INTEGER;
BEGIN
      (* Initialize the arrays *)
      Pbl := Packed_b (T,F,T,F,T,F,T,F,T,F);
      Ubl := Unpacked b (F,T,F,T,F,T,F,T,F,T);
      (* Pack *)
      FOR I := 1 TO 10 DO
        Pb2 [I] := Ubl [I];
      PACK (Ubl, 1, Pb3);
      (* Note the arrays Pb2 and Pb3 are now equal. *)
      (* Unpack *)
      FOR I := 1 TO 10 DO
        Ub2 [I] := Pbl;
```

END.

This will be fixed in a future release of MicroPower/Pascal.

(* Note the arrays Ub2 and Ub3 are now equal. *)

UNPACK (Pb1, Ub3, 1);

FORTRAN IV V2.5 for RT-11 V4.0 OTS

Seq. 45.2.22 M

1 of 2

INVALID DATA IS ACCEPTED DURING LIST DIRECTED I/O (PAT 35)

PROBLEM:

This runtime problem occurs when a FORTRAN IV program which uses list directed I/O is compiled using the threaded code option. A right parenthesis on input is interpreted as an end of record character instead of bad data.

SOLUTION:

1. Type in the following MACRO file: PAT35.MAC

PAT35.MAC:

.TITLE \$LISTI
.IDENT /007/
.PSECT OTS\$!
S=.
.=S+1322
.ASCII /,/
.END

Assemble the patches using MACRO-11

.R MACRO *PAT35=PAT35 *^C

3. Install the patches, using PAT, to the most recently patched OTSCOM.OBJ file:

NOTE: Make a copy of OTSCOM.OBJ before you patch it just in case something goes wrong.

.R PAT *OTSCOM/C:072167, PAT35/C:007227

FORTRAN IV V2.5 for RT-11 V4.0 OTS

> 100 200

Seq. 45.2.22 M

2 of 2

- 4. Rebuild the OTS using the procedure described in the FORTRAN IV Installation Guide.
- 5. Test the patches by creating and compiling the following FORTRAN IV program. Be sure to use the threaded code option during compilation.

READ (5,*,ERR=100,END=200) A,B,C WRITE (5,*) A,B,C GOTO 200 WRITE (5,*) 'ERROR ENCOUNTERED' STOP END

Prior to the installation of this patch, compiling and executing this program will produce the following output when the following data is used as input: 4) 5 6

4.000000 0.000000 0.000000 STOP --

After the patch has been installed, and using the same input line, the output should be...

ERROR ENCOUNTERED STOP --

CTS-300 V07 for RT-11 V4.0 DOCUMENTATION Seq 52.1.6 N

1 of 2

NO ROOM FOR SOME BACKGROUND JOBS UNDER CTS-300 V7 (LG)

A problem exists in CTS-300 V7 XMTSD where some programs that ran under V6 will not run under V7. The growth of XMTSD in V7 has resulted in less low memory being available to the user, and is a problem for some users who run XMTSD as a foreground job and attempt to run a .SAV image program as a background job.

There is a way to make an additional 2KB available in low memory but it will reduce available space in high memory.

This can be accomplished by editing CTSGEN.COM, the indirect command file that is generated by CTSGEN.SAV, and modifying the link commands so that the module KERROR, which is currently being linked into the root section, is linked into an extended memory overlay instead.

Using the editor of your choice, locate the module 'KERROR' in the second line of the linking instructions in CTSGEN.COM. Move that module so that it appears after the module 'KTTY' further down in the instruction list. The link portion of CTSGEN.COM after the edit should look like this:

R LINK
XMTSD, XMTSD=/C
KJOB, QLCDL, KDIRT/C
KMATH/O:1/C
STRTUP, KTOINI/O:1/C
KDIO/V:2, KDTO/C
KCORE/V:2, KERROR2/C
KDMESS/V:3, KISAM/C
KFRUN, KTTY, KERROR/C
KDDTX, KDATX, TSDTBL

Just type "@CTSGEN" to execute CTSGEN.COM and create the new XMTSD.SAV. This change will have to be made each time CTSGEN.SAV is run. However, the method shown below can be used to alter CTSGEN.SAV so that XMTSD will be automatically linked this special way every time CTSGEN is run. Create the file "5216.PAT" as shown, apply it with SLP, and rebuild CTSGEN.SAV. Please note that an unaltered copy of GEN3.DBL from the CTS-300 V7 distribution should be used.

CTS-300 V07

*^C

DOCUMENTATION

for RT-11 V4.0

```
;5216.PAT
-231,231
KT11,
        WRITES (2, 'KJOB, QLCDL, KDIRT/C')
-239,239
        IF(FRUN) WRITES (2,'KFRUN,KTTY,KERROR/C')
        IF(FRUN.EQ.0) WRITES (2, KFRUNX, KTTY, KERROR/C')
/
.RENAME GEN3.DBL *.OLD
.R SLP
*GEN3.DBL=GEN3.OLD,5216.PAT
.R DICOMP
*GEN3=GEN3/O/W
*^C
.R LINK
*CTSGEN=CTSGEN, DIBOL/P:500./C
*GEN1/0:1/C
*GEN2/0:1/C
*GEN3/0:1
```

Seq 52.1.6 N

2 of 2

When using either of the above modifications, caution should be exercised to ensure that the generated run-time system doesn't exceed the 16K word limit. This can be verified by checking the highest memory used at the bottom of the link map to see that it doesn't exceed 100000. If it does, something will have to be removed from the CTSGEN procedure to reduce the required memory.

CTS-300 V07 for RT-11 V4.0 DOCUMENTATION Seq 52.1.7 N
1 of 1

CTS-300 AUTOPATCH KIT A PATCH LEVEL (LG)

The CTS-300 Autopatch Release Notes (AA-M222A-TC) for Kit A state that all patches published through the September 1982 issue of the RT-11 Software Dispatch are included in CTS-300 Autopatch Kit A. Due to a publications error, certain patches (numbers 11 through 13) that were intended to be published in the September Dispatch were not published until October. The CTS-300 Autopatch Kit A, however, does install modules patched through number 13, as listed in the CTS-300 Autopatch Release Notes.

CTS-300 V07 for RT-11 V4.0 DIBOL RUN-TIME SYSTEMS TSD VB07-00D XMTSD VC07-00D

Seq 52.3.5 M

1 of 3

PATCH 18: RUN-TIME SYSTEM PROBLEMS WITH USR LOCKED, COMPILATION ERRORS (LG)

 If the option to lock the USR in memory is chosen during a CTSGEN for non-extended memory TSD, a TRAP to 10 occurs when TSD is run.

Patch 18 corrects this problem so that running TSD with the USR locked in memory does not result in an error.

2. If a DIBOL program contains the statement "GOTO label", where "label" does not exist in the program, an error is generated when the program is compiled. If the program is then run under non-extended memory TSD, a TRAP to 4 may occur.

Patch 18 causes the error "DIBOL-E3--Compilation error" to be generated when the program is run as described above.

3. If a program with compilation errors is run directly from the terminal, the error "DIBOL-E3---Compilation error" is generated. However, if the same program is started via an XCALL RUNJB, the error "DIBOL-E58--Job startup error" is generated. This happens under both TSD and XMTSD.

Patch 18 corrects this so that an Error 3 is reported if a program with compilation errors is started via XCALL RUNJB.

The version number of TSD changes to VB07-00E, and XMTSD changes to VC07-00E.

Using the editor, create the following source files. Name them as indicated in the comment line that begins each file. Then, to install the patch, follow the procedure shown following the files.

CTS-3ØØ VØ7
for RT-11 V4.Ø
DIBOL RUN-TIME SYSTEMS
TSD VBØ7-ØØD
XMTSD VCØ7-ØØD

Seq 52.3.5 M

2 of 3

#P018A.MAC

.TITLE DTOINI .CSECT DTOINI

P018:

.= .+344 JSR PC,P018A

.PSECT \$P018 P018A: MOV @#54,RO MOV 266(RO),R4 RTS PC

•END

FP018B.MAC

.TITLE DDIRT .CSECT \$DIRT .GLOBL DIRTY

P018:

.= .+1706 BEQ F018+1724 ADD R5,(R5) ADD DIRTY,(R5) .END

FF018C.MAC

.TITLE DTO

P018:

.= .+3130 BR P018+3164 .= P018+6067 .BYTE 'E .END

FP018D.MAC

.TITLE \$KDTO
.PSECT \$KDTO

P018:

.= .+3204 BR P018+3234 .END

CTS-3ØØ VØ7

```
for RT-11 V4.Ø
DIBOL RUN-TIME SYSTEMS
                                                                3 of 3
 TSD VBØ7-ØØD
XMTSD VCØ7-ØØD
FP018V1.MAC
        .TITLE $KEROR
        .PSECT $ERROR
        , ==
                ++2476
        .BYTE
                Έ
        .END
.RENAME (DTOINI,DDIRT,DTO,KDTO,KERROR).OBJ *.OLD
 Files renamed:
DK:DTOINI.OBJ to DK:DTOINI.OLD
DK:DDIRT.OBJ
               to DK:DDIRT.OLD
               to DK:DTO.OLD
DK:DTO.OBJ
DK:KDTO.OBJ
               to DK:KDTO.OLD
DK:KERROR.OBJ to DK:KERROR.OLD
.MACRO P018A, P018B, P018C, P018D, P018V1
ERRORS DETECTED: 0
ERRORS DETECTED:
                  O
ERRORS DETECTED:
                  ٥
ERRORS DETECTED:
                  0
ERRORS DETECTED:
.R PAT
*DTOINI.OBJ=DTOINI.OLD/C:120574,P018A/C:012446
·R PAT
*DDIRT.OBJ=DDIRT.OLD/C:123444,P018B/C:011354
.R PAT
*DTO.OBJ=DTO.OLD/C:037231,P018C/C:003346
·R PAT
*KDTO.OBJ=KDTO.OLD/C:150653,P018D/C:005551
.R PAT
```

*KERROR.OBJ=KERROR.OLD/C:100754,P018V1/C:006225

FOR NORMAL TSD

FOR EXTENDED MEMORY TSD

·R CTSGEN

•R CTSGEN

Seq 52.3.5 M

CTS-300 V07 for RT-11 V4.0 DICOMP V07-00

Seq 52.5.1 M

1 of 3

PATCH 16: CONDITIONAL COMPILATION ERROR, AND NO ERROR FOR LARGE RECORD (LG)

The following problems have been found in DICOMP:

- An error in DICOMP is allowing the execution of compiler directives (such as .INCLUDE and .TITLE) contained within blocks of conditional code whether or not the specified argument is defined. For example,
 - . IF DEF VAR
 - .INCLUDE 'XPRG'
 - . ENDC

results in "XPRG" being included in the compilation whether or not "VAR" is defined in the program.

Patch 16 corrects this so that compiler directives are not incorrectly executed when they appear in conditionally compiled code.

2. When a DIBOL program containing a record with multiple fields totalling 16,384 characters is compiled, no error is reported. The maximum record size is 16,383 bytes.

Patch 16 corrects this so that the error "?DICOMP-E7--Record too large" is generated in this situation. It also changes the version number of DICOMP to VO7-00A.

Using the editor, create the following files as shown. Name them as indicated in the comment line that is the first line of each file. Then, to install the patch, follow the procedure shown following the files.

CTS-300 V07 for RT-11 V4.0 DICOMP V07-00

Seq 52.5.1 M

2 of 3

FP016A.MAC

.TITLE INIT .CSECT INIT .= .+3317 .BYTE 'A .END

FP016B.MAC

.TITLE ROOT .CSECT ROOT .GLOBL NOCOMP

F016: .= .+3124 TSTB NOCOMP BEQ 5\$

JMP P016+2520 NOP

5\$:

.= P016+3272 TSTB NOCOMP BEQ 10\$

JMP P016+2520

וטא

10\$:

+= P016+3342 TSTB NOCOMP BEQ 15\$ JMP P016+2520

NOP

15\$;

-= P016+3376 TSTB NOCOMP BEQ 20\$ JMP P016+2520

NOP

20\$: .= P016+3476 TSTB NOCOMP

BEQ 25\$ JMP P016+2520

NOP 25\$:

-= P016+3732 TSTB NOCOMP BEQ 30\$

BEQ 30\$ JMP P016+2520

NOP 30\$:

.END

CTS-3ØØ VØ7

DICOMP VØ7-ØØ

for RT-11 V4.Ø

```
#P016C.MAC
        .TITLE DATA STATEMENT PROCESSOR .CSECT DATA
P016:
        . ==
                ++2046
        .WORD
                40000-1
        .END
.RENAME (INIT, ROOT, DATA).OBJ, DICOMP.SAV *.OLD
 Files renamed:
DK:INIT.OBJ to DK:INIT.OLD
            to DK:ROOT.OLD
DK:ROOT.OBJ
DK:DATA.OBJ
               to DK:DATA.OLD
DK:DICOMP.SAV to DK:DICOMP.OLD
.MACRO P016A,P016B,P016C
ERRORS DETECTED: 0
ERRORS DETECTED:
                 Ö
ERRORS DETECTED: 0
.R PAT
*INIT.OBJ=INIT.OLD/C:040774,F016A/C:005132
.R PAT
*ROOT.OBJ=ROOT.OLD/C:004151.P016B/C:036661
.R PAT
*DATA.OBJ=DATA.OLD/C:153250,P016C/C:003631
.R LINK
*DICOMP=ROOT,DICFTL,MSGLIB/C
*INIT/0:1/C
*DATA/0:1/C
*PROC/0:1/C
*ENCOD/O:1/C
*DILINK/0:2/C
*DICERR/0:2
*^C
```

Seg 52.5.1 M

3 of 3

CTS-300 V07 for RT-11 V4.0 MACRO SORT SORT.SAV V07-0C SORT.TSD V07-0B Seq. 52.15.4 M

1 of 3

PATCH 17: PROBLEMS WITH HANDLING ERRORS IN SORT COMMAND FILE (CJ)

- 1. If the MACRO SORT was started detached under XMTSD and an error was detected in the command file, when SORT was attached, the error "?DIBOL--Ell---NT-Channel not open" was returned. In running detached the terminal channel was closed and not available to return the proper error.
- 2. Under both the single-user and XMTSD versions of SORT, attempting to use a SORTG control file with a record description of more than 24 fields, caused the message "?SORT--E23---W-Work device list too long" to occur. Under XMTSD this was followed by the error "?DIBOL--E83---- T-Error message does not exist". The single user system halted at this point.

Patch 17 corrects these problems. In the first instance, the terminal channel is now made available so that the correct error is displayed when SORT is attached. In the second instance, the proper error messages "?SORT--E27---I-DIBOL record description line count exceeded" and "?SORT--E16---F-Command file or message contains errors" are displayed and control returns to the monitor.

In the second instance, there is in fact a limit on the number of fields that can be described in a SORTG control file although it was not noted in the documentation. This limit is 25.

The version number of SORT.SAV changes to V07-0D, and SORT.TSD changes to V07-0C.

Using the editor, create the following files as shown. Name them as indicated in the comment line that is the first line of each file. Then, to install the patch, follow the procedure shown following the files.

```
CTS-300 V07
for RT-11 V4.0
MACRO SORT
SORT.SAV V07-0C
SORT.TSD V07-0B
```

Seq 52.15.4 M

2 of 3

FP017V1.MAC

.TITLE SORTR
.PSECT SORTR

.= .+21 .BYTE 'D .END

JP017A.MAC

.TITLE SORTC
.PSECT SORTC

P017:

.= .+10054 .WORD 3406 .= P017+10060 .WORD 33 JMP P017+10130 .END

#P017B.MAC

.TITLE SORTR
.PSECT SORTR

P017:

.= .+23 .BYTE 'C .= F017+2056 NOP .END

#P017C.MAC

.TITLE SORTC .PSECT SORTC

P017:

.= F017+10044 .WORD 3406 .= F017+10050 .WORD 33 JMP F017+10120 .END

Seq 52.15.4 M

3 of 3

CTS-3ØØ VØ7

MACRO SORT SORT.SAV VØ7-ØC SORT.TSD VØ7-ØB

for RT-11 V4.Ø

```
.RENAME (SRT11R, SRT11C, SORTR, SORTC).OBJ *.OLD
Files renamed:
DK:SRT11R.OBJ to DK:SRT11R.OLD DK:SRT11C.OBJ to DK:SRT11C.OLD
DK:SORTR.OBJ to DK:SORTR.OLD
DK:SORTC.OBJ to DK:SORTC.OLD
.MACRO P017V1,P017A,P017B,P017C
ERRORS DETECTED: 0
ERRORS DETECTED:
                  0
ERRORS DETECTED:
                   0
ERRORS DETECTED:
.R PAT
*SRT11R.OBJ=SRT11R.OLD/C:166705,P017V1/C:005023
*SRT11C.OBJ=SRT11C.OLD/C:116476,F017A/C:005264
.R PAT
*SORTR.OBJ=SORTR.OLD/C:026743,P017B/C:005537
*SORTC.OBJ=SORTC.OLD/C:103446,F017C/C:005214
.R LINK
*SORT,SRT11/M:1400/B:1400=RTIO,SRT110,SRT11R/F:500./C
*MSGLIB/C
*SRT11C/0:1/C
*SRT11A/0:1/C
*SRT11D/O:1/C
*SRT11M/0:1
*SORT.TSD,SORT=SORTR,SRTIO/B:100000/P:500./C
*SORTC/0:1/C
*SORTA/0:1/C
*SORTD/0:1/C
*SORTM/0:1
*^C
*R REDUCE
*SORT/N
*^C
```

QUILL V1.0 Seq 60.1.1 F
for RT-11 V4.0
QUILL.SAV 1 of 2
QUILL.TSD

PATCH 1: PRIMARY FILE BLOCK COUNT PROBLEM (CJ)

PROBLEM:

Attempting to do a FIND on a primary file of 10,000 or more blocks did not work properly. QUILL did not recognize a block count greater than 9,999. If a file was larger than that and QUILL was searching for certain records, it would go back to the first block after reading the 9,999th block. Various conditions might occur for QUILL to eventually think it had completed the collection. However, the collection would not be valid. It would be very large and most likely contain many meaningless records.

SOLUTION:

The following patch (Patch 1) corrects this problem by permitting files to be larger than 9,999 blocks.

1. To install Patch 1 on a single user system (QUILL.SAV) create and execute the following command file. Insure that QUILL.SAV is located on DK:.

COPY DK:QUILL.SAV DK:QUILL.OLS RUN SIPP DK: OUILL. SAV/A/C 35212 2214 ^ Z 35324 40214 ^ Z 35470 2214 ^ Z 36030 2214 ^z 36434 2214 ^ Y 74057 ^C

```
QUILL V1.0 Seq 60.1.1 F
for RT-11 V4.0
QUILL.SAV 2 of 2
QUILL.TSD
```

2. To install Patch 1 on a time shared system (QUILL.TSD) create and execute the following command file. Insure that QUILL.TSD is located on DK:.

```
COPY DK: QUILL. TSD DK: QUILL. OLT
RUN SIPP
DK: QUILL. TSD/A/C
26212
2214
^ Z
26324
40214
^z
26470
2214
^ Z
27030
2214
^Z
27434
2214
^ Y
174700
^C
```

QUILL V1.0 for RT-11 V4.0 QBUILD.SAV OBUILD.TSD

Seq 60.2.1 F

1 of 1

PATCH 2: QBUILD WORK FILE SIZE ALLOCATION (CJ)

PROBLEM:

Occasionally QBUILD did not allocate enough space in a work file so that when modifying a dictionary the message "MOUNT NEXT OUTPUT FILE FOR DK:QTMP00.QTP" might occur. A "BAD FILE SPECIFICATION" message might also be displayed.

SOLUTION:

The attached patch (Patch 2) to QBUILD corrects the problem by allocating more space for the work file. Use the following procedure(s) to install the patch. Before doing so insure that QBUILD.SAV and QBUILD.TSD are on DK:.

1. To patch a single user system (QBUILD.SAV) create and execute the following command file:

COPY DK:QBUILD.SAV DK:QBUILD.OLS RUN SIPP DK:QBUILD.SAV/A/C 0 35440 24151 ^Y 165714

2. To patch a time shared system (QBUILD.TSD) create and execute the following command file:

COPY DK:QBUILD.TSD DK:QBUILD.OLT
RUN SIPP
DK:QBUILD.TSD/A/C
0
34440
24151
^Y
25665
^C

RT-11 V4.0 CUMULATIVE INDEX NOVEMBER 1982

This is a complete listing of all articles for RT-11 V4.0 and related products. In the case of subordinate software, missing sequence numbers may pertain to problems unique to interaction with previous versions of the same product or other major operating systems.

IMPORTANT!

Unassigned articles are indicated: UNASSIGNED.

Flags are currently being installed for all articles. The flags and definitions are as follows:

- M = <u>Mandatory Patch</u>. These patches correct errors in the software product. All users are required to apply these patches to maintain consistent "user level" unless the accompanying article specifies otherwise.
- F = Optional Feature Patch. These patches extend or configure functionality into the product. These functions will be treated as a supported part of the product for the duration of the current release and will be incorporated with any future release, unless otherwise stated.
- R = <u>Restriction</u>. These articles discuss areas that will not be patched in the current release because they require major modification or because they are not consistent with the design of the product. Restrictions, except those described as permanent, are reviewed and modified when possible as part of the normal release cycle.
- N = NOTE. These articles provide explanatory information that supplements the manual set and provide more detailed information about a program or package. They also provide procedural information to make it easier to use a program or package.
- + = Articles appeared in the RT-11 Software Dispatch Review, March 1980.
- *The "Autopatch Kit" column in the list which follows indicates the first RT-11 V4.0 Autopatch Kit in which the associated patch was included. Unless otherwise indicated, the patches also appear in subsequent Autopatch Kits as well. Note that Autopatch Kit "G" is the latest kit available from the SDC.

Component	Autopatch Kit	Sequence	Mon/Yr
RT-11 V4.0			
MONITOR PATCHES			
ISSUING .SETTOP #-2 AND .EXIT UNDER XM MONITOR MAY CORRUPT SYSTEM DISK	Α	1.1.1 M	Jul 80
IMPLEMENTING INTERNAL HANDLER QUEUEING IN FB AND XM MONITORS	A	1.1.2 M	Jul 80
ADDING HIGH SPEED RING BUFFER SUPPORT	A	1.1.3 M	Jul 80
CORRUPTION OF CSI TEXT UNDER XM MONITOR	A	1.1.4 M	Jul 80
MISSING COLON IN BOOT XX CAUSES SYSTEM HALT	A	1.1.5 M	Jul 80
TYPING ^U WHILE IN A ^X SEQUENCE UNDER A SYSTEM JOB	A	1.1.6 M	Sep 80
ABNORMAL TERMINATION OF FG JOB WHICH IS USING CSI	A	1.1.7 M	Nov 80
MISCELLANEOUS MRRT-11 BUGS	A	1.1.8 M	Nov 80
MRRT-11 MINIMAL FILE SUPPORT PROBLEM	A	1.1.9 M	Nov 80
INCORRECT LIMIT CHECKS ON PRIVILEGED BACKGROUND JOBS USING			
VIRTUAL OVERLAYS	A	1.1.10 M	Nov 80
MULTI-TERMINAL MONITORS DON'T ALWAYS PROCESS CTRL/F PROPERLY	A	1.1.11 M	Nov 80
MONITOR CHANGES AND CORRECTIONS	A	1.1.12 M	Dec 80
MONITOR CORRECTIONS	В	1.1.13 M	Jan 81
MONITOR UPDATES	В	1.1.14 M	Feb 81
ABORT I/O IN PROGRESS HANDLER BIT	В	1.1.15 M	Apr 81
CORRECTIONS FOR DISTRIBUTED AND SYSTEM GENERATED MONITORS	С	1.1.16 M	Jun 81
PRINT COMMAND RESTRICTION		1.1.17 R	Jul 81
UPDATES TO MONITOR FILES	D	1.1.18 M	Oct 81
CORRECTIONS TO THE MONITOR	E	1.1.19 M	Jan 82
MONITOR NOTES COMPLETION ROUTINE OPERATION UNDER THE SJ MONITOR		1.2.1 N	Sep 82
COLD DELLOW WOOTHER OF DIMITED. CADEN THE DO HOUSE.			-

Component	Autopatch Kit	Sequence	Mon/Yr
DEVICE HANDLER SOURCES DEVICE HANDLER NOTES RLO2s AT REV. LEVEL "F" FAIL DURING RT-11 SYSGEN		6.1.1 N	Oct 80
DD.MAC DD PRIMARY BOOTSTRAP PROBLEM	A	6.4.1 M	Jul 80
DL.MAC		•••••	042 00
PATCH XM VERSION OF DL HANDLER .SPFUN GET SIZE ROUTINE ERRORS ON RLO1 DISK DRIVES AFTER DISK PACKS ARE CHANGED	A B	6.5.1 M 6.5.2 M	Dec 80 Jan 81
DM.MAC ERRORS IN DM OFFSET POSITIONING AND ERROR LOGGING	A	6.6.1 M	Jul 80
DY.MAC DELETED DATA MARK MAY BE LOST IF BUFFER STARTS ON PAR BOUNDAF ERROR LOGGING SUPPORT FOR DY	RY D	6.11.1 M 6.11.2 M	Aug 81 Oct 82
LP.MAC LP SET NOHANG MAY CRASH SYSTEM	A	6.12.1 M	Sep 80
LS.MAC			
LS SET NOHANG MAY CRASH SYSTEM PROBLEMS WITH LS HANDLER	A B	6.13.1 M 6.13.2 M	Sep 80
USING AN LA120 TERMINAL AS A LINE PRINTER WITH THE LS HANDLER		6.13.3 N	Jan 81 Jul 81
SET LS NOHANG IS CURRENTLY INOPERATIVE	С	6.13.4 M	Jul 81
RACE CONDITION IN LS HANDLER LS HANDLER SET "NOHANG" PROBLEM	D E	6.13.5 M	Aug 81
PROBLEMS WITH LS HANDLER	E	6.13.6 M 6.13.7 M	Jan 82 Oct 82
PD.MAC CORRECTION TO PDT ERROR LOGGING SUPPORT	В	6.16.1 M	Apr 81
MAG TAPE HANDLERS			
BUFFER CLEARING ON SHORT READ IN XM MONITOR LINKING AN XM, NON-FILESTRUCTURED TS HANDLER GENERATES	A	6.20.1 M	Jul 80
AN UNDEFINED GLOBAL INCORRECT READ ERROR RECOVERY IN MT HANDLER	A	6.20.2 M	Aug 80
TS-11 DOES NOT RECOVER FROM SOFT ERROR ON WRITE EOF	A C	6.20.3 M 6.20.4 M	Sep 80 Jul 81
SYSTEM UTILITIES			
PIP.SAV ERRORS IN PIP	A	7.1.1 M	Cam 00
COPY/PREDELETE COMMAND	A	7.1.2 N	Sep 80 Sep 80
MATCHING FILE SPEECIFICATIONS ERRORS	В	7.1.3 M	Feb 81
COPY/BENARY/WAIT AND LOG HEADER PROBLEMS	В	7.1.4 M	Apr 81
COPY/PREDELETE AND COPY/NOREPLACE WORK INCORRECTLY WITH /WAIT ERROR WITH RENAME/NOREPLACE	C C	7.1.5 M	Jun 81
/POSITION:N SWITCH FOR MAGTAPE INPUT WORKS INCORRECTLY	D	7.1.6 M 7.1.7 M	Jul 81 Oct 81
COPY/BINARY STOPS PROCESSING AFTER ENCOUNTERING AN OBJ LIBRAR	Y FILE E	7.1.8 M	Nov 81
COPYING FILES TO UNINITIALIZED DISKS		7.1.9 N	Nov 81
ALLOCATE AND DELETE WORK INCORRECTLY WITH COPY OPERATIONS	F	7.1.10 M	Feb 82
DUP.SAV			
MISSING COLON IN BOOT XX CAUSES SYSTEM HALT SQUEEZE CREATES (UNUSED) ENTRIES OF LENGTH ZERO BEFORE	A	7.2.1 M	Jul 80
.BAD FILES	A	7.2.2 M	Aug 80
PROBLEMS WITH COPY/DEVICE AND INITIALIZE PROTSTRAPPING AN UNDATCHED MONITOR FROM A DATGUED GROWN	A	7.2.3 M	Dec 80
BOOTSTRAPPING AN UNPATCHED MONITOR FROM A PATCHED SYSTEM .SPFUN RETURN BUFFER PROCESSED INCORRECTLY FOR RK06/7	B B	7.2.4 N 7.2.5 M	Jan 81
USE OF INITIALIZE/RESTORE ON MEDIA SUPPORTING BAD	D	1.4.5 M	Jan 81
BLOCK REPLACEMENT		7.2.6 N	May 81
PROBLEMS WITH INIT/BAD AND COPY/DEVICE	C	7.2.7 M	May 81
PROBLEMS WITH INITIALIZE COMMAND ATTEMPT TO RESTORE UNCLOSED TENTATIVE FILES FAILS	C	7.2.8 M	Jun 81
/V WITH NO DEVICE SPECIFICATION GIVES WRONG ERROR MESSAGE	C	7.2.9 M	Jul 81
OUTPUT ERROR DURING COPY/DEVICE TO MAGTAPE CAUSES SYSTEM ERROR	D R E	7.2.10 M 7.2.11 M	Sep 81
USE OF COPY/DEV/FILE WITHOUT FILE SPECIFICATION	n E	7.2.11 M	Oct 81 Nov 81
PROBLEMS WITH COPY/DEVICE USING /END	F	7.2.13 M	Apr 82

Component	Autopatch Kit	Sequence	Mon/Yr
DIR.SAV DIR/OUT COMMAND PRODUCES DEVICE NOT ACTIVE MESSAGE DIR/VOL GIVES ?MON-F-TRAP TO 4 LOSS OF LAST PRINT CHARACTER IN DIRECTORY LISTING	A A D	7.3.1 M 7.3.2 M 7.3.3 M	Jul 80 Dec 80 Sep 81
RESORC.SAV RESORC MAY REPORT INCORRECT JOB NAMES ON A SHOW JOBS COMMAND ADD CIS DETECTION CAPABILITY TO RESORC PROBLEM WITH IDENTIFYING 11/23 PROCESSOR	A B D	7.5.1 M 7.5.2 M 7.5.3 M	Aug 80 May 81 Sep 81
LINK.SAV LINK BYTE RELOCATION AND DIRECTORY SIZE LINK MAP PROCESSING ERROR LINK MAP ERROR AND MULTIPLE DEFINITION LIBRARIES RT-11 V4 LINKER RESTRICTION LINK TRANSFER ADDRESS CALCULATION BUGS LINK ADDITIONS AND CORRECTIONS LINK UPGRADE LINK ERROR IN LIBRARY MODULE TRANSFER ADDRESS PROCESSING LINK LIBRARY MODULE PLACEMENT ERROR LINK MULTIPLE ERROR FIXES LINK REFERENCES ILLEGAL ADDRESS	A A B B D E E E	7.9.1 M 7.9.2 M 7.9.3 M 7.9.4 R 7.9.5 M 7.9.6 M 7.9.7 M 7.9.8 M 7.9.9 M 7.9.10 M 7.9.11 M	Jul 80 Aug 80 Oct 80 Jan 81 Mar 81 Nov 81 Jan 82 Jan 82 May 82 Oct 82
LIBR.SAV A LIBR COMMAND WITH NO FILE-SPEC CAN CAUSE A SYSTEM CRASH LIBR ERRORS LIBR CORRUPTS FORM LIBRARY DIRECTORY LIBR ERROR IN GENERATING ENTRY POINT TABLE LIBR RESTRICTION	A C C E	7.10.1 M 7.10.2 M 7.10.3 M 7.10.4 M 7.10.5 N	Jul 80 Jul 81 Jun 81 Jan 82 Jan 82
FILEX.SAV FILEX WILDCARD TRANSFERS CAUSE MONITOR TRAP FILEX CREATES ZERO FILLED INTERCHANGE RECORDS SIZE CALCULATION PROBLEM IN FILEX RECORDS DROPPED BY FILEX	A A D D	7.11.1 M 7.11.2 M 7.11.3 M 7.11.4 M	Aug 80 Sep 80 Aug 81 Sep 81
SRCCOM.SAV COMPARING TWO FILES MAY CAUSE TRAP TO 4 BLANK LINE COMPARISON FOR SLIDING MATCH	A A	7.12.1 M 7.12.2 M	Aug 80 Dec 80
BINCOM.SAV BINCOM GENERATES ERRONEOUS ERROR MESSAGE ERRONEOUS DOUBLE PRECISION CALCULATION IN BINCOM BINCOM PLACES TAB CHARACTER AFTER OFFSET IN SIPP COMMAND FILE	B C E E	7.13.1 M 7.13.2 M 7.13.3 M	Apr 81 Jun 81 Jan 82
DUMP.SAV BLOCK NUMBERS OUTPUT FROM DUMP	D	7.14.1 M	Aug 81
SLP.SAV TERMINATION OF PATCHING SESSION WITH SLP FATAL ERRORS SLP GENERATES FATAL ERROR TRAP SLP ERROR	А В В	7.15.1 M 7.15.2 M 7.15.3 M	Nov 80 Jan 81 Mar 81
SIPP.SAV CORRUPTION OF MULTI-BLOCK LOG FILES	A	7.16.1 M	Jul 80
PAT.SAV USE OF THE PAT UTILITY WITH RT-11 V3B PATCHES		7.17.1 N+	Mar 80
HELP.SAV PROBLEMS WITH HELP UTILITY	A	7.19.1 M	Nov 80
EDIT.SAV EDIT MISHANDLES OUTPUT FILE FULL ERROR	В	7.20.1 M	Nov 81
SYSTEM SUBROUTINE LIBRARY (SYSLIB) SYSLIB.OBJ PATCH TO ICSI IASIGN REDEFINITIONS	A A	8.1.1 M 8.1.2 M	Oct 80 Oct 80

Component	Autopatch Kit	Sequence	Mon/Yr
ILUN RESTRICTION	_	8.1.3 R	Feb 81
VIRTUAL OVERLAY HANDLER CORRECTION	E	8.1.4 M	Feb 82
SYSTEM MACRO LIBRARY SPFUN PROGRAMMED REQUEST	A	9.1.1 M	Dec 80
ABORT I/O PROGRESS SUPPORT FOR SYSMAC	B B	9.1.2 M	Apr 81
.CMKT PROGRAMMED REQUEST	C	9.1.3 M	Jun 81
INCORRECT EXPANSION OF .DRSET MACRO	F	9.1.4 M	Apr 82
SYSTEM GENERATION PACKAGE	_		- •
SYSGEN CREATES ONE MORE DEVICE SLOT THAN REQUESTED ASSEMBLY ERROR AFTER SYSGEN	A B	10.3.1 M 10.3.2 M	Dec 80 Mar 81
TERMINAL OUTPUT CORRUPTION ON DZ11 OR DZV11 LINES	F	10.3.2 M	Apr 82
DOCUMENTATION			
RT-11 SYSTEM RELEASE NOTES			
RT-11 V4.0 DOCUMENTATION CORRECTIONS AND ADDITIONS DOCUMENTATION CORRECTIONS		11.2.1 N	Jul 80
CHANGES TO DUP /I OPTION		11.2.2 N 11.2.3 N	Aug 80 Apr 81
INCORRECT DUP CUSTOMIZATION PATCHES		11.2.4 N	Sep 81
RT-11 INSTALLATION AND SYSTEM GENERATION GUIDE			
RT-11 V4.0 DOCUMENTATION CORRECTIONS AND ADDITIONS		11.3.1 N	Jul 80
CORRECTION TO AN OPTIONAL PATCH TO LINK DOCUMENTATION ERROR: REFERENCE TO RLO2 OMITTED FROM		11.3.2 N	Aug 80
SYSGEN DIALOGUE		11.3.3 N	Oct 80
INCORRECT LINK MAPS FOR DISTRIBUTED MONITORS		11.3.4 N	Dec 80
INCORRECT PATCH FOR CHANGING QUEUE WORK FILE SIZE CHANGING DEFAULT NUMBER OF DIRECTORY SEGMENTS		11.3.5 N	Dec 80
		11.3.6 N	Apr 81
INTRODUCTION TO RT-11 RT-11 V4.0 DOCUMENTATION CORRECTIONS AND ADDITIONS		44 14 4 37	
		11.4.1 N	Jul 80
RT-11 SYSTEM USER'S GUIDE RT-11 DOCUMENTATION CORRECTIONS AND ADDITIONS		44 5 4 3	
CORRECTIONS TO SLP CHAPTER: RT-11 SYSTEM USER'S GUIDE		11.5.1 N 11.5.2 N	Jul 80 Oct 80
DIFFERENCES BETWEEN DEVICE COPYING COMMANDS		11.5.3 N	Dec 80
RT-11 SYSTEM MESSAGE MANUAL			
RT-11 V4.0 DOCUMENTATION CORRECTIONS AND ADDITIONS CORRECTIONS TO SLP MESSAGES IN "RT-11 SYSTEM MESSAGE MANUAL"		11.6.1 N	Jul 80
NEW SLP ERROR MESSAGE		11.6.2 N 11.6.3 N	Nov 80 Feb 81
PIP ERROR MESSAGES MISSING		11.6.4 N	Oct 81
RT-11 POCKET GUIDE			
RT-11 V4.0 DOCUMENTATION CORRECTIONS AND ADDITIONS		11.7.1 N	Jul 80
RT-11 PROGRAMMER'S REFERENCE MANUAL			
DOCUMENTATION CORRECTIONS		11.8.1 N	Sep 80
INCORRECT PROGRAMMED REQUEST EXAMPLES UNDOCUMENTED .SERR ERROR CODE		11.8.2 N 11.8.3 N	Mar 81
		11.0.2 N	Dec 81
RT-11 SOFTWARE SUPPORT MANUAL RT-11 V4.0 DOCUMENTATION CORRECTIONS AND ADDITIONS		11 O 1 N	T1 00
SOFTWARE SUPPORT MANUAL CORRECTION		11.9.1 N 11.9.2 N	Jul 80 Jun 81
ERROR IN DESCRIPTION OF .DRSET MACRO		11.9.3 N	Sep 81
DEBUGGING UTILITIES			
VDT.OBJ NOTES ON USING ODT OR VDT IN AN XM ENVIRONMENT		10 0 1 N	1 04
ERROR STATUS NOT SAVED/RESTORED BY VDT		12.2.1 N 12.2.2 M	Jan 81 Oct 82
ERROR CONTROL PACKAGE			
ERROUT.MAC			
ERROR LOGGING SUPPORT OF USER-WRITTEN HANDLERS	G	14.6.1 M	May 82
BATCH PACKAGE			
BATCH.SAV PATCH BATCH TO USE MONITOR SUFFIX	Δ.	15 1 1 1	0-4-0-
BATCH \$CREATE IGNORES BLANK LINES	A	15.1.1 M 15.1.2 M	Oct 80 Aug 82
		· - - · ·	

SPOOLING PACKAGE QUEUE.REL SUPERFLUOUS LINEFEED FROM QUEUE NARROW BANNER PAGES FROM QUEUE OR 16.1.2 F May 81 /R FOLLOWING /S IF NO OUPTUT QUEUED MAY CAUSE FATAL ERROR IN QUEUE ATTEMPTING TO COMMUNICATE WITH 'QUEUE' FROM A VIRTUAL JOB QUEUE MAY INDICATE INCORRECT NUMBER OF COPIES ON BANNER PAGES QUEMAN.SAV PROBLEMS WITH QUEMAN B 16.2.1 M Jan 81 KEYPAD EDITOR KED
SUPERFLUOUS LINEFEED FROM QUEUE NARROW BANNER PAGES FROM QUEUE /R FOLLOWING /S IF NO OUPTUT QUEUED MAY CAUSE FATAL ERROR IN QUEUE ATTEMPTING TO COMMUNICATE WITH 'QUEUE' FROM A VIRTUAL JOB QUEUE MAY INDICATE INCORRECT NUMBER OF COPIES ON BANNER PAGES QUEMAN.SAV PROBLEMS WITH QUEMAN B 16.2.1 M Jan 81 KEYPAD EDITOR KED
ERROR IN QUEUE. ATTEMPTING TO COMMUNICATE WITH 'QUEUE' FROM A VIRTUAL JOB QUEUE MAY INDICATE INCORRECT NUMBER OF COPIES ON BANNER PAGES QUEMAN.SAV PROBLEMS WITH QUEMAN B 16.1.3 M Aug 81 16.1.4 N Apr 82 16.1.5 M Sep 82 QUEMAN.SAV PROBLEMS WITH QUEMAN B 16.2.1 M Jan 81 KEYPAD EDITOR KED
QUEMAN.SAV PROBLEMS WITH QUEMAN KEYPAD EDITOR KED 16.1.5 M Sep 82
PROBLEMS WITH QUEMAN B 16.2.1 M Jan 81 KEYPAD EDITOR KED
KED
· · · · · · · · · · · · · · · · · · ·
MAKE TERMINAL SETUP OPTIONAL IF MTATCH FAILS A 17.1.1 F Aug 80
PROVIDE A .CHAIN INTERFACE FOR KED PROVIDE REASONABLE ACTIONS AND ERROR MESSAGES WHEN DEALING A 17.1.2 F Aug 80 PROVIDE REASONABLE ACTIONS AND ERROR MESSAGES WHEN DEALING
WITH DEGENERATE FILES A 17.1.3 M Oct 80 SEARCH FAILS IF TARGET IF FIRST OR LAST STRING IN THE FILE A 17.1.4 M Nov 80
KNOWN ERRORS AND RESTRICTIONS 17.1.5 R Dec 80
"SET SEARCH EXACT JUNK" COMMAND CRASHES KED C 17.1.6 M Jul 81
REPEATED USE OF THE "APPEND" FUNCTION CRASHES KED C 17.1.7 M Dec 81 DISABLE REVERSE VIDEO DISPLAY BY KED E 17.1.8 F Jul 81
FILE SAMPLE.KED OMITTED FROM DISTRIBUTION 17.1.9 N Aug 81
KED DOCUMENTATION CORRECTION 17.1.10 N Nov 81
K52 MAKE TERMINAL SETUP OPTIONAL IF MTATCH FAILS A 17.2.1 F Aug 80
PROVIDE A .CHAIN INTERFACE FOR K52 PROVIDE REASONABLE ACTIONS AND ERROR MESSAGES WHEN DEALING
WITH DEGENERATE FILES A 17.2.3 M Oct 80
SEARCH FAILS IF TARGET IS FIRST OR LAST STRING IN THE FILE A 17.2.4 M Nov 80
KNOWN ERRORS AND RESTRICTIONS 17.2.5 R Dec 80 "SET SEARCH EXACT JUNK" COMMAND CRASHES K52 C 17.2.6 M Jul 81
REPEATED USE OF THE "APPEND" FUNCTION CRASHES K52 E 17.2.7 M Dec 81
NO EQUIVALENT PATCH FOR K52 FOR SEQ 17.1.8 17.2.8 N Aug 81
FILE SAMPLE.KED OMITTED FROM DISTRIBUTION 17.2.9 N Aug 81 KED DOCUMENTATION CORRECTION 17.2.10 N Dec 81
AUTOMATED PATCHING FACILITY PACKAGE PACKAGE NOTES
AUTOPATCH SERVICE FOR RT-11 19.1.1 N Jun 81
FMS-11/RT-11 V1.1
ANNOUNCING FMS-11/RT-11 V1.1 33.1 N Aug 80
FRED V1.1 ZERO IMPURE AREA SIZE PROBLEM 33.3.1 M Sep 81
BASIC-11/RT-11 V2.0
INTERPRETER REPUBLICATION OF PATCHES 35.1.1 N+ Mar 80
PRINT USING - PATCH A A 35.1.2 M+ Mar 80
RESEQ - PATCH B A 35.1.3 M+ Mar 80
EDITING A DIM #n STATEMENT - PATCH C A 35.1.4 M+ Mar 80 DOUBLE PRECISION HANG - PATCH D A 35.1.5 M+ Mar 80
SAVE dev: AND REPLACE dev: - PATCH E A 35.1.5 M+ Mar 80
SINGLE PRECISION HANG AND NUMERIC CONVERSION PROBLEM - PATCH F A 35.1.7 M+ Mar 80
SAVE .XXX & UNSAVE .XXX - PATCH G A 35.1.8 M+ Mar 80 NEW - PATCH H A 35.1.9 M+ Mar 80
RESEQ - PATCH I A 35.1.10 M+ Mar 80
LISTNH / OLD - PATCH J A 35.1.11 M+ Mar 80
SYS(1) - PATCH K A 35.1.12 M+ Mar 80
CALL - PATCH L A 35.1.13 M+ Mar 80 DOUBLE PRECISION INTEGER VARIABLES - PATCH M A 35.1.14 M+ Mar 80
FILESIZE 0 - PATCH N A 35.1.15 M+ Mar 80

Component	Autopatch Kit	Sequence	Mon/Yr
INTEGERS IN DOUBLE PRECISION BASIC-11 REM STATEMENTS ON MULTI-STATEMENT LINES - PATCH 0 INT. FUNCTION - PATCH P. COR. SINCIP. USER PASIC. 11	A A	35.1.16 N+ 35.1.17 M+	Mar 80 Mar 80 Nov 80
INT FUNCTION - PATCH P FOR SINGLE USER BASIC-11 RETRACTED	-	35.1.18 M 35.1.19 M	May 81
PRINT USING - PATCH R FOR SINGLE USER BASIC-11 OMITTING TRIG FUNCTIONS FROM BASIC-11	B B	35.1.20 M 35.1.21 N	Jan 81 Jan 81
STRING CONCATENATION - PATCH S FOR SINGLE USER BASIC-11	В	35.1.22 M	Mar 81
PROBLEM WITH BASIC-11 PATCH Q INTEGER COMPARISON - PATCH T FOR SINGLE USER BASIC-11 (REFERENCE SEQ 35.1.26 M)		35.1.23 N 35.1.24 M	May 81 Sep 82
PASSING STRING ARGUMENTS TO ALRS - PATCH U FOR SINGLE USER BAREVISION TO PATCH "T" FOR SINGLE USER BASIC-11 (REFERENCE SEQ 35.1.24 M)	ASIC-11	35.1.25 M 35.1.26 M	Sep 82 Oct 82
USING "CHAIN" WITH "COMMON" MAY CAUSE SYSTEM CRASH - PATCH "V" FOR BASIC-11		35.1.27 M	Oct 82
UTILITIES		25 0 1 W	W 00
CONVERSION PROGRAM BASIC-11/RT-11 V2 CONVERSION PROGRAM PATCH 1		35.2.1 M+ 35.2.2 M+	Mar 80 Mar 80
DOCUMENTATION OVERLAYING WHILE IN A SUBROUTINE		35.3.1 R+	Mar 80
OPERATION OF CTRLC, RCTRLC AND SYS(6) FUNCTIONS AND THE CTRL/C COMMAND OPERATION OF OLD, RUN, CHAIN, AND OVERLAY WHEN THE SPECIFIED	FTLF	35.3.2 N+	Mar 80
IS NOT FOUND CREATING AND ACCESSING VIRTUAL ARRAY FILES		35.3.3 N+ 35.3.4 N+	Mar 80 Mar 80
STORAGE OF THE NULL CHARACTER IN STRING VARIABLES AND VIRTUAL STRING ARRAYS	L	35.3.5 N+	Mar 80
USE OF COMPILE COMMAND		35.3.6 N+	Mar 80
STRING MANIPULATION IN ASSEMBLY LANGUAGE ROUTINES MAXIMUM ARRAY SUBSCRIPT SIZE		35.3.7 N+ 35.3.8 N+	Mar 80 Mar 80
NEW MANUAL AVAILABLE FOR BASIC-11/RT-11		35.3.9 N	May 81
MicroPower/Pascal V	1.0		
ANNOUNCING MICROPOWER/PASCAL V1.0 BUILDING AN APPLICATION THAT USES THE FILE SYSTEM		37.1.1 N 37.1.2 M	Apr 82 May 82
COMPILER			
INCORRECT PASCAL DEFINITION OF THE PCB RECORD CHANGE IN DATA TYPE STRUCTURE_DESC IN PASCAL INCLUDE FILE		37.5.1.7 N 37.5.1.8 N	Nov 82 Nov 82
MicroPower/Pascal V1.1			
MISCELLANEOUS NOTES ANNOUNCING MicroPower/Pascal V1.1		37.1.1.1 N	Sep 82
MIB MIB MAY GIVE A HARDWARE READ ERROR DURING KERNAL INSTALLATION	Ň	37.3.3.1 N	Aug 82
PAXM/PAXU/KERNAL			
SERA REQUEST FOR DISCONNECT MAY FAIL IN A MAPPED SYSTEM			
		37.4.1.1 N	Aug 82
ILLEGAL ADDRESS ARGUMENT CAN CAUSE UNPREDICTABLE RESULTS DISPATCH TO UNMAPPED STACK OVERFLOW EXCEPTION IS INCORRECT		37.4.1.1 N 37.4.1.2 N 37.4.1.3 N	Aug 82 Aug 82 Aug 82
DISPATCH TO UNMAPPED STACK OVERFLOW EXCEPTION IS INCORRECT STOPPED PROCESSES ARE PLACED IN THE INACTIVE QUEUE	FDAME	37.4.1.2 N 37.4.1.3 N 37.4.1.4 N	Aug 82 Aug 82 Aug 82
DISPATCH TO UNMAPPED STACK OVERFLOW EXCEPTION IS INCORRECT STOPPED PROCESSES ARE PLACED IN THE INACTIVE QUEUE PROCESS ON INACTIVE QUEUE DOES NOT HAVE POINTER TO EXCEPTION DISCONNECT FROM INTERRUPT REQUEST MAY CORRUPT KERNEL FREE POOR TO BE A CORRUPT OF THE PROCESS OF THE PROCESS OF T	<i>,</i> ,,	37.4.1.2 N 37.4.1.3 N	Aug 82 Aug 82
DISPATCH TO UNMAPPED STACK OVERFLOW EXCEPTION IS INCORRECT STOPPED PROCESSES ARE PLACED IN THE INACTIVE QUEUE PROCESS ON INACTIVE QUEUE DOES NOT HAVE POINTER TO EXCEPTION	<i>,</i> ,,	37.4.1.2 N 37.4.1.3 N 37.4.1.4 N 37.4.1.5 N	Aug 82 Aug 82 Aug 82 Aug 82
DISPATCH TO UNMAPPED STACK OVERFLOW EXCEPTION IS INCORRECT STOPPED PROCESSES ARE PLACED IN THE INACTIVE QUEUE PROCESS ON INACTIVE QUEUE DOES NOT HAVE POINTER TO EXCEPTION DISCONNECT FROM INTERRUPT REQUEST MAY CORRUPT KERNEL FREE POCMULTIPLE EXCEPTIONS IN A PROCESS CAN CAUSE UNPREDICTABLE RESUUNMAPPED, MIXED ROM/RAM POWER-UP IS INCORRECT PASCAL COMPILER	<i>,</i> ,,	37.4.1.2 N 37.4.1.3 N 37.4.1.4 N 37.4.1.5 N 37.4.1.6 N 37.4.1.7 N 37.4.1.8 N	Aug 82 Aug 82 Aug 82 Aug 82 Sep 82 Sep 82 Nov 82
DISPATCH TO UNMAPPED STACK OVERFLOW EXCEPTION IS INCORRECT STOPPED PROCESSES ARE PLACED IN THE INACTIVE QUEUE PROCESS ON INACTIVE QUEUE DOES NOT HAVE POINTER TO EXCEPTION DISCONNECT FROM INTERRUPT REQUEST MAY CORRUPT KERNEL FREE POOMULTIPLE EXCEPTIONS IN A PROCESS CAN CAUSE UNPREDICTABLE RESUUNMAPPED, MIXED ROM/RAM POWER-UP IS INCORRECT PASCAL COMPILER CONFORMANT ARRAYS AND SINGLE CHARACTER LITERALS	<i>,</i> ,,	37.4.1.2 N 37.4.1.3 N 37.4.1.4 N 37.4.1.5 N 37.4.1.6 N 37.4.1.7 N 37.4.1.8 N	Aug 82 Aug 82 Aug 82 Aug 82 Sep 82 Sep 82 Nov 82
DISPATCH TO UNMAPPED STACK OVERFLOW EXCEPTION IS INCORRECT STOPPED PROCESSES ARE PLACED IN THE INACTIVE QUEUE PROCESS ON INACTIVE QUEUE DOES NOT HAVE POINTER TO EXCEPTION DISCONNECT FROM INTERRUPT REQUEST MAY CORRUPT KERNEL FREE POOMULTIPLE EXCEPTIONS IN A PROCESS CAN CAUSE UNPREDICTABLE RESUUNMAPPED, MIXED ROM/RAM POWER-UP IS INCORRECT PASCAL COMPILER CONFORMANT ARRAYS AND SINGLE CHARACTER LITERALS FORMAL PARAMETER LISTS WITH DEFAULT VALUES ATTRIBUTE [CONTEXT(MMU)] DOES NOT WORK	ULTS	37.4.1.2 N 37.4.1.3 N 37.4.1.4 N 37.4.1.5 N 37.4.1.6 N 37.4.1.7 N 37.4.1.8 N 37.5.1.1 N 37.5.1.2 N 37.5.1.3 N	Aug 82 Aug 82 Aug 82 Aug 82 Sep 82 Sep 82 Nov 82 Aug 82 Aug 82 Aug 82
DISPATCH TO UNMAPPED STACK OVERFLOW EXCEPTION IS INCORRECT STOPPED PROCESSES ARE PLACED IN THE INACTIVE QUEUE PROCESS ON INACTIVE QUEUE DOES NOT HAVE POINTER TO EXCEPTION DISCONNECT FROM INTERRUPT REQUEST MAY CORRUPT KERNEL FREE POOMULTIPLE EXCEPTIONS IN A PROCESS CAN CAUSE UNPREDICTABLE RESUUNMAPPED, MIXED ROM/RAM POWER-UP IS INCORRECT PASCAL COMPILER CONFORMANT ARRAYS AND SINGLE CHARACTER LITERALS FORMAL PARAMETER LISTS WITH DEFAULT VALUES ATTRIBUTE [CONTEXT(MMU)] DOES NOT WORK ACCESSING UP-LEVEL LOCAL VARIABLES FROM [TERMINATE] PROCEDURE	ULTS	37.4.1.2 N 37.4.1.3 N 37.4.1.4 N 37.4.1.5 N 37.4.1.6 N 37.4.1.7 N 37.4.1.8 N	Aug 82 Aug 82 Aug 82 Aug 82 Sep 82 Sep 82 Nov 82 Aug 82 Aug 82
DISPATCH TO UNMAPPED STACK OVERFLOW EXCEPTION IS INCORRECT STOPPED PROCESSES ARE PLACED IN THE INACTIVE QUEUE PROCESS ON INACTIVE QUEUE DOES NOT HAVE POINTER TO EXCEPTION DISCONNECT FROM INTERRUPT REQUEST MAY CORRUPT KERNEL FREE POOMULTIPLE EXCEPTIONS IN A PROCESS CAN CAUSE UNPREDICTABLE RESUUNMAPPED, MIXED ROM/RAM POWER-UP IS INCORRECT PASCAL COMPILER CONFORMANT ARRAYS AND SINGLE CHARACTER LITERALS FORMAL PARAMETER LISTS WITH DEFAULT VALUES ATTRIBUTE [CONTEXT(MMU)] DOES NOT WORK	ULTS	37.4.1.2 N 37.4.1.3 N 37.4.1.4 N 37.4.1.5 N 37.4.1.6 N 37.4.1.7 N 37.4.1.8 N 37.5.1.1 N 37.5.1.2 N 37.5.1.3 N	Aug 82 Aug 82 Aug 82 Aug 82 Sep 82 Sep 82 Nov 82 Aug 82 Aug 82 Aug 82

Component	Autopatch Kit	Sequence	Mon/Yr
OTS			
KEF-11 FLOATING POINT STATUS WORD IS INCORRECTLY INITIALIZED		37.6.1.1 N	Aug 82
THE NATURAL LOG FUNCTION RETURNS INCORRECT RESULTS		37.6.1.2 N	Aug 82
UROUND AND UTRUNC FUNCTIONS DO NOT WORK CORRECTLY		37.6.1.3 N	Nov 82
PACK AND UNPACK FUNCTIONS ARE MISSING FROM THE OTS LIBRARY		37.6.1.4 N	Nov 82
XL (SERIAL LINE) DRIVER		0 4 4 11	. 00
ERROR IN "DISCONNECT TRANSMIT RING BUFFER" FUNCTION		37.8.1.1 N	Aug 82
BLOCK MODE READ REQUEST RETURNS INCORRECT DATA		37.8.1.2 N	Aug 82
DOCUMENTATION			
RENAMING LIBXXX.OBJ TO SYSLIB IS NO LONGER RECOMMENDED		37.10.1.1 N	Sep 82
RENAMING COMM.SML OR COMU.SML TO SYSMAC.SML IS NO LONGER RECO	MMENDED	37.10.1.2 N	Sep 82
PROCESSOR JUMPERS FOR POWER-UP MODES SHOWN ON PAGE 1-4 OF THE			•
MicroPower/Pascal INSTALLATION GUIDE ARE INCORRECT		37.10.1.3 N	Sep 82
MicroPower/Pascal V1.0 SYSTEM USER'S GUIDE DOES NOT GIVE FULL	•	27 42 4 11 11	g 00
INFORMATION ON THE LINDF\$ MACRO FIELDS		37.10.1.4 N	Sep 82
DLV-11 PREFIX MODULE EXAMPLE SHOWS INCORRECT CSR		37.10.1.5 N	Sep 82
MU BASIC-11/RT V2.1			
INTERPRETER			
MU BASIC V2.1 MAINTENANCE RELEASE AVAILABLE			Mar 82
UNWARRANTED ISSUANCE OF "TOO MANY CHANNELS" ERROR - PATCH A F	OR		
MULTI-USER BASIC-11		38.1.1 M	Jul 82
"ERR" VALUE IMPROPERLY UPDATED WHEN USING "ON ERROR GOTO nnnn	nn" –		
PATCH B TO MULTI-USER BASIC-11	00003#	38.1.2 M	Jul 82
"RESEQ" FOLLOWING "DEL nnnnn" RESULTS IN "Mon-F-Trap to 10 00 PATCH C TO MULTI-USER BASIC-11	J0002** -	38.1.3 M	Jul 82
PROGRAMS RETRIEVED USING "OLD filename" OR "RUN filename"		304143	041 01
ARE SOMETIMES CORRUPTED - PATCH "D" FOR MU BASIC-11		38.1.4 M	Sep 82
IMPROPER FILE EXTENSION CREATED FOR COMPILED FILES WHEN MU BA			
IS CONFIGURED FOR DOUBLE-PRECISION - PATCH "E" FOR MU BASIC	:-11	38.1.5 M	Sep 82
REVISION TO PATCH "F" FOR MULTI-USER BASIC-11		38.1.6 M	Oct 82
PROBLEMS DEASSIGNING PREVIOUSLY ASSIGNED TERMINAL - PATCH "G" FOR MU BASIC-11		38.1.7 M	Oct 82
FAICH "G" FOR MU DASIC-II		30.1.1 H	000 02
FORTRAN IV/RT-11 V2.	5		
COMPILER		h= 1 1 M	Sep 80
ANNOUNCING PDP-11 FORTRAN IV/RT-11 V2.5 THE COMPILER INCORRECTLY PARSES SOME EXPRESSIONS IN I/O LISTS	S A	45.1.1 N 45.1.2 M	Nov 80
THE COMPILER INCORRECTLY CONVERTS INTEGER TO BYTE IN) A	77.1.2 11	NOV OO
LOGICAL EXPRESSIONS	A	45.1.3 M	Nov 80
THE COMPILER GENERATES INCORRECT CODE FOR EQUIVALENCED ARRAYS	}		
(PAT 12)	D	45.1.4 M	Sep 81
THE COMPILER INCORRECTLY INTERPRETS COMMENTS WITH TABS (PAT 1		45.1.5 M	Nov 81
MISSING END IN MAIN PROGRAM CAN CAUSE COMPILER CRASH (PAT 18)	E	45.1.6 M	Nov 81
THE COMPILER INCORRECTLY OPTIMIZES ARRAY ELEMENTS PASSED AS ARGUMENTS (PAT 20)	E	45.1.7 M	Dec 81
THE COMPILER INCORRECTLY PARSES PARENTHESES IN QUOTED STRINGS	-	.54.141	200 0
(PAT 21)	E	45.1.8 M	Jan 82
THE COMPILER CRASHES WHILE ACCESSING AN ODD ADDRESS IN PAT 12) :		
(PAT 22)	E	45.1.9 M	Jan 82
CORRECTION FOR CONTINUATION LINES PRECEEDED BY COMMENTS (PAT		45.1.10 M	Apr 82
BOUNDS CHECKING OF INTERNAL BUFFER IN OPTIMIZER (PAT 29)	G	45.1.11 M	Jun 82
COMPILER HANGS WHEN ERRORS OCCUR IN STATEMENT FUNCTIONS (PAT	31) G	45.1.12 M	Jun 82
INCORRECT BYTE TO INTEGER CONVERSION COMPILER GENERATES FATAL ERROR IN REGISTER ALLOCATOR		45.1.13 M 45.1.14 M	Aug 82 Aug 82
COMPLIED GENERALES LATHE GRAND IN MEGISTER APPROPRIATE		77.1.17 E	HAP OF
OTS			
THE OTS DOES NOT SET DEFAULT CARRIAGE CONTROL FOR SERIAL			
LINE PRINTER	В	45.2.1 M	Jan 81
THE LUN IS NOT SAVED WHEN AN ERROR OCCURS WHILE OPENING A FIL	E B	45.2.2 M	Jul 81
PATCH TO ALLOW THE PLACEMENT OF THE FORTRAN OTS WORK AREA			
BETWEEN THE PROGRAM'S HIGH LIMIT AND THE BASE OF THE FIRST VIRTUAL OVERLAY FOR PRIVILEGED FORTRAN JOBS	В	45.2.3 F	Feb 81
BOUNDARY CONDITION ON FORMATTED I/O CORRUPTS I/O (PAT 6)	В	45.2.4 M	Mar 81
SUMBLE CONDITION ON TORRESTED I/O CORRECTED I/O (IRI U)	5	· *** * * * * * * * * * * * * * * * * *	

Component	Autopatch Kit	Sequence	Mon/Yr
DEFAULT CARRIAGE CONTROL FOR IMPLIED SEQUENTIAL ACCESS			
FILES (PAT 7) STANDALONE FORTRAN YIELDS RUN-TIME ERROR 64 (PAT 8) DISPOSE = 'KEEP' NOT RECOGNIZED WITH READONLY OPEN PARAMETER		45.2.5 M 45.2.6 M	Jul 81 Apr 81
THE DATE ROUTINE DOES NOT PERMIT BYTE ALIGNED PARAMETERS (PAIMPLICIT READ FAILURE MAY HALT PROCESSOR (PAT 11) FPU DOUBLE PRECISION SINE/COSINE MODULE ERRORS (PAT 13) EMBEDDED BLANKS OVERIDE THE ICNT PARAMETER IN THE ASSIGN ROUTINE DEFAULT CARRIAGE CONTROL FOR THE ASSIGN ROUTINE IS INCORRECTION FOR UNIT CLOSING (PAT 16) LIST DIRECTED INPUT CONVERSION ERROR (PAT 19) BOUNDARY CONDITION ON FORMATTED I/O CORRUPTS I/O IN PAT 6 (PAT 10) BOUNDARY CONDITION ON FORMATTED I/O BACKSPACE CORRUPTS I/O CORRECTION OF ASSIGN FILENAME HANDLING WHEN ICNT EQUALS ZERO CONVERSION ERROR WHILE READING COMPLEX NUMBER FROM FILE (PAT CORRECTION TO ALLOW CLOSING OF UNIT RECORD DEVICES (PAT 28) PREMATURE CLEARING OF ERR= BRANCH WHEN EOF IS ENCOUNTERED (PAULOBYT PREMATURELY DETERMINES END OF BLOCK (PAT 32) INVALID DATA IS ACCEPTED DURING LIST DIRECTED I/O	C D D C C D C C C C C C C C C C C C C C	45.2.7 M 45.2.8 M 45.2.9 M 45.2.10 M 45.2.12 M 45.2.13 M 45.2.14 M 45.2.16 M 45.2.16 M 45.2.18 M 45.2.18 M 45.2.1 M 45.2.2 M	Jul 81 Jul 81 Jul 81 Sep 81 Oct 81 Nov 81 Dec 81 Feb 82 Feb 82 Feb 82 Jun 82 Jun 82 Jun 82 Jul 82 Nov 82
GAMMA V3.1			
FGAMMA-FRAMES 3 TO 10 OF GSA STUDY SOMETIMES CORRUPT		49.2.1 M	Jul 81
SYSTEM MAY HANG WHEN DISK SQUEEZED STATIC STUDIES ON LARGE DEVICES		49.2.2 M 49.2.3 M	Oct 81 Jan 82
STATIC STUDY ACQUISITION ON LARGE DEVICES		49.4.1 M	Jan 82
ISOMETRIC DISPLAY IMAGES USE INCORRECT INTENSITY LEVELS		49.5.1 M	Oct 81
SLICE - LAST POINT IS NOT PLOTTED SLICE - <cr>, <lf> NOT ISSUED AFTER PRINTING SLICE DATA</lf></cr>		49.5.2 M 49.5.3 M	Nov 81 Jan 82
DYNAMIC CURVE RECALCULATION IN REGIONS OF INTEREST		49.5.4 M	Aug 82
TRANSFER STUDY IN SELECTIVE STEP MODE		49.8.1 F	Mar 82
GAMMA-11 DOCUMENTATION CORRECTIONS AND ADDITIONS		49.10.1 N	Mar 82
PATCHING THE RT-11 MONITOR FOR GAMMA-11		49.11.1 M	Nov 81
ERROR IN THE BASIC SUPPORT ROUTINE GPMR ERRORS IN THE BASIC SUPPORT ROUTINES GPLR AND GPF		49.12.1 M 49.12.2 M	Aug 82 Aug 82
ERROR IN FORTRAN SUPPORT SUBROUTINE GPMR		49.13.1 M	Mar 82
ERRORS IN THE FORTRAN SUPPORT ROUTINES GPLR AND GPF		49.13.2 M	Mar 82
CTS-300 V6.0			
DBUILD			
CORRECTION FOR THREE DECFORM PROBLEMS		51.2.1 M	Oct 81
DECFORM PROBLEM WITH DECFORM AND THE VT100		51.4.1 M	Nov 80
CORRECTION FOR THREE DECFORM PROBLEMS DECFORM WITH VT100 TERMINAL CAUSES BAD CHARACTER ON		51.4.2 M	Oct 81
TYPE-AHEAD		51.4.3 M	Nov 81
DIBOL			
TWO CORRECTIONS TO XCALL PAK/UNPAK		51.5.1 M	Aug 81
DICOMP FOUR DICOMP ERRORS FIXED		51.6.1 M	00+ 04
DKED		J1.U.1 M	Oct 81
TWO PROBLEMS WITH DKED		51.7 M	Aug 80
DKED SELECT/CUT AND KEYPAD ERRORS DKED INCORRECTLY HANDLES CONTINUED LINES		51.7.2 M	Sep 80
POSSIBLE BOTTOM OF SCREEN CORRUPTION USING DKED		51.7.3 M 51.7.4 M	Oct 81 May 82
			- "

Component	Autopatch Kit	Sequence	Mon/Yr
ISMUTL CORRECTIONS FOR ISAM UTILITY ERRORS ISMUTL GIVES INCORRECT ERROR MESSAGES IF INSUFFICIENT MEMORY	AVAILABLE	51.8.1 M 51.8.2 M	Nov 81 Apr 82
LPTSPL TSD SPOOLER GETS CONFUSED		51.9.1 M	Nov 80
SORTM SORT SENDS MESSAGES INDISCRIMINATELY		51.14.1 M	Jan 81
CORRECTIONS TO DIBOL RUN TIME SYSTEMS PROBLEMS WITH XCALL RENAM AND ERROR 6 NO ERROR 22 RETURNED DIBOL STACK OVERFLOW ON OPEN PROBLEMS WITH STACK OVERFLOW AND INCREMENT SUD MESSAGES OVER 100 CHARACTERS IN LENGTH ARE NOT RECEIVED CORRECTLY ISAM FILE RECORD COUNT REVERTS TO 0 A SUD PROGRAM DOING AN XCALL MAY RESULT IN A TRAP TO 4 OR 10 ERRORS IN DATA FORMATTING WITH MASK		51.16.1 M 51.16.2 M 51.16.3 M 51.16.4 M 51.16.5 M 51.16.6 M 51.16.7 M 51.16.8 M 51.16.9 M	Jan 81 Feb 81 Nov 81 Nov 81 Dec 81 Feb 82 Apr 82 Jul 82 Oct 82
TDIBOL PROBLEM WITH XCALL PAK PROBLEM UNPACKING DATA TWO CORRECTIONS TO XCALL PAK/UNPAK		51.17 M 51.17.2 M 51.17.3 M	Aug 80 Sep 80 Aug 81
CORRECTIONS TO DIBOL RUN TIME SYSTEMS PROBLEMS WITH XCALL RENAM AND ERROR 6 INCORRECT TERMINAL WIDTHS AND CIS PROBLEM CORRECTION TO TSD/XMTSD CORRECTION FOR ISAM PROBLEM "SEND" STARTS MULTIPLE JOBS NO ERROR 22 RETURNED DIBOL STACK OVERFLOW ON OPEN PROBLEMS WITH STACK OVERFLOW AND INCREMENT CORRECTION FOR SIDE EFFECTS FROM PATCH 27 LINE PRINTER IS SOMETIMES INCORRECTLY CONSIDERED IN USE ISAM FILE RECORD COUNT REVERTS TO 0 TSD AND XMTSD HANG AFTER ATTEMPT TO ILLEGALLY START UP JOB ERRORS IN DATA FORMATTING WITH MASK		51.18.1 M 51.18.2 M 51.18.3 M 51.18.4 M 51.18.5 M 51.18.6 M 51.18.7 M 51.18.8 M 51.18.9 M 51.18.10 M 51.18.11 M 51.18.12 M 51.18.13 M 51.18.13 M	Jan 81 Feb 81 Aug 81 Sep 81 Oct 81 Nov 81 Nov 81 Dec 81 Feb 82 Feb 82 Apr 82 Oct 82
CONFLICT BETWEEN XMTSD AND RT-11 OVER CHANNEL 16 CORRECTIONS TO DIBOL RUN TIME SYSTEMS PROBLEMS WITH XCALL RENAM AND ERROR 6 PATCH FOR XMTSD WITH CIS INCORRECT TERMINAL WIDTHS AND CIS PROBLEM XMTSD HANGS WHEN LP IS OFF-LINE CORRECTION TO TSD/XMTSD CORRECTION FOR ISAM PROBLEM "SEND" STARTS MULTIPLE JOBS NO ERROR 22 RETURNED DIBOL STACK OVERFLOW ON OPEN PROBLEMS WITH STACK OVERFLOW AND INCREMENT CORRECTION FOR SIDE EFFECTS FROM PATCH 27 LINE PRINTER IS SOMETIMES INCORRECTLY CONSIDERED IN USE ISAM FILE RECORD COUNT REVERTS TO 0 XMTSD GIVES INCORRECT ERROR WHEN NO ROOM FOR I/O BUFFER TSD AND XMTSD HANG AFTER ATTEMPT TO ILLEGALLY START UP JOB ERRORS IN DATA FORMATTING WITH MASK		51.20 M 51.20.2 M 51.20.3 M 51.20.4 M 51.20.5 M 51.20.6 M 51.20.7 M 51.20.8 M 51.20.9 M 51.20.10 M 51.20.11 M 51.20.12 M 51.20.13 M 51.20.14 M 51.20.15 M 51.20.16 M 51.20.17 M	Aug 80 Jan 81 Feb 81 Apr 81 Aug 81 Sep 81 Oct 81 Nov 81 Nov 81 Dec 81 Feb 82 Feb 82 Apr 82 Apr 82 Oct 82
DOCUMENTATION CTS-300 VERSION 6 IS RELEASED TWO RT-11 PATCHES MODIFIED FOR CTS-300 USE RT-11 PATCH TO LS.MAC MODIFIED FOR CTS-300 USE ADDITIONS TO CTS-300 DOCUMENTATION ON PRINT UTILITY LIST OF SEQUENCE NUMBERS FOR CTS-300 V6 SOME NOTES ON RT-11 PATCH SEQ 6.13.3 M TO LS.MAC FOR CTS-300	USERS	51.21 N 51.21.2 N 51.21.3 N 51.21.4 N 51.21.5 N 51.21.6 M	Aug 80 Oct 80 Feb 81 Mar 81 Mar 81 Jul 81

Component	Autopatch Kit	Sequence	Mon/Yr
SOME NOTES ON RT-11 PATCH SEQ 6.13.4 M TO LS.MAC FOR CTS-300 SOME NOTES ON RT-11 PATCH SEQ 6.13.5 M TO LS.MAC FOR CTS-300 AVOIDING POSSIBLE PROBLEM WITH ISAM FILES SOME NOTES ON RT-11 PATCH SEQ 6.13.6 M TO LS.MAC FOR CTS-300 RESTRICTION FOR CTS-300	USERS	51.21.7 N 51.21.8 N 51.21.9 N 51.21.10 N 51.21.11 R	Aug 81 Aug 81 Dec 81 Feb 82 Apr 82
LS.MAC SPECIAL CTS-300 PATCH FOR LS.MAC CORRECTION TO CTS-300 PATCH 11 (SEQ 51.23.1 M) TO LS.MAC		51.23.1 M 51.23.2 M	Feb 81 Jun 81
SYSTBL.CND RT-11 PATCH TO SYSTBL.CND MODIFIED FOR CTS-300 USE		51.25.1 M	Mar 81
RT-11 PATCH SEQ 10.3.2 M TO SYSTBL.CND MODIFIED FOR CTS-300 USE RT-11 PATCH SEQ 10.3.3 M TO SYSTBL.CND MODIFIED		51.25.2 M	Apr 81
FOR CTS-300 USE		51.25.3 M	May 82
CTS-300 V7.0			
DOCUMENTATION			
CTS-300 VERSION 7 IS RELEASED XMTSD RUN-TIME SYSTEM SIZE		52.1.1 N 52.1.2 N	Apr 82 Jun 82
CHANGING THE DEFAULT TIME SLICE VALUE FOR XMTSD RELINK DIBOL PROBLEMS FOR CTS-300 V7		52.1.3 N 52.1.4 N	Jun 82 Jun 82
PATCH LEVEL FOR KED/K52 CLARIFIED		52.1.5 N	Aug 82
NO ROOM FOR SOME BACKGROUND JOBS UNDER CTS-300 V7 CTS-300 AUTOPATCH KIT A PATCH LEVEL		52.1.6 N 52.1.7 N	Nov 82 Nov 82
DIBOL RUN-TIME SYSTEMS			
PATCH 5: VARIOUS TSD AND XMTSD PROBLEMS PATCH 6: ISAM FILE RECORD COUNT REVERTS TO 0		52.3.1 M	Jun 82
PATCH 0: ISAM FILE RECORD COUNT REVERTS TO 0 PATCH 11: TWO RUN-TIME SYSTEM ERRORS		52.3.2 M 52.3.3 M	Jun 82 Oct 82
PATCH 13: TWO PROBLEMS: ISAM STORE/WRITE AND LPQUE STATEMENT PATCH 18: RUN-TIME SYSTEM PROBLEMS WITH USR LOCKED.	r	52.3.4 M	Oct 82
COMPILATION ERRORS		52.3.5 M	Nov 82
DIBOL/TDIBOL PATCH 2: POSSIBLE INCORRECT RESULTS FROM THE INSTR ROUTINE		52.4.1 M	Apr 82
DICOMP V07-00 PATCH 164 CONDITIONAL COMPILATION EDDOR AND NO EDDOR FOR LA	DAR DEGODD	50 5 4 W	
PATCH 16: CONDITIONAL COMPILATION ERROR, AND NO ERROR FOR LA	IRGE RECORD	52.5.1 M	Nov 82
DKED PATCH 8: POSSIBLE BOTTOM OF SCREEN CORRUPTION USING DKED		52.6.1 M	Jul 82
ISMUTL			
PATCH 15: RUNNING ISMUTL IN AUTO-CREATE MODE		52.7.1 M	Oct 82
TSD LINE PRINTER SPOOLER PATCH 12: LINE PRINTER SPOOLER PROBLEMS WITH DELETE AND /FLU	iou	E2 0 1 W	0-+ 00
	oon	52.9.1 M	Oct 82
ERMSG.TXT PATCH 9: INCORRECT ERROR MESSAGES FOR SORT IN ERMSG.TXT		52.10.1 M	Jul 82
DIBOL SORT			
PATCH 7: ERROR RECEIVED WHEN PERFORMING A LEGAL SORT		52.14.1 M	Jul 82
MACRO SORT	wa	50 45 4 4	
PATCH 1: TWO SORT PROBLEMS EMERGE UNDER CERTAIN CONFIGURATION PATCH 3: SINGLE USER SORT MAY LEAVE TEMPORARY FILES ON DISK	CNI	52.15.1 M 52.15.2 M	Jun 82 Jul 82
PATCH 10: TWO MACRO SORT PROBLEMS PATCH 17: PROBLEMS WITH HANDLING ERRORS IN SORT COMMAND FILE		52.15.3 M 52.15.4 M	Aug 82 Nov 82
		JC. 1J.7 17	NOV 02
SYSTBL.CTS PATCH 4: TERMINAL OUTPUT CORRUPTION ON DZ11 OR DZV11 LINES		52.16.1 M	Jun 82
LS.CTS			
PATCH 14: PROBLEMS WITH LS HANDLER		52.17.1 M	Oct 82

Component	Autopatch Kit	Sequence	Mon/Yr
CTS-300 DICAM (3271) V3.1			
INCORRECT ACK SENT IN CONVERSATIONAL MODE LOOP WHEN CLOSE IS ISSUED WITH OUTSTANDING I/O REQUESTS		55.1.1 M 55.1.2 M	Jul 81 Jul 81
CTS-300 RDCP (2780/3780)) V2.0		
ABNORMAL TERMINATION AND LISTING PROBLEMS SUBSCRIPT ERROR IN RDCP EDITOR MEMORY CORRUPTION PROBLEM		56.1.1 M 56.1.2 M 56.1.3 M	Dec 80 Dec 80 Dec 80
DECtype-300 V1.1			
REPEATED USE OF THE PASTE FUNCTION WILL CAUSE AN ERROR 28		57.1.1 M	Jun 82
RGL/FEP			
INVALID LABELS FOR DATA RANGE OF 0.1 TO 1.0 ERROR CALLING LOCATE, LFIXED OR LFREE TWICE IN SUCCESSION		58.1.1 M 58.1.2 M	Aug 82 Aug 82
RT-11/FORTRAN ENHANCEMENT PACKAGE	E for MINC (FEP)		
INVALID LABELS FOR DATA RANGE OF 0.1 TO 1.0 ERROR CALLING LOCATE, LFIXED FOR LFREE TWICE IN SUCCESSION		59.1.1 M 59.1.2 M	Aug 82 Aug 82
REAL-11/MNC UNDEFINED GLOBAL DRSW10 IN MNCLIB		59.4.1 M	Jul 82
DATA SENT BY THE MAIN PROGRAM IS CORRUPTED BY THE SRQ ROUTINE IBSRQ SKIPS INSTRUMENT ADDRESS IF SRQ ROUTINE DEFAULTED SRQ ROUTINE AND TIMEOUT VALUE NOT CLEARED ON EXIT SYSTEM CRASHES IF THE IB DRIVER IS NOT LOADED CAN'T SPECIFY TALKER WHEN LISTENERS DEFAULTED, AND INCORRECT CANNOT USE SECONDARY ADDRESSES IN RANGE 96. to 126.		59.5.1 M 59.5.2 M 59.5.3 M 59.5.4 M 59.5.5 M 59.5.6 M	Jul 82
QUILL V1.0			
QUILL.SAV/TSD PATCH 1: PRIMARY FILE BLOCK COUNT PROBLEM		60.1.1 F	Nov 82
QBUILD.SAV/TSD PATCH 2: QBUILD WORK FILE SIZE ALLOCATION		60.2.1 F	Nov 82

DIGITAL SOFTWARE LICENSING



DATA SHEET

Digital protects its investment in software by treating software as proprietary information. We do not transfer ownership of software to our customers—we license them to use our software under the terms and conditions of our various software license agreements.

Key principles of the terms and conditions of Digital software binary license agreements are:

- Customers must have a binary license to use any of our binary software products.
- A Binary License allows ONE customer to run ONE software product on the CPU on which the software is first installed.
- Digital retains title and ownership.
- Software may only be transferred to another party with written permission from Digital.
- A customer may reproduce the software, if necessary, but only for use on the specific CPU licensed to use that software.
- The use of an update version of the software on the same CPU licensed to use the product requires that the customer purchase a software update option if out of warranty or not covered by a software service contract.

HOW A CUSTOMER OBTAINS A BINARY LICENSE

A customer obtains a Digital binary license upon execution of the transactions described below:

- Accepting Digital's standard terms on the customer's purchase order
- Referencing a Digital quotation number on the face of the purchase order
- Executing the binary license agreement and returning it to Digital (usually only executed for a transfer or if no license is apparent)

OEM and other volume customers can reference a valid Digital purchasing agreement on their purchase orders. These agreements include:

- · Quantity Discount Agreement (QDA)
- OEM Contract
- GSA Contract
- Master Agreement containing the applicable software licensing clause.
- Purchase and Sales agreement containing the appropriate licensing clause.

DIGITAL-SUPPORTED BINARY LICENSE OPTION

This is a standard binary license that includes media, manuals, documentation and warranty packaged together. A 90 day warranty, as specified in the SPD Addendum, is the support received (unless different warranty conditions are specified in the SPD).

CUSTOMER-SUPPORTED BINARY LICENSE OPTION

This is a standard binary license which includes media, manuals, documentation but no warranty support. It is only offered when a Digital-supported license option is not offered.

LICENSE-ONLY OPTION

A license only option is a standard binary license, but has no media, manuals, documentation or support. Software products can be ordered at a considerable cost reduction but the customer must have first purchased a previous license with media for that software product.

The license-only option is a one time right to copy. It is a license to run a single software product on one additional specific CPU using a copy of the software the customer made from the original licensed product. Customers can order additional copies of the documentation.

OUT-OF-WARRANTY UPDATE OPTION

A customer with a binary license may order a product update for each licensed CPU. An additional fee is charged for each product update or for each one time right to copy update for each licensed CPU.

CPU BACKUP LICENSE PROVISION

There is a specific provision that permits customers to use the software on another processor should the licensed machine be inoperative. This provision is intended to allow customers whose computer is "down" to use another machine while theirs is being repaired. This provision does not permit the use of the software on a "HOT" backup unless a second license is obtained.

SOURCE LICENSING

Sources in machine readable, listing or microfiche form are only available on selected products when specified on a Software Product Description. A source license agreement is required and must be approved by the Digital Contracts Department.

MODIFICATION TO DIGITAL LICENSED SOFTWARE

Modification made to Digital-licensed software does not exempt the software product from Digital licensing or sublicensing terms and conditions or from payment of licensing fees to Digital. Every line of code from a software product falls under the terms and conditions of the license. Only those modifications that are not part of the original software are the customer's property.

LICENSE TRANSFER

Digital's licensing agreement does not allow the transfer of software from one end user to another or from one CPU to another without prior permission from Digital.

OEM SUBLICENSING

SUBLICENSES DEFINED

Sublicenses are contractual agreements between the Digital OEM and the OEM's customers under which the customers are licensed to use Digital's binary software. In the OEM agreement, Digital gives the OEM the right to sublicense, allowing the OEM to provide Digital's binary software without case-by-case permission for use on a system furnished by the OEM.

The OEM is permitted to create a new license and is not required to disclose the identity of its customer to Digital (unless services, etc., from Digital is required). However, for sublicensed software, Digital must always receive a license fee from the OEM.

A sublicense agreement must include the terms and conditions specified in Digital's standard OEM terms and conditions of sale, in addition to whatever added value the OEM might include in the agreement. Digital supplies a sample sublicense for the OEM to use in conjunction with or integrated into the OEM's sale agreement.

The OEM must always obtain a signed sublicense agreement from its customer before any Digital software is furnished to the customer.

OEM USE OF BINARY LICENSED SOFTWARE

A Digital OEM, in addition to being able to use the Digital licensed software on a backup machine in the case of a CPU malfunction, may also use the software on CPU's intended for resale, provided that:

- the OEM possesses the CPU; or
- the OEM uses software on only one additional CPU at a time.

This provision permits OEMs to integrate their software system before selling or shipping it. The OEM must sublicense the software to the purchaser of the system.

SUBLICENSE VS. LICENSE

A sublicense includes the same rights and responsibilities as a direct license from Digital.

The principal difference between a sublicense and a license is warranty and/or support services. The OEM who purchases a product with services owns and receives the service directly. However, Digital may provide these services to the OEM at the end user's site if requested.



WHY YOU SHOULD JOIN DECUS

- SYMPOSIA
- PROGRAM LIBRARY
- TECHNICAL PUBLICATIONS
- SPECIAL USER GROUPS

DECUS (the Digital Equipment Computer Users Society), a worldwide association of customers and employees, provides a forum for the exchange of useful information, new program packages, and other innovations among those who use and supply the products of Digital Equipment Corporation.

Founded in 1961, DECUS is one of the largest and most active associations of its type in the world. Its objectives are to advance the effective utilization of computers, computer peripheral equipment, and software manufactured and marketed by Digital Equipment Corporation, by promoting the interchange of information concerning their uses; advance the art of computation through mutual education and exchange of ideas of information; establish standards and provide channels to facilitate the exchange of computer programs among DECUS members; provide feedback to the computer industry on equipment and software needs; and to reduce the duplication of development efforts.

DECUS membership is free--upon application--to owners of DIGITAL computers and to their computer-interested employees. Membership carries important benefits and opportunities; among them are access to the program library; membership in local, regional, and national organizations; invitations to symposia dedicated to optimal use of DIGITAL equipment; opportunity to present papers and workshops on your own new ideas; and, finally, access to special interest groups dedicated to particular uses, languages, operating systems, and hardware configurations.

The program library maintained by DECUS contains over 1700 active software packages written and submitted by members and DIGITAL employees, and available to members for the media fee and reproduction cost only. Programs in the library range from enhanced editors and cross compilers to statistics packages and games. Of particular interest to college and university customers, for example, might be a package of programs for registration, class scheduling, dormitory management, and annual giving records. A laboratory user could take advantage of various statistical packages, or programs that perform Fourier transforms or least squares fitting. There are programs for circuit analysis, resonance simulation, blood-count evaluation, and stress testing, and scores of others which medical, scientific, or engineering customers could employ. Business people can find accounting packages, data analysis and payroll programs among the library's offerings. In addition, of course, there is a wide range of text editing, display graphics, and enhanced utility programs available.

Local, regional, and national DECUS organizations give members the opportunity to meet other DIGITAL customers and employees in an informal setting. From the monthly local meeting to the semiannual national symposium, the members can discuss their ideas, can learn what others are doing, and can give DIGITAL feedback necessary in improvement and future development of important products. Often, the national meetings in the various countries also provide the stage for major new product announcements by the company, and a showplace for interesting developments, in both hardware and software technology. At any meeting a member might describe ideas and programs he has implemented, or fine tuning that has been achieved for a particular application. Members give papers, participate in panel discussions, lead workshops, or conduct demonstrations for the benefit of other members.

DECUS also publishes newsletters focusing on special interest, technical books that contain the compilation of symposia presentations; and a society newsletter.

Many members derive a particular benefit from joining DECUS Special Interest Groups. Special Interest Groups often meet as subsets of regional and national meetings, or they may meet on their own, to discuss their special interest. Here, all RSTS/E users; or everyone interested in COBOL, for example, can have a chance to get together and discuss topics of mutual importance. At present there are more than 20 Special Interest Groups (SIGs) in the U.S. alone. Many of the SIGs print newsletters and disseminate valuable technical information to members. The SIGs really are the front-line of mutual help and problem solving.

DIGITAL provides DECUS with administrative personnel and office space around the world, but the organization is run by its members, who act as speakers for conferences, planners for meetings, editorial and production talent for newsletters and minutes, and the inventors of the ideas and new programs necessary to keep the library up to date. Belonging to DECUS is a valuable adjunct to owning DIGITAL equipment on both the program exchange and the information exchange fronts.

continued

To obtain a DECUS membership form, complete the form below	w and return it to the appropriate chapter office.
CHAPTER	ADDRESS
AUSTRALIA (Australia, Brunei, Indonesia, Malaysia, New Zealand, Singapore)	DECUS Australia P.O. Box 384 Chatswood NSW 2067 Australia
CANADIAN (Canada)	DECUS Canada P.O. Box 13000 Kanata, Ontario K2K 2A6 Canada
EUROPEAN (Europe, Middle East, North Africa, Russia)	DECUS Europe P.O. Box 510 12, avenue des Morgines CH-1213 Petit-Lancy 1/GE Switzerland
U.S. (U.S. and all other countries)	DECUS U.S. Chapter One Iron Way Marlboro, Massachusetts 01752 U.S.A.
Please send me a DECUS membership form.	
NAME:(First) COMPANY: (INSTALLATION)	(Last/Family Name)
ADDRESS:	
(City, Town, Sta	ate/Province, and Zip/Postal Code)
COUNTRY:	
TELEPHONE:	TELEX
l obtained this form from	

July 1980

SOFTWARE PROBLEMS OR ENHANCEMENTS

Questions, problems, and enhancements to DIGITAL software should be reported on a Software Performance Report (SPR) form and mailed to the SPR Center at one of the following Digital Offices: (SPR forms are available from the SPR Center).

Areas Covered

United States; remainder of Far East, Middle East, Africa Latin America

Canada

United Kingdom, Bahrein, Egypt, Iraq, Jordan, Kuwait, Lebanon, Libya, Qatar, Oman, Saudi Arabia, Syria, United Arab Emirates, Yemen. Arab Republic

Australia, New Zealand

Brazil

Caribbean

France

Italy

Japan

Belgium, Holland, Luxemburg

SPR Center

Corporate Administrative Systems Group P.O. Box F Maynard, MA 01754

Digital Equipment of Canada, Ltd. P.O. Box 13000 Kanata, Ontario Canada, K2K 2A6

Digital Equipment Co. Ltd. 2 Cheapside GB - Reading, Berkshire RG1 7AA England

Digital Equipment Aust. Pty. Ltd. P.O. Box 384 Chatswood, New South Wales 2067 Australia

Digital Equipment Comercio e Industria Ltda. Avenida Augusto Severo, 156-A 20021 Rio de Janeiro, RJ Brazil

Digital Equipment Latin America P.O. Box 11038 Fernandez Juncos Station Santurce 00910 Puerto Rico

Digital Equipment France Cidex L225 18 Rue Saarinen F-94528, Rungis France

Digital Equipment S.p.A. Viale Fulvio Testi, 11 Ang. Via Gorki 105 I-20092 Cinisello Balsamo Milan Italy

Digital Equipment Corp. Intl. Japan Sunshine 60, P.O. Box 1135 1-1/ Higashi Ikebukuro 3-Chome, Toshima-Ku, Tokyo, 170 Japan

Digital Equipment B.V. Kaap Hoorndreef 38 NL-3563 AV Utrecht Holland Sweden

Denmark

Finland

Norway

Austria, East Germany, West Germany, Poland, Hungary, Rumania, Czechoslovkia, Russia, Bulgaria

Israel

Greece, Portugal, Spain, Switzerland, Yugoslavia, (Morocco, Algeria, Tunisia, Cyprus, Turkey, Malta)

Mexico

China

Digital Equipment AB P.O. Box 1250 S-17124 Solna 1 Sweden

Digital Equipment Corp. AS Kristineberg 3 DK-2100 Copenhagen 0 Denmark

Digital Equipment Corp. Oy PL 16 SF-02201, Espoo 20 Finland

Digital Equipment Corp. A/S Pottemakerveien 8 N-Oslo 5 Norway

Digital Equipment Corp. GmbH Rheinstrasse 28 D - 8000 Munich 40 West Germany

Decsys, Computers Ltd. 4, Yirmiyahu Str. IL-63505 Tel Aviv Israel

Digital Equipment Corp. SA 9, Route des Jeunes Case Postale 191 CH-1211 Geneva 26 Switzerland

Digital Equipment de Mexico, S.A. de C.V. Ave. Lopez Mateos 427, 1st. Floor Guadalajara Jalisco Mexico

Digital Computer Hong Kong Ltd. 1303-1309 Dominian Ctr. 43-59 Queen's Road East Wanchai Hong Kong

DIGITAL EQUIPMENT CORPORATION, Corporate Headquarters: Maynard, Massachusetts 01754, Telephone: (617)897-5111-SALES AND SERVICE OFFICES: UNITED STATES - ALABAMA, Huntsville • ARIZONA, Phoenix and Tucson • CALIFORNIA, El Segundo, Los Angeles, Oakland, Ridgecrest, San Diego, San Francisco (Mountain View), Santa Ana, Santa Clara, Stanford, Sunnyvale and Woodland Hills • COLORADO, Englewood • CONNECTICUT, Fairfield and Meriden • DISTRICT OF COLUMBIA, Washington (Lanham, MD) • FLORIDA, Ft. Lauderdale and Orlando • GEORGIA, Atlanta • HAWAII, Honolulu • ILLINOIS, Chicago (Rolling Meadows) • INDIANA, Indianapolis • IOWA, Bettendorf • KENTUCKY, Louisville • LOUISIANA, New Orleans (Metairie) • MARY-LAND, Odenton • MASSACHUSETTS, Marlborough, Waltham and Westfield • MICHIGAN, Detroit (Farmington Hills) • MINNESOTA, Minneapolis • MISSOURI, Kansas City (Independence) and St. Louis • NEW HAMPSHIRE, Manchester • NEW JERSEY, Cherry Hill, Fairfield, Metuchen and Princeton • NEW MEXICO, Albuquerque • NEW YORK, Albany, Buffalo (Cheektowaga), Long Island (Huntington Station), Manhattan, Rochester and Syracuse • NORTH CAROLINA, Durham/Chapel Hill • OHIO, Cleveland (Euclid), Columbus and Dayton • OKLA-HOMA, Tulsa • OREGON, Eugene and Portland • PENNSYLVANIA, Allentown, Philadelphia (Bluebell) and Pittsburgh • SOUTH CAROLINA, Columbia • TEN-NESSEÉ, Knoxville and Nashville • TEXAS, Austin, Dallas and Houston • UTAH, Salt Lake City • VIRGINIA, Richmond • WASHINGTON, Bellevue • WISCONSIN, Milwaukee (Brookfield) • INTERNATIONAL - ARGENTINA, Buenos Aires • AUSTRALIA, Adelaide, Brisbane, Canberra, Melbourne, Perth and Sydney • AUSTRIA, Vienna • BELGIUM, Brussels • BOLIVIA, La Paz • BRAZIL, Rio de Janeiro and Sao Paulo • CANADA, Calgary, Edmonton, Halifax, London, Montreal, Ottawa, Toronto, Vancouver and Winnipeg • CHILE, Santiago • DENMARK, Copenhagen • FINLAND, Helsinki • FRANCE, Lyon, Grenoble and Paris • GERMAN FEDERAL REPUBLIC, Cologne, Frankfurt, Hamburg, Hannover, Munich, Nuremburg, Stuttgart and West Berlin • HONG KONG • INDIA, Bombay • INDONESIA, Djakarta • IRELAND, Dublin • ITALY, Milan, Rome and Turin • IRAN, Tehran • JAPAN, Osaka and Tokyo • MALAYSIA, Kuala Lumpur • MEXICO, Mexico City • NETHERLANDS, Utrecht • NEW ZEALAND, Auckland and Christchurch • NORWAY, Oslo • PUERTO RICO, Santurce • SINGAPORE • SPAIN, Madrid • SWEDEN, Gothenburg and Stockholm • SWITZERLAND, Geneva and Zurich • UNITED KINGDOM, Birmingham, Bristol, Epsom, Edinburgh, Leeds, Leicester, London, Manchester and Reading VENEZUELA, Caracas