



## Online Support

- [Downloads](#)
- [Knowledge Base](#)
- [Personal Datacenter™](#)
- [Documentation](#)
- [Feedback](#)
- [Contact Support](#)

**INCREDIBLE DEALS**  
The mid-winter sale on Mammoth-2 (M2) drives and automation products is on until May 15th!

- [Site Map](#)
- [Advanced Search](#)
- [Privacy Policy](#)

## Support | Online Support | Knowledge Base

### Identifying MammothTape™ and 8mm tape drives

To identify the model of MammothTape or 8mm tape drive, start by determining whether it is a *half-high drive*, *full-high drive*, or neither (*non-rectangular desktop drive*). Then, use the descriptions in the appropriate section below:

- **Half-high drives** - Faceplate is 1.7 inches (4.3 cm) high
- **Full-high drives** - Faceplate is 3.4 inches (8.6 cm) high
- **Non-rectangular desktop drives** - Curved front, drive door on top

**Note:** Your drive may be installed in a library, computer drive bay, or standalone enclosure. The descriptions refer to the drive only, not the enclosure.

### Half-high tape drives

#### Exabyte Mammoth-2 (M2)



#### Physical characteristics

- "M2" and "MammothTape Technology" printed on faceplate (most models)
- Three *round* LEDs at left
- Unload button at right
- LCD below the door

#### Cartridges supported

- AME with SmartClean: 75m, 150m, 225m
- AME: 22m, 45m, 125m, 170m

For more information, see [Exabyte M2 technical support](#).

### Exabyte Mammoth



#### Physical characteristics

- Three *rectangular, horizontal* LEDs at left
- Unload button at right
- Optional LCD below the door

#### Cartridges supported

- AME: 22m, 45m, 125m, 170m
- MP (read only): 15m, 54m, 112m, 160m XL

For more information, see [Exabyte Mammoth technical support](#).

---

### Exabyte Mammoth-LT



#### Physical characteristics

- "Mammoth-LT" printed on faceplate (most models)
- Three *rectangular, horizontal* LEDs at left
- Unload button at right




#### Cartridges supported

- AME: 22m, 45m, 125m
- MP (read only): 15m, 54m, 112m, 160m XL

For more information, see [Exabyte Mammoth-LT technical support](#).

---

### Eliant 820



#### Physical characteristics

- Three *round* LEDs at left
- Unload button at left
- "Eliant" printed on faceplate (some models)

#### Cartridges supported

- MP: 15m, 54m, 112m, 160m XL

For more information, see [Eliant 820 technical support](#).

---

### Exabyte 8505XL (EXB-8505XL)



#### Physical characteristics

- Raised diamond pattern on unload button
- Three *rectangular, horizontal* LEDs at left
- "XL" printed on faceplate (some models)


#### Cartridges supported

- MP: 15m, 54m, 112m, 160m XL

For more information, see [Exabyte 8505XL technical support](#).

---

### Exabyte 8505 (EXB-8505)



#### Physical characteristics

- Unload button at left
- Three *rectangular, horizontal* LEDs at left


#### Cartridges supported

- MP: 15m, 54m, 112m

For more information, see [Exabyte 8505 technical support](#).

---

#### Exabyte 8205XL (EXB-8205XL)



#### Physical characteristics

- Raised diamond pattern on unload button
- Three *rectangular, vertical* LEDs at left
- "XL" printed on faceplate (some models)


#### Cartridges supported

- MP: 15m, 54m, 112m, 160m XL

For more information, see [Exabyte 8205XL technical support](#).

---

#### Exabyte 8205 (EXB-8205)



#### Physical characteristics

- Unload button at left
- Three *rectangular, vertical* LEDs at left

#### Cartridges supported


- MP: 15m, 54m, 112m

For more information, see [Exabyte 8205 technical support](#).

---

#### Full-high 8mm tape drives

##### EXB-8500 and EXB-8500c



#### Physical characteristics

- Unload button at bottom left
- Two *horizontal* LEDs at bottom left
- "C" on EXB-8500c unload button (some models)

#### Cartridges supported




- MP: 15m, 54m, 112m

For more information, see [EXB-8500 and EXB-8500c technical support](#).

---

### EXB-8200 and EXB-8200SX



#### Physical characteristics

- Unload button at bottom right
- Two *vertical* LEDs at bottom left
- EXB-8200SX supports high-speed search

#### Cartridges supported

- MP: 15m, 54m, 112m

For more information, see [EXB-8200 and EXB-8200SX technical support](#).

---

### Non-rectangular, desktop 8mm tape drives

#### Exabyte 8700 product family

There are three products in the Exabyte 8700 family:

- **8700** - Includes a choice of backup applications on the EXAsoft CD-ROM
- **8700LT** - Does not include backup applications
- **8700SW** - Includes Cheyenne software

There are no physical differences between these products.



#### Physical characteristics

- Dimensions:
  - Height - 2.5 inches (6.3 cm)
  - Width - 6.25 inches (15.9 cm)
  - Length - 9.75 inches (24.3 cm)
- Close button on top of drive door
- Open button at front left
- Three LEDs at front right

#### Cartridges supported

- MP: 15m, 54m, 112m, 160m XL



For more information, see [Exabyte 8700 technical support](#).

[Company](#) | [Small-Medium Business](#) | [Products](#) | [Government](#) | [Partners](#) | [Support](#)  
Copyright © 1996-2002 Exabyte Corporation. All Rights Reserved. [webmaster@exabyte.com](mailto:webmaster@exabyte.com)  
[Contact Exabyte Corporation](#) or call 1-800-EXABYTE

