

BX - O
 File No. KA EXI
 KA EXIA
 KA EXIB
 KA EXIC

BX - O
 BASIC EXCHANGE PARALLEL MAINTENANCE PROGRAM

September 1, 1961

1. Maintenance program. Used to test data paths to and from I/O units and to and from main memory independent of CPU.
2. Programs becoming obsolete. None.
3. KA EXI and KA EXIA are applicable to systems using 48 ECS printer code. KA EXIB and KA EXIC are applicable to systems using 48 BCD printer code.

TABLE OF CONTENTS

	Page
1. PURPOSE	1
2. EQUIPMENT REQUIREMENTS	1
3. MODES OF CONTROL	2
3.1 Self Control	2
3.1.1 Procedure	2
3.1.2 Success Indications	13
3.1.3 Failure Indications	13
3.1.4 Supplementary Information	14
3.2 DCP Control (Not Applicable)	
4. PROGRAM PHILOSOPHY	15

1. PURPOSE

The purpose of the BX-0 Maintenance Program is to test data paths to and from the I/O units and to and from Main Memory, independent of CPU.

2. EQUIPMENT REQUIREMENTS

- N- Necessary for Basic Testing
- A- Additional Requirements for Full Testing
- * - Exception

2.1 Testing Requirements

0-8K	8K-16K	16K-32K	32K-Above	Ops Console	Card Reader
		N		N	N

Punch	Printer	Disc	Tapes
N	N		N

2.2 Buffer Equipment Requirements

Disc	Tapes

3. MODE OF CONTROL

3.1 Self Control

BX-0 is exclusively a manually operated test, since it is independent of the CPU. It requires the operator to manually set the bits on the exchange maintenance console and manually execute all instructions. The output from each I/O unit test is indicated in the section containing the instructions for that test.

3.1.1 Procedure

I. INITIAL LOAD PROCEDURE

The program can be loaded by normal IPL procedure. If IPL is inoperative, the following can be used:

1. By BX manipulation, place the following CW in a main memory location not used by the program.

- Data Word Address - SLC Value
- Word Count - As shown in the program listing
- Refill - 0
- Chain flag - 0, Multiple flag - 1

2. Read by executing the CW in the location in which it was stored by step 1.

II. OVERALL PROCEDURE

All tests of BX-0 require the operator to manually execute control words in Main Memory and to execute various Control and Locate instructions. The following procedure should be followed in the execution of these instructions:

A. Reading or Writing

1. Place the BX mode switch in the TEST MODE position.
2. Depress CLEAR MEMORY pushbutton.
3. Set "Type of Test" to EX MEM.
4. From the BX-0 listing, obtain the main memory address of control word desired. Place this address in the REFILL ADDRESS of the panel keys.

5. In the EXCHANGE MEMORY ADDRESS switch register, enter the CHANNEL NUMBER desired and bit 128 (Control Word Memory). Make the total parity ODD.
6. Depress the "LOAD MEMORY" switch.
7. Depress SINGLE CYCLE pushbutton twice.
8. Turn OFF the load memory switch.
9. In the exchange memory address switch register, turn OFF bit 128. Parity should now be even.
10. Be sure the channel to be used is NOT blocked by the BLOCK CHANNEL switches. All data word transfer, service request, and channel signal simulation switches should be OFF.
11. Set type of test to Main Memory UNIT.
12. Depress the READ or WRITE pushbutton depending upon instruction desired.
13. Depress the SINGLE CYCLE pushbutton and check ACCEPT response.
14. Depress the START Key. The instruction entered will now be executed.
15. To insure proper operation, stop BX and SINGLE CYCLE through BX control word memory until the channel used is selected. At this time, examine the control word for proper interrupt status bits, data word address, and word count setting. Unless otherwise stated, the normal status bit setting is EOP. The flag bits (chain, multiple, and skip) should still be at their original setting.

B. Control or Locate Operations

1. Place the BX Mode switch in the TEST MODE position.
2. Depress CLEAR MEMORY pushbutton.

3. Set "type of test" to UNIT TEST.
4. Set the desired channel number in the EXCHANGE MEMORY ADDRESS switch register, even parity count. (Bit 128 must be OFF.)
5. In the C₀ - C_t panel switches, enter the CONTROL CODE or LOCATE NUMBER desired.
6. Depress the CONTROL or LOCATE pushbutton.
7. Depress SINGLE CYCLE pushbutton and check for ACCEPT response.
8. Depress the START pushbutton and the STOP.

III. INDIVIDUAL TEST PROCEDURE AND OUTPUT

A. Chain Printer Tests

1. Execute the control words as shown on the program listing following the overall test procedure.
2. Check printout for correct data as shown below.

PRT 1 operates with chain, multiple, and skip flags zero. Printout is:

THIS LINE OF PRINT CHECKS THE ABILITY TO PRINT. AB -- YZ12-90%./- #\$\$*%

PRT 2 operates with multiple flag only set. Printout is an all character print, three lines, each identified. Failure will cause only one line to be printed.

PRT 3 operates with multiple flag set and tests the ability to recognize end codes. Printout is three lines each identified. On failure - All data will be on one line.

PRT 4 tests BX for word count of 1. Printout is WDCT 1- for success WDCT 1 FAILURE - on failure

PRT 4A tests BX for word count of 2. The printout is: WORD COUNT 2 - On success WORD COUNT 2 FAILURE - on failure.

PRT 5 operates with multiple and chain flags set. Printout is all data from the above tests, a total of 109 64-bit words.

PRT 6 is a scoping loop which prints the all character print data.

PRT 7 is a scoping loop which prints the end code print data.

PRT 8 is a Suppress Post Spacing test loop. It will suppress post spacing 4 times in each line. For success, all data will be on one line, with normal spacing.

PRT 8 - NOW IS A SUPPRESS POST SPACING TEST LOOP.

PRT 9 is a test of the Select Report functions. It prints according to the Select Report key depressed. If no Select Report keys are depressed all of the select report data will be printed.

The test operates in a continuous loop.

PRT 9 - THIS LINE SHOULD BE PRINTED IF SELECT REPORT 'a' IS DEPRESSED.

Where 'a' corresponds to the Select Report key depressed.

B. Card Reader Tests

1. Place reader test deck in card reader and make reader ready. The test deck is numbered octally in column 80.
2. Execute the control words to read in the test deck.
3. Execute the control words for printout or manually fetch the data and compare.

The first test operates with skip, chain, and multiple flags set. The sequence of data is as follows:

1. One Card Read

CARD 1 FIRST CARD READ ... DATA IS IN IQS FORMAT. WORD COUNT ON READ WAS 15. READER PATTERNS IN LATER TEST

2. Word Count 1 Test. On success - WDCT1 On failure - WDCT 1 FAILURE IF THIS PRINTS OR IS IN MEMORY WD CNT-1 was not handled by BX
3. Word Count 2 Test. On success - WORD COUNT - 2 - On failure - WORD COUNT - 2 - FAILURE
4. Skip Flag Test. On success - THIS IS THE SKIP READ AREA CARD 4 - SKIP FLAG TEST On failure - IF THIS PRINTS SKIP FLAG FAILED.
5. Multiple Flag Test - 3 cards read. Lines of print begin as follows:

CARD 5
CARD 6
CARD 7

If only one card reads, MF failed and remainder of test will be out of sequence.

6. Long Read Test - 10 cards read. Lines of print begin as follows:

CARD 8
CARD 9
CARD 10
CARD 11
CARD 12
CARD 13
CARD 14
CARD 15
CARD 16
CARD 17

7. Chain Flag Only Test. For success - CARD 18. TWO CARD READ WITH MF-0. ONLY ONE CARD SHOULD READ On failure - THIS CARD SHOULD NOT BE READ CARD 19

C. Tape Unit Tests

1. Execute the control words and control instructions at the proper time by following the program listing.

Since most tape operations require control conditions such as rewind, backspace, etc., the tape test requires that the operator perform these operations from BX following the program listing. Many of the tests are designed specifically to test a particular control function and, therefore, must be run as specified by the program listing. Correct operation is evidenced by the correct printout as shown under the description of each of the five tests.

Test 1. Simple Data and Rewind. Check read-in area manually.
Data: An all 1's 8-bit byte shifts left continuously until an all 0's word is reached. Following this an all 1's word, a 101010 word, and a 010101 word.

Test 2. Data and backspace test. Data checked by printing results on the printer. Data follows:

For Success - TEST 2. DATA AND BACKSPACE TEST THIS IS RECORD 1 - TEST TWO 10 WORDS, CDSC...

TEST 2. RECORD 2 - 15 WORDS, CDSC .. DATA FOLLOWS --- AB ... YZ01 ... 89 ----- RECORD 3 IS BKSP TEST.

TEST 2. BACKSPACE WORKED IF THIS LINE 3
TEST 2. TEST 2 RECORD 4. 10 WORDS CR.
XXXXXXXXXXXX

On Failure - IF THIS PRINTS, BACKSPACE FAILED ..

Test 3. Tape Mark Recognition Test. Data checked by printing results on the printer. Data follows:

For Success - TAPE MARK RECOGNITION RECORD 1.

On Failure - IF THIS PRINTS, TAPE MARK FAILED.

Test 4. Backspace file test. Data checked by printing results on the printer. Data follows:

For Success - TEST 4. BACKSPACE FILE TEST TEST 4.
BACKSPACE FILE TEST PASSED

On Failure - TEST 4. BACKSPACE FILE FAILED.

Test 5. Space File Test. Data checked by printing results on printer. Data follows:

For Success - TEST 5. SPACE FILE TEST PASSED.

On Failure - SPACE FILE, TEST 5. FAILED.
XXXXXXXXXXXX

Also included is a sequence of control words which reproduce the program on tape. The tape can then be loaded by IPL procedure.

D. Operator's Console Tests

In the operator's console tests the following is provided.

1. Constants for writing on the console display and typewriter.
2. Reserved locations for reading the console switches and typewriter.
3. Extended typewriter write operations tests.

The procedure for each test follows.

Test 1 and 2. Write Operation

1. Execute the control words - write having the console channel selected.
2. After each control word is executed, check the display for the data indicated.

Test 1. Chain, multiple and skip flags zero.

- Word one -
1. Byte number word which numbers the 8-bit bytes left to right 0-7.
 2. All 1's word
 3. All 0's word
 4. Alternate 1's and 0's 8 bit bytes.

- Word two -
1. All 8's word
 2. All 7's word
 3. Blank word

Word three - 1. All 1's word

Test 2. Chain flag set, multiple and skip flags zero.

Chaining two words - Word 1 - Byte pattern
Word 2 - All 8's

Chaining three words - Word 1 - All 1's
Word 2 - All 8's
Word 3 - All 0's

Test 3 and 4. Read Operation

1. Set up data patterns in the console switches and digital pot.
2. Execute the control word to read the switches.
3. Execute the same control word to write the data for checking.
4. Change the patterns and repeat step 2 and 3 for a more complete test.

Test 3. All flag bits zero.

1. Read 1 word
2. Read 2 words
3. Read 3 words

Test 4. Chain flag set.

1. Chains 2 words
2. Chains 3 words

Tests 5, 6 and 7. Typewriter write operation.

1. Execute the control words.
2. Check the printout for correct results.

Test 5. Chain, multiple, and skip flags zero.

1. One word - on success TYP TST
on failure TYP TST FAILED
2. End Code Test - on success - END CODE TEST
on failure - END CODE TEST
FAILED
3. One line which is A thru Z 1 thru 0

Test 6. Chain flag set.

1. Chain 2 words - on success - CHAINING TEST S
on failure - FAILED
2. Chain 3 words - on success - CHAINING TEST SUCCESS
on failure - FAILED

Test 7. Chain and Multiple flags set

1. Multiple flag and end code - on success - MULTIPLE
TEST SUCCESSFUL
On failure - Spaces between 'MULTIPLE' and 'TEST'.
2. Simultaneous end code and word count zero - on success -
MC TST SUCCESS
On failure - Spaces between 'TEST' and 'SUCCESS'.

Test 8 and 9. Typewriter Read Operation

1. Execute control words and read console.
2. Enter data from console typewriter.
3. Using the same control words and write out data for checking.

Test 8. Chain and multiple flags set.

1. Read 40 characters, no flags set.
2. Read 40 characters, chain, read 32 more.
3. Read 8 words multiple flag mode.
4. Read 25 words with multiple flag set.
5. Read 10 words with the multiple flag set, chain, read 8 more words.

Test 9. Chain, multiple and skip flags set.

1. Skip 5 words, read 3 with chain flag only set.
2. Skip 4 words in multiple block mode, chain, read 5 more words.

In the read tests with the multiple flag set, and an end code is entered, the next three words will be read from the console switches.

Typewriter Tests

1. Backspace test loop.

Loops and types - This is a BACKSPACE test.

2. Ripple test.

Types 26 lines upper case letters.

3. All character ball movement test.

Loops and types all characters.

E. Card Punch Tests

Tables of punch formats for checking pattern cards.

1. Non ECC-Mode, 15 words per card- Starting bit position.

<u>Word</u>	<u>Column</u>	<u>Row</u>
1	1	12
2	6	2
3	11	6
4	17	12
5	22	2
6	27	6
7	33	12
8	38	2
9	43	6
10	49	12
11	54	2
12	59	6
13	65	12
14	70	2
15	75	6

2. ECC Mode, 13 words per card.

All words begin with the C-bits in Row 12

<u>Word</u>	<u>Column</u>
1	1
2	7
3	13
4	19
5	25
6	31
7	37
8	43
9	49
10	55
11	61
12	67
13	73

3. Table of bits on which the ECC bits are based.

<u>ECC Bits</u>	<u>Data Bits</u>
C-0	0-32
C-1	1, 3, 5, ... 61, 63, & 32
C2	2-3, 6-7, 10-11, ... 62-63
C-4	4-7, 12-15, ... 60-63
C-8	8-15, 24-31, 40-47, 56-63
C-16	16-31, 48-63
C-32	0, 32-63

C-T is based on overall parity including ECC bits.

Card Punch Test Procedure

1. Make card punch ready.
2. Execute the control words with a write instruction to the card punch.
3. Examine the cards if in the pattern tests, or if in the extended tests use the control words provided for the card reader and printer to check the data.

1. Test 1. Punch Pattern Cards

Non ECC Mode - Punches a diagonal pattern from Column 1, Row 12, to Column 12, Row 9, a total of 13 cards punched.

ECC Mode

1. Punch 9 cards and floats a '1' in the C-bits.
2. Punch 9 cards and floats a '0' in the C-bits.

Test 2. Extended Punch Tests

This test uses printer data and the card reader and chain printer for checking. Each test card is identified with an octal number in the last column.

3.1.2. Success Indications

The success indications are indicated in the detailed test procedure.

3.1.3 Failure Indications

The failure indications are listed in the detailed test procedure.

3.1.4 Supplementary Information

I. Strap Code Control Word Format

The format for a Strap Coded Control Word is as follows:

CW(OP), Data Word Address, Word Count, Refill, where 'OP' is coded as in the table below:

<u>OP</u>	<u>Skip Flag</u>	<u>Multiple Flag</u>	<u>Chain Flag</u>	<u>Operation</u>
CR	0	0	0	Count Within Record
CCR	0	0	1	Chain Counts Within Record
CD	0	1	0	Count Disregarding Record
CDSC	0	1	1	Count Disregarding Record, Skip and Chain
SCR	1	0	0	Skip, Count Within Record
SCCR	1	0	1	Skip, Chain Counts Within Record
SCD	1	1	0	Skip, Count Disregarding Record
SCDSC	1	1	1	Skip, Count Disregarding Record, Skip and Chain

II. Explanation of File Numbers

Four versions of the BX-0 program are presently available. These programs differ only in the printer code used and in the starting location. The versions are:

<u>File No.</u>	<u>Printer Code</u>	<u>Starting Location</u>
KA EX1	48 ECS	50,000
KA EX1A	48 ECS	100,000
KA EX1B	48 BCD	50,000
KA EX1C	48 BCD	100,000

4. PROGRAM PHILOSOPHY

BX-0 is designed for parallel maintenance. It uses control word sequences to test data paths to and from main memory and to and from the I/O units. The test is independent of CPU and requires the ability to get to and from main memory to operate.

All tests start with the simplest control words and proceed to include the chain, multiple and skip flags. The test is executed completely from BX and, therefore does not test communication paths to and from CPU or all of the control functions.

Program: BX-0
File: KA EX1
EC Level: KA EX1A
KA EX1B
KA EX1C

PROGRAM SUMMARY

PROGRAMS OBSOLETE None.

FUNCTION To test the data paths to and from the I/O units and to and from main memory independent of CPU.

BASIC CONTROLS Controlled manually from the BX console.

MANUAL INTERVENTIONS Not applicable.

SUCCESS INDICATIONS Correct data in memory, and correct printouts.

FAILURE INDICATIONS Failure printouts and incorrect data in main memory.

PROGRAM OPTIONS

FIGURE 1

PRNID, BXO - BASIC EXCHANGE OFF LINE MAINTENANCE-E.W. JOHNSON

KA EXIB

18
15
12
11
9
8

PRNS
PUNFUL

AUGUST 8, 1961

E. W. JOHNSON

SLC, X8H47777.0
SEM, 6

047777.00

CW%CDH, START, END-START+1.0 -IPL CONTROL WORD
THIS CONTROL WORD IS USED TO READ IN PROGRAM
AUTOMATICALLY BY NORMAL - INITIAL PROGRAM LOAD -
PROCEDURES...IF IPL IS UNAVAILABLE, THE PROGRAM
DECK CAN BE MANUALLY READ-IN BY USING THE
FOLLOWING PROCEDURE.....

50000.00 20 070740.00 00 047777.00

1. BY BX MANIPULATION, PLACE THE FOLLOWING CW
IN MAIN MEMORY LOCATION 100.0...

DATA WD ADR - 7777.0
WORD COUNT -
REFILL - 0
CF-0, MF-1

2. READ BY EXECUTING STORED CW IN LOC. 100.0

THE FOLLOWING TABLE INDICATES STRAP CONTROL WORD
CODING.....

FORMAT.....CW%OPH, DATA WD ADR, WD COUNT, REFILL

OP	SKIP	MF	CF	OPERATION
CR	0	0	0	COUNT WITHIN RECORD
CCR	0	0	1	CHAIN CNTS WITHIN RECORD
CD	0	1	0	COUNT DISREGARDING RECORD
CDSC	0	1	1	COUNT DISREGARDING RECORD SKIP AND CHAIN
SCR	1	0	0	SKIP, COUNT WITHIN RECORD
SCCR	1	0	1	SKIP, CHAIN COUNTS WITHIN RECORD
SCD	1	1	0	SKIP, COUNT, DISREGARDING RECORD
SCDSC	1	1	1	SKIP, COUNT, DISREGARDING RECORD, SKIP AND CHAIN

FOR A DETAILED PROGRAM DESCRIPTION, REFER TO
PROGRAM WRITE-UP

	START	NOP	-START OF TEST	0.30 00	050000.00
		NOP	-PRINTER SECTION	0.30 00	050000.40
			PRINTER TEST CONTROL WORDS		
	PRT1	CW%CR#,LINE1,17,0	-EXECUTE THIS CONTROL TO TEST -ABILITY OF PRINTER TO PRINT. -PRINTS ONE LINE OF PRINT INFO.	50016.00 00 000420.00 00	050001.00
	PRT2	CW%CD#,LINE2,51,0	-MF TEST- ALL CHARACTER PRINT. -NO END CODE- 3 LINES OF PRINT.	50037.00 20 001460.00 00	050002.00
	PRT3	CW%CD#,LINE3,31,0	-MF TEST,END CODE TEST- -PRINTS 3 LINES OF PRINT,EACH -IDENTIFIED.	50122.00 20 000760.00 00	050003.00
	PRT4	CW%CR#,BXWC1,1,0	-BX WORD COUNT -1- TEST.- -USES PRINTER TO INDICATE -SUCCESS.PRINTS WDCT1 ON SUCCESS, -WDCT1 FAILURE-ON FAILURE	50161.00 00 000020.00 00	050004.00
	PRT4A	CW%CR#,BXWC2,2,0	-BX WORD COUNT -2- TEST. -USES PRINTER TO INDICATE -SUCCESS.PRINTS-WORD COUNT 2- -ON SUCCESS AND-WORD COUNT 2 -FAILURE-ON FAILURE.	50163.00 00 000040.00 00	050005.00
	PRT5	CW%CDSC#,LINE1,17,S+1. CW%CDSC#,LINE2,51,S+1. CW%CDSC#,LINE3,31,S+1. CW%CDSC#,BXWC1,1,PRT4A	-CHAIN FLAG/MULTIPLE FLAG TEST -DO ALL ABOVE FUNCTIONS -WITH CF AND MF SET 1	50016.00 60 000421.20 07 50037.00 60 001461.20 08 50122.00 60 000761.20 09 50161.00 60 000021.20 05	050006.00 050007.00 050010.00 050011.00
	PRT6	CW%CDSC#,LINE2,51,S	-SCOPING LOOP-CONTINUOUS PRINT	50037.00 60 001461.20 0A	050012.00
	PRT7	CW%CDSC#,LINE3,31,S	-SCOPING LOOP-END CODE PRT	50122.00 60 000761.20 0B	050013.00
18			SELECT REPORT PRINTER TEST		
15			-THE PROGRAM LOOPS PRINTING ACCORDING TO THE -SELECT REPORT KEY DEPRESSED.		
12			IF NO KEY IS DEPRESSED THE PROGRAM WILL LOOP PRINTING ALL DATA FROM THIS TEST.		
9	PRT8	CW%CDSC#,CCFC,32,S	-LOOP FOR CARRIAGE -CONTROL FIELD TESTS.	50207.00 60 001001.20 0C	050014.00
			SUPPRESS POST-SPACING PRINTER TEST		
	PRT9	CW%CDSC#,SPS1,17,S	-LOOP FOR SUPPRESS	50166.00 60 000421.20 0D	050015.00

END OF PRINTER TESTS

18

15

12

11

9

9

4

PRINT DATA

LINE1 CNOP
%8DD%BU,8,8,000 -CHAR CONTROL BYTE 000 050016.00
% AZDD%BU,8,8, THIS LINE OF PRINT CHECKS THE ABILITY TOZ 050016.10
% AZDD%BU,8,8, PRINT. ABCDEFGHIJKLMNOPQRSTUVWXYZ 050023.10
% AAADD%BU,8,8,YZ1234567890A 050027.10
%AZDD%BU,8,8,,-%+--+\$/Z 050030.50
%16DD%BU,8,8,1A 032 050032.00
% AZDD%BU,8,8, ONLY ONE LINE SHOULD PRINT Z 050032.10
% AZDD%BU,8,8,PRT1 Z 050036.10
CNOP

LINE2 %8DD%BU,8,8,000 -CHAR CONTROL BYTE-LINE 1 000 050037.00
% AZDD%BU,8,8, ABCDEFGHIJKLMNOPQRSTUVWXYZ 050037.10
% ATDD%BU,8,8,WXYZ0123456789 ABCDEFGHIJKLMNOPQT 050042.00
% AQDD%BU,8,8,RSTUVWXYZ0123456789 ALL CHARACTEQ 050046.00
% AZDD%BU,8,8,R PRINT Z 050052.00
%AZDD%BU,8,8,,-%+--+\$/Z 050053.00
%16DD%BU,8,8,1A 032 050054.30
% AZDD%BU,8,8, THREE LINESZ 050054.40
% AZDD%BU,8,8, FIRST LINE Z 050056.00

%8DD%BU,8,8,000 -CHAR CONTROL BYTE-LINE 2 000 050060.00
% AZDD%BU,8,8, ABCDEFGHIJKLMNOPQRSTUVWXYZ 050060.10
% ATDD%BU,8,8,WXYZ0123456789 ABCDEFGHIJKLMNOPQT 050063.00
% AQDD%BU,8,8,RSTUVWXYZ0123456789 ALL CHARACTEQ 050067.00
% AZDD%BU,8,8,R PRINT Z 050073.00
%AZDD%BU,8,8,,-%+--+\$/Z 050074.00
%16DD%BU,8,8,1A 032 050075.30
% AZDD%BU,8,8, THREE LINESZ 050075.40
% AZDD%BU,8,8, SECOND LINE Z 050077.00

%8DD%BU,8,8,000 -CHAR CONTROL BYTE-LINE 3 000 050101.00
% AZDD%BU,8,8, ABCDEFGHIJKLMNOPQRSTUVWXYZ 050101.10
% ATDD%BU,8,8,WXYZ0123456789 ABCDEFGHIJKLMNOPQT 050104.00
% AQDD%BU,8,8,RSTUVWXYZ0123456789 ALL CHARACTEQ 050110.00
% AZDD%BU,8,8,R PRINT Z 050114.00
%AZDD%BU,8,8,,-%+--+\$/Z 050115.00
%16DD%BU,8,8,1A 032 050116.30
% AZDD%BU,8,8, THREE LINESZ 050116.40
% AZDD%BU,8,8, THIRD LINE Z 050120.00

18
15
12
11
9
5
4
LINE3 %8DD%BU,8,8,000 -CHAR CONTROL BYTE 000 050122.00
% AZDD%BU,8,8,MULTIPLE FLAG EQUAL 1 TEST WITH Z 050122.10
% AZDD%BU,8,8,END CODE. THIS IS THE FIRST LINE.....Z 050126.10
%8DD%BU,8,8,376 -FIRST END CODE END OF LINE 1 376 050132.70
%8DD%BU,8,8,000 -CHAR CONTROL BYTE-2ND LINE 000 050133.00
% AZDD%BU,8,8,THIS IS THE SECOND LINE OF MF/END CODE TZ 050133.10
% AZDD%BU,8,8,EST. 376 IS USED FOR END CODE..Z 050140.10
%8DD%BU,8,8,376,000 376 050144.00
000 050144.10
% AZDD%BU,8,8,FAILZ 050144.20
CNOP
%8DD%BU,8,8,000 -CHAR CONTROL BYTE-3RD LINE 000 050145.00
% AZDD%BU,8,8,THIS IS THE THIRD AND LAST LINE OF END CZ 050145.10
% AZDD%BU,8,8,ODE/MF TEST-PRT3-WD CNT 0 STOPS PRINTZ 050152.10
% AZDD%BU,8,8, ON THIS LINE.....Z 050156.60
CNOP

BXWC1	%8DD%BU,8,8,000	000	050161.00
	% AZDD%BU,8,8,WDCT1 Z		050161.10
	% AZDD%BU,8,8,FAILUREZ		050162.00
	CNOP		
BXWC2	%8DD%BU,8,8,000	000	050163.00
	% AZDD%BU,8,8,WORD COUNT -2- Z		050163.10
	% AZDD%BU,8,8,FAILURE Z		050165.00
	SUPPRESS POST SPACING TEST DATA		
SPS1	%8DD%BU,8,8,360,000	360	050166.00
	% AZDD%BU,8,8,NOW Z	000	050166.10
	%8DD%BU,8,8,376	376	050166.20
SPS2	%8DD%BU,8,8,360,000,000,000,000,000	360	050166.70
		360	050167.00
		000	050167.10
		000	050167.20
		000	050167.30
		000	050167.40
		000	050167.50
	% AZDD%BU,8,8,IS A SUPPZ		050167.60
	%8DD%BU,8,8,376	376	050170.70
SPS3	%8DD%BU,8,8,360,000,000,000,000,000,000	360	050171.00
		000	050171.10
		000	050171.20
		000	050171.30
		000	050171.40
		000	050171.50
		000	050171.60
	DD%BU,64,8,0	000000000000000000000000	050171.70
	% AZDD%BU,8,8,RESS POZ		050172.70
	%8DD%BU,8,8,376,000	376	050173.60
		000	050173.70
SPS4	%8DD%BU,8,8,360,000,000,000,000,000	360	050174.00
		000	050174.10
		000	050174.20
		000	050174.30
		000	050174.40
		000	050174.50
	DD%BU,64,8,0	000000000000000000000000	050174.60
	DD%BU,64,8,0	000000000000000000000000	050175.60
	% AZDD%BU,8,8,ST SPACING T Z		050176.60
	%8DD%BU,8,8,376,000,000,000	376	050200.40
		000	050200.50
		000	050200.60
		000	050200.70
SPS5	%8DD%BU,8,8,000	000	050201.00
	DD%BU,64,8,0	000000000000000000000000	050201.10
	DD%BU,64,8,0	000000000000000000000000	050202.10
	DD%BU,64,8,0	000000000000000000000000	050203.10
	DD%BU,64,8,0	000000000000000000000000	050204.10
	% AZDD%BU,8,8,EST LOOP..Z		050205.10
	%8DD%BU,8,8,376	376	050206.30
	CNOP	0.30 00	050206.40
	SELECT REPORT TEST DATA		
CCFC	%8DD%BU,8,8,341,000	341	050207.00
		000	050207.10
	% AZDD%BU,8,8,THIS LINE SHOULD BE PRINTED IF SELECT Z		050207.20
	% AZDD%BU,8,8,REPORT 1 IS DEPRESSED..Z		050214.00
	%8DD%BU,8,8,376	376	050216.70
	%8DD%BU,8,8,342,000	342	050217.00

% AZDD%BU,8,8,THIS LINE SHOULD BE PRINTED IF SELECT Z		050217.20
% AZDD%BU,8,8,REPORT 2 IS DEPRESSED..Z	376	050224.00
%8DD%BU,8,8,376	344	050226.70
%8DD%BU,8,8,344,000	000	050227.00
		050227.10
		050227.20
% AZDD%BU,8,8,THIS LINE SHOULD BE PRINTED IF SELECT Z		050234.00
% AZDD%BU,8,8,REPORT 3 IS DEPRESSED..Z	376	050236.70
%8DD%BU,8,8,376	350	050237.00
%8DD%BU,8,8,350,000	000	050237.10
		050237.20
% AZDD%BU,8,8,THIS LINE SHOULD BE PRINTED IF SELECT Z		050244.00
% AZDD%BU,8,8,REPORT 4 IS DEPRESSED..Z	376	050246.70
%8DD%BU,8,8,376		

2
11
18
15
12
14
9
7
4

CARD READER TESTS

*****OPERATOR*****

PLACE THE READER TEST DECK IN CARD READER
HOPPER AND MAKE READER READY. THE FIRST CONTROL
WORD SEQUENCE WILL READ IN THE ENTIRE TEST DECK.

....IF IT IS DESIRED TO RUN EACH TEST SEPARATELY,
THE ENTIRE CONTROL WORD SEQUENCE IS REPEATED WITHOUT
CHAIN FLAGS. RUN THIS SEQUENCE ONLY IF CHAIN FLAG
OPERATION IS QUESTIONABLE. ADDITIONAL TESTS ARE
INCLUDED, SEPARATE TO THE FIRST AND SECOND CW SEQUENCE,
WHICH CHECK VARIOUS OPTIONS OF READER SUCH AS SCOPING
FEATURES AND ECC TESTS.....

ONE TEST DECK IS AVAILABLE FOR THE READER TESTS.

TEST DECK ONE CONTAINS MOSTLY IQS DATA WHICH ARE
CHECKED BY EXECUTING CHKRDR CONTROL WORD SEQUENCE
AND PRINTING RESULTS ON CHAIN PRINTER. THE IQS DATA
WAS CHOSEN TO BE SELF EXPLANATORY. THE LAST WORD OF
EACH CARD IS IDENTIFIED AS DESCRIBED BEFORE IN BOTH DECKS

THE PUNCH TEST OUTPUT CAN ALSO BE USED FOR CHECKING THE
CARD READER.

RDR	CW%CDSC□,CARD1,15,S+1.0	-FIRST CARD-IDENTIFIED	50313.00	60	000361.20	A8	050247.00
	CW%CDSC□,CARD2,1,S+1.0	-SECOND CARD-WORD COUNT 1 TEST. -SHOULD SKIP TO THIRD CARD.	50332.00	60	000021.20	A9	050250.00
	CW%CDSC□,CARD3,2,S+1.0	-THIRD CARD-WORD COUNT 2 TEST. -SHOULD SKIP TO FOURTH CARD.	50351.00	60	000041.20	AA	050251.00
	CW%SCCR□,CARD4,4,S+1.0	-FIRST 4 WORDS OF CARD4 SHOULD BE -SKIPPED, WITH SKIP FLAG.	50370.00	50	000101.20	AB	050252.00
	CW%CDSC□,CARD4+4,0,11,S+1.0	-READ IN REMAINDER OF CARD 4.	50374.00	60	000261.20	AC	050253.00
	CW%CDSC□,CARD5,45,S+1.0	-READ IN 3 CARDS-MF READ.	50407.00	60	001321.20	AD	050254.00
	CW%CDSC□,CARD8,150,S+1.0	-LONG READ-10 CARDS.	50464.00	60	004541.20	AE	050255.00
	CW%CR□,CARD18,90,0	-SHOULD ONLY READ ONE CARD.	50712.00	00	000740.00	00	050256.00

THE RESULTS OF READER TEST CAN EASILY BE DETERMINED BY TWO MEANS.

1. EXECUTE CHKRDR CNT WDS AND PRINT RESULTS ON CHAIN PRINTER. OR,
2. MANUALLY FETCH READ IN DATA...THE LAST WORD OF EACH CARD HAS ITS OCTAL CARD NUMBER IN THE LAST 8 BIT POSITIONS.WHERE FULL CARD WAS NOT READ,COMPARE WITH IQS STATEMENTS.

THE ABOVE CONTROL WORD SEQUENCE IS NOW REPEATED WITHOUT CHAIN FLAGS

RDR1	CW%CR#,CARD1,15,0	-FIRST CARD	50313.00 00 000360.00 00	050257.00
RDR2	CW%CR#,CARD2,1,0	-SECOND CARD-WORD COUNT 1 TEST. -SHOULD SKIP TO THIRD CARD	50332.00 00 000020.00 00	050260.00
RDR3	CW%CR#,CARD3,2,0	-THIRD CARD-WORD COUNT 2 TEST.	50351.00 00 000040.00 00	050261.00
RDR4		-SHOULD SKIP TO FOURTH CARD.	0.00 00 000000.00 00	050262.00
RDR5	CW%SCR#,CARD4,4,0	-SKIP FIRST 4 WORDS WITH SKIP FLAG.	50370.00 10 000100.00 00	050263.00
RDR6	CW%CD#,CARD4+4,0,11,0	-READ-IN REMAINDER OF CARD 4.	50374.00 20 000260.00 00	050264.00
RDR7	CW%CD#,CARD5,45,0	-THREE CARD MF READ.	50407.00 20 001320.00 00	050265.00
RDR8	CW%CD#,CARD8,150,0	-LONG READ- 10 CARDS.	50464.00 20 004540.00 00	050266.00
RDR9	CW%CR#,CARD18,30,0	-SHOULD ONLY READ ONE CARD.	50712.00 00 000740.00 00	050267.00

MORE TESTS WILL BE ADDED AT A LATER DATE

THE FOLLOWING GROUP OF CONTROL WORDS PRINT READ IN DATA OF READER TEST. PROVISIONS ARE INCLUDED TO PRINT FAILURE INDICATIONS OF ALL TESTS.FOR EXPLANATION,REFER TO PROGRAM DESCRIPTION WRITE-UP...

CHKRDR	CW%CDSC#,CARD1,15,S+1.0		50313.00 60 000361.20 B9	050270.00
	CW%CDSC#,CARD2,15,S+1.0		50332.00 60 000361.20 BA	050271.00
	CW%CDSC#,CARD3,15,S+1.0		50351.00 60 000361.20 BB	050272.00
	CW%CDSC#,CARD4,15,S+1.0		50370.00 60 000361.20 BC	050273.00
	CW%CDSC#,CARD5,15,S+1.0		50407.00 60 000361.20 BD	050274.00
	CW%CDSC#,CARD6,15,S+1.0		50426.00 60 000361.20 BE	050275.00
	CW%CDSC#,CARD7,15,S+1.0		50445.00 60 000361.20 BF	050276.00
	CW%CDSC#,CARD8,15,S+1.0		50464.00 60 000361.20 C0	050277.00
	CW%CDSC#,CARD9,15,S+1.0		50503.00 60 000361.20 C1	050300.00
	CW%CDSC#,CARD10,15,S+1.0		50522.00 60 000361.20 C2	050301.00
	CW%CDSC#,CARD11,15,S+1.0		50541.00 60 000361.20 C3	050302.00
	CW%CDSC#,CARD12,15,S+1.0		50560.00 60 000361.20 C4	050303.00
	CW%CDSC#,CARD13,15,S+1.0		50577.00 60 000361.20 C5	050304.00
	CW%CDSC#,CARD14,15,S+1.0		50616.00 60 000361.20 C6	050305.00
	CW%CDSC#,CARD15,15,S+1.0		50635.00 60 000361.20 C7	050306.00

CW%CDSC#,CARD16,15,S+1.0
CW%CDSC#,CARD17,15,S+1.0
CW%CDSC#,CARD18,15,S+1.0
CW%CD#,CARD19,15,0

50634.00 60 000361.20 C9 050310.00
50673.00 60 000361.20 CA 050311.00
50712.00 60 000361.20 CA 050311.00
50731.00 20 000360.00 00 050312.00

18

15

14

12

11

8

5

4

READ IN AREA FOR RDR AND RDR1-RDR9 TESTS

CNOP

CARD1	DR%BU,64,8,14 DR%BU,64,8,1	-CARD 1 IDENTITY	16.00 1.00	050313.00 050331.00
CARD2	DR%BU,64,8,1 DR%BU,64,8,14	-WORD COUNT 1 DATA -THIS AREA SHOULD BE BLANK	1.00 16.00	050332.00 050333.00
CARD3	DR%BU,64,8,2 DR%BU,64,8,13	-WORD COUNT 2 DATA -THIS AREA SHOULD BE BLANK	2.00 15.00	050351.00 050353.00
CARD4	% AZDD%BU,8,8, THIS IS THE SKIP READ AREA.....Z DR%BU,64,8,10 DR%BU,64,8,1	-CARD 4 DATA -CARD 4 IDENTITY	12.00 1.00	050370.00 050374.00 050406.00
CARD5	DR%BU,64,8,14 DR%BU,64,8,1	-CARD 5 DATA -CARD 5 IDENTITY	16.00 1.00	050407.00 050425.00
CARD6	DR%BU,64,8,14 DR%BU,64,8,1	-CARD 6 DATA -CARD 6 IDENTITY	16.00 1.00	050426.00 050444.00
CARD7	DR%BU,64,8,14 DR%BU,64,8,1	-CARD 7 DATA -CARD 7 IDENTITY	16.00 1.00	050445.00 050463.00
CARD8	DR%BU,64,8,14 DR%BU,64,8,1	-CARD 8 DATA -CARD 8 IDENTITY %OCTAL	16.00 1.00	050464.00 050502.00
CARD9	DR%BU,64,8,14 DR%BU,64,8,1	-CARD 9 DATA -CARD 9 IDENTITY %OCTAL	16.00 1.00	050503.00 050521.00
CARD10	DR%BU,64,8,14 DR%BU,64,8,1	-CARD 10 IDENTITY %OCTAL	16.00 1.00	050522.00 050540.00
CARD11	DR%BU,64,8,14 DR%BU,64,8,1	-CARD 11 IDENTITY %OCTAL	16.00 1.00	050541.00 050557.00
CARD12	DR%BU,64,8,14 DR%BU,64,8,1	-CARD 12 IDENTITY %OCTAL	16.00 1.00	050560.00 050576.00
CARD13	DR%BU,64,8,14 DR%BU,64,8,1	-CARD 13 IDENTITY	16.00 1.00	050577.00 050615.00
CARD14	DR%BU,64,8,14 DR%BU,64,8,1	-CARD 14 IDENTITY	16.00 1.00	050616.00 050634.00
CARD15	DR%BU,64,8,14 DR%BU,64,8,1	-CARD 15 IDENTITY	16.00 1.00	050635.00 050653.00
CARD16	DR%BU,64,8,14 DR%BU,64,8,1	-CARD 16 IDENTITY	16.00 1.00	050654.00 050672.00
CARD17	DR%BU,64,8,14 DR%BU,64,8,1	-CARD 17 IDENTITY	16.00 1.00	050673.00 050711.00
CARD18	DR%BU,64,8,14 DR%BU,64,8,1	-CARD 18 IDENTITY	16.00 1.00	050712.00 050730.00
CARD19	DR%BU,64,8,15	-CARD 19 SHOULD NOT HAVE READ	17.00	050731.00

TEST 2.- DATA AND BACKSPACE TEST
TEST CHECKED BY PRINTING RESULTS
ON CHAIN PRINTER.

- 1.-LOCATE DESIRED DRIVE.
- 2.-REWIND TAPE. CONTROL CODE 01011110
- 3.-EXECUTE FOLLOWING GROUP OF CONTROL WORDS-WRITE

CW%CDSC□,RCRD1,10,s+1.0	51020.00	60	000241.21	EB	050752.00
CW%CDSC□,RCRD2,15,s+1.0	51032.00	60	000361.21	EC	050753.00
CW%CR□,RCRD3,5,0	51051.00	00	000120.00	00	050754.00

- 4.-BACKSPACE TAPE. CONTROL CODE 01111110
- 5.-EXECUTE FOLLOWING CONTROL WORD-WRITE

CW%CDSC□,RCRD4,5,s+1.0	51056.00	60	000121.21	EE	050755.00
CW%CR□,RCRD5,10,0	51063.00	00	000240.00	00	050756.00

- 6.-REWIND TAPE. CONTROL CODE 01011110
- 7.-EXECUTE FOLLOWING CONTROL WORDS-READ.

CW%CDSC□,TPRD2,10,s+1.0	51154.00	60	000241.21	F0	050757.00
CW%CDSC□,TPRD3,15,s+1.0	51166.00	60	000361.21	F1	050760.00
CW%CDSC□,TPRD4,5,s+1.0	51205.00	60	000121.21	F2	050761.00
CW%CR□,TPRD5,10,s+1.0	51212.00	00	000241.21	F3	050762.00

- 8.-TO CHECK TESTS, USE ABOVE SET OF CONTROL WORDS AGAIN
ONLY THIS TIME. PRINT READ IN AREA ON PRINTER.

TEST 3. TAPE MARK RECOGNITION TEST.

- 1.-LOCATE DESIRED DRIVE.
- 2.-REWIND TAPE. CONTROL CODE 01011110
- 3.-EXECUTE FOLLOWING CONTROL WORD-WRITE

CW%CDR,RCRD10,5,3+1.0 -SHOULD NOT CHAIN.
CW%CRD,RCRD10,5,0

51075.00 20 000121.21 F4 050763.00
51075.00 00 000120.00 00 050764.00

- 4.-WRITE A TAPE MARK. CONTROL CODE 01001111
- 5.-EXECUTE FOLLOWING CONTROL WORD-WRITE.

CW%CRD,RCRD11,5,0

51102.00 00 000120.00 00 050765.00

- 6.-REWIND TAPE. CONTROL CODE 01011110
- 7.-EXECUTE FOLLOWING CONTROL WORD-ONLY ONE RECORD
-SHOULD READ. TAPE MARK SHOULD CAUSE DISCONNECT AT 6TH
-WORD.

CW%CDR,TPRD6,15,0

51224.00 20 000360.00 00 050766.00

- 8.-EXECUTE ABOVE CW WITH PRINTER WRITE TO OBSERVE RESULTS.

18

15

14

12

11

9

5

4

- TEST 4.-BACKSPACE FILE TEST.

- 1.-LOCATE DESIRED DRIVE.
- 2.-REWIND TAPE. CONTROL CODE 01011110
- 3.-EXECUTE FOLLOWING CONTROL WORD-WRITE

CW%CD□,RCRD12,5,0 51107.00 20 000120.00 00 050767.00

- 4.-WRITE A TAPE MARK. CONTROL CODE 01001111
- 5.-EXECUTE FOLLOWING CW - WRITE

CW%CD□,RCRD13,5,0 51114.00 20 000120.00 00 050770.00

- 6.-BACKSPACE FILE. CONTROL CODE 01111111
- 7.-EXECUTE FOLLOWING CW-WRITE

CW%CD□,RCRD14,5,0 51121.00 20 000120.00 00 050771.00

- 8.-REWIND TAPE. CONTROL CODE 01011110
- 9.-EXECUTE FOLLOWING CONTROL WORDS-READ.

CW%CD□,TPRD7,10,0 51243.00 20 000240.00 00 050772.00

- 10.-EXECUTE FOLLOWING CW ON-PRINTER--PRINT,

CW%CD□,TPRD7,10,0 51243.00 20 000240.00 00 050773.00

18

15

14

12

11

9

5

4

- THE FOLLOWING GROUP OF CONTROL WORDS REPRODUCE
- THIS PROGRAM USING TAPES AS A STORAGE DEVICE.

- 1.-LOCATE DESIRED DRIVE
- 2.-REWIND TAPE. CONTROL CODE 01011110
- 3.-EXECUTE FOLLOWING CONTROL WORDS-WRITE

- CW%CCR#,IPLCW,1,S+1.0 51003.00 40 000021.22 03 051002.00
IPLCW CW%CD#,START,END-START+1.0,0 50000.00 20 070740.00 00 051003.00

- 4.-REWIND TAPE. CONTROL CODE 01011110

- TAPE CAN BE USED AS A PROGRAM TAPE.
- IPL FROM THIS TAPE WILL PRODUCE SAME DATA AS IF
- BX-0-WERE LOADED FROM CARDS. TO TRUELY TEST TAPE,
- CLEAR MEMORY AND IPL. RUN PRINTER TEST FOR A
- DATA TEST.

- ****TO CREATE A NEW BINARY DECK, USE ABOVE
- CONTROL WORDS ON A PUNCH WRITE.****
- CNOP

18

15

14

13

12

11

10

TAPE TESTS DATA

TEST 1.

RCRDA %8HDD%BU,8,8H,000,000,000,000,000,000,000,377

000 051004.00

000 051004.10

000 051004.20

000 051004.30

000 051004.40

000 051004.50

000 051004.60

377 051004.70

%8HDD%BU,8,8H,000,000,000,000,000,000,377,000

000 051005.00

000 051005.10

000 051005.20

000 051005.30

000 051005.40

000 051005.50

377 051005.60

%8HDD%BU,8,8H,000,000,000,000,000,377,000,000

000 051005.70

000 051006.00

000 051006.10

000 051006.20

000 051006.30

000 051006.40

377 051006.50

000 051006.60

%8HDD%BU,8,8H,000,000,000,000,377,000,000,000

000 051006.70

000 051007.00

000 051007.10

000 051007.20

000 051007.30

377 051007.40

000 051007.50

000 051007.60

%8HDD%BU,8,8H,000,000,000,377,000,000,000,000

000 051007.70

000 051010.00

000 051010.10

000 051010.20

377 051010.30

000 051010.40

000 051010.50

000 051010.60

%8HDD%BU,8,8H,000,000,377,000,000,000,000,000

000 051010.70

000 051011.00

000 051011.10

377 051011.20

000 051011.30

000 051011.40

000 051011.50

000 051011.60

%8HDD%BU,8,8H,000,377,000,000,000,000,000,000

000 051011.70

000 051012.00

377 051012.10

000 051012.20

000 051012.30

000 051012.40

000 051012.50

000 051012.60

%8HDD%BU,8,8H,377,000,000,000,000,000,000,000

000 051012.70

377 051012.00

%8DD%BU,8,8,000,000,000,000,000,000,000,000

000 051013.10
000 051013.20
000 051013.30
000 051013.40
000 051013.50
000 051013.60
000 051013.70
000 051014.00
000 051014.10
000 051014.20
000 051014.30
000 051014.40
000 051014.50
000 051014.60
000 051014.70

%8DD%BU,8,8,377,377,377,377,377,377,377,377

377 051015.00
377 051015.10
377 051015.20
377 051015.30
377 051015.40
377 051015.50
377 051015.60
377 051015.70

%8DD%BU,64,8,1252525252525252525252
%8DD%BU,64,8,052525252525252525252

1252525252525252525252 051016.00
0525252525252525252525 051017.00

TEST 2.

RCRD1 %8DD%BU,8,8,000 -CHAR CONTROL BYTE FOR PRINTING. 000 051020.00
% AZDD%BU,8,8,TEST 2. DATA AND BACKSPACE TESTZ 051020.10
% AZDD%BU,8,8,THIS IS RECORD 1 - TEST TWO....Z 051024.00
% AZDD%BU,8,8,10 WORDS. CDSC..Z 051030.00

RCRD2 %8DD%BU,8,8,000 -CHAR CONTROL BYTE FOR PRINTING. 000 051032.00
% AZDD%BU,8,8,TEST 2. RECORD 2 - 15 WORDS. CDZ 051032.10
% AZDD%BU,8,8,SC...DATA FOLLOWS---ABCDEFGHIJKLZ 051036.00
% AA0DD%BU,8,8,MNOPQRSTUVWXYZ0123456789-----A 051042.00
% AZDD%BU,8,8,RECORD 3 IS BCKSP TEST. Z 051046.00

RCRD3 %8DD%BU,8,8,000 -CHAR CONTROL BYTE FOR PRINTING. 000 051051.00
% AZDD%BU,8,8,IF THIS PRINTS, BACKSPACE FAILEZ 051051.10
% AZDD%BU,8,8,D.....Z 051055.00

RCRD4 %8DD%BU,8,8,000 -CHAR CONTROL BYTE FOR PRINTING. 000 051056.00
% AZDD%BU,8,8,TEST 2. BACKSPACE WORKED IF THIZ 051056.10
% AZDD%BU,8,8,5 LINE 3Z 051062.00

RCRD5 %8DD%BU,8,8,000 -CHAR CONTROL BYTE FOR PRINTING. 000 051063.00
% AZDD%BU,8,8,TEST 2. RECORD 4. 10 WORDS. CR.Z 051063.10
% AZDD%BU,8,8, THIS IS THE LAST RECORD OF TESTZ 051067.00
% AZDD%BU,8,8, 2..XXXXXXXXXXXXXZ 051073.00

TEST 3.

RCRD10 %8DD%BU,8,8,000 -CHAR CONTROL BYTE FOR PRINTING. 000 051075.00
% AZDD%BU,8,8,TEST 3. TAPE MARK RECOGNITION.RZ 051075.10
% AZDD%BU,8,8,ECORD 1.Z 051101.00

RCRD11 % AZDD%BU,8,8,IF THIS PRINTS,TAPE MARK FAILED.Z 051102.00

```

% AZDD%BU,8,8,XXXXXXXXZ 051106.00
-
- TEST4
-
RCRD12 %8DD%BU,8,8,000 -CHAR CONTROL BYTE FOR PRINTING. 000 051107.00
% AZDD%BU,8,8,TEST 4,BACKSPACE FILE TEST, RECZ 051107.10
% AZDD%BU,8,8,ORD 1...Z 051113.00
-
-
RCRD13 %8DD%BU,8,8,000 -CHAR CONTROL BYTE FOR PRINTING. 000 051114.00
% AZDD%BU,8,8,IF THIS PRINTS,BACKSPACE FILE FZ 051114.10
% AZDD%BU,8,8,AILED...Z 051120.00
-
-
RCRD14 %8DD%BU,8,8,000 -CHAR CONTROL BYTE FOR PRINTING. 000 051121.00
% AZDD%BU,8,8,TEST 4,BACKSPACE FILE TEST PASSZ 051121.10
% AZDD%BU,8,8,ED.....Z 051125.00
-
-
- TEST 5.
-
-
RCRD15 %8DD%BU,8,8,000 -CHAR CONTROL BYTE FOR PRINTING. 000 051126.00
% AZDD%BU,8,8,SPACE FILE,TEST 5, FAILED,XXXXXZ 051126.10
% AZDD%BU,8,8,XXXXXXXXXZ 051132.00
-
-
RCRD16 %8DD%BU,8,8,000 -CHAR CONTROL BYTE FOR PRINTING. 000 051133.00
% AZDD%BU,8,8,TEST 5, SPACE FILE TEST PASSED,Z 051133.10
% AZDD%BU,8,8,.....Z 051137.00
-
-
-

```

TAPE TESTS READ IN AREA

TEST 1.

TPRD1	DR%BU,64,8n,8	-8 WORDS-ALL ONES BYTES STARTS AT -BYTE 7 AND SHIFTS LEFT ONE BYTE -FOR EACH WORD.	10.00	051140.00
	DR%BU,64,8n,2	-ALL ZEROS WORD	2.00	051150.00
	DR%BU,64,8n,1	-ALL ONES WORD	1.00	051152.00
	DR%BU,64,8n,1	-10101....WORD	1.00	051153.00
		-01010....WORD	1.00	051153.00

TEST 2.

TPRD2	DR%BU,64,8n,10		12.00	051154.00
TPRD3	DR%BU,64,8n,15		17.00	051166.00
TPRD4	DR%BU,64,8n,5		5.00	051205.00
TPRD5	DR%BU,64,8n,10		12.00	051212.00

TEST 3.

TPRD6	DR%BU,64,8n,15		17.00	051224.00
-------	----------------	--	-------	-----------

TEST 4.

TPRD7	DR%BU,64,8n,15		17.00	051243.00
-------	----------------	--	-------	-----------

TEST 5.

TPRD8	DR%BU,64,8n,10		12.00	051262.00
-------	----------------	--	-------	-----------

18
15
12
14
9
5
4

CONSOLE TEST

THIS TEST TESTS READ AND WRITE OPERATION
OF THE CONSOLE. CONTROL WORDS AND CONSTANS
ARE PROVIDED FOR WRITE OPERATIONS- CONTROL
WORDS AND RESERVED LOCATIONS FOR READ OPERATIONS

TEST ONE-TESTS WRITE OPERATION ON CNSL LTS

-TESTING WORD ONE

CNSL1	CW%CR#,WORD1,1,0	-WORD ONE-BYTE NUMBER	51356.00 00 000020.00 00	051274.00
	CW%CR#,WORD1+1,,1,0	-WORD ONE-ALL ONES	51357.00 00 000020.00 00	051275.00
	CW%CR#,WORD1+2,,1,0	-WORD ONE-ALL ZEROS	51360.00 00 000020.00 00	051276.00
	CW%CR#,WORD1+3,,1,0	-WORD ONE-ONES AND ZEROS	51361.00 00 000020.00 00	051277.00
		- BYTE PATTERN		

-TESTING WORD TWO

	CW%CR#,WORD1+3,,2,0	-WORD TWO-EIGHTS	51361.00 00 000040.00 00	051300.00
	CW%CR#,WORD1+4,,2,0	-WORD TWO-SEVENS	51362.00 00 000040.00 00	051301.00
	CW%CR#,WORD1+1,,2,0	-WORD TWO-BLANK	51357.00 00 000040.00 00	051302.00

-TESTING WORD THREE

	CW%CR#,WORD1-1,,3,0	-WORD THREE-ALL ONES	51355.00 00 000060.00 00	051303.00
--	---------------------	----------------------	--------------------------	-----------

TEST TWO-TESTS CF ON A WRITE OPERATION

-CHAINING TWO WORDS

CNSL2	CW%CCR#,WORD1+3,,1,CNSL2+1,	-WORD ONE-BYTE PATTERN	51361.00 40 000021.22 C5	051304.00
	CW%CR#,WORD1+4,,1,0	-WORD TWO-ALL EIGHTS	51362.00 00 000020.00 00	051305.00

-CHAINING THREE WORDS

	CW%CCR#,WORD1+1,,1,CNSL2+3,	-WORD ONE-ALL ONES	51357.00 40 000021.22 C7	051306.00
	CW%CCR#,WORD1+4,,1,CNSL2+4,	-WORD TWO-ALL EIGHTS	51362.00 40 000021.22 C8	051307.00
	CW%CR#,WORD1+2,,1,0	-WORD THREE-ALL ZEROS	51360.00 00 000020.00 00	051310.00

TEST THREE-TESTS READ OPERATION FROM CNSL SWITCHES

CNSL3	CW%CR#,WORD2,1,0	-READ ONE WORD-DATA	51364.00 00 000020.00 00	051311.00
		-WILL BE IN WORD 2		
	CW%CR#,WORD2+1,0,2,0	-READ TWO WORDS-DATA	51365.00 00 000040.00 00	051312.00
		-WILL BEGIN AT WORD 2+1.0		
	CW%CR#,WORD2+3,0,3,0	-READ THREE WORDS-DATA	51367.00 00 000060.00 00	051313.00
		-WILL BEGIN AT WORD 2+3.0		

USE THE SAME CONTROL WORDS AND WRITE
OUT DATA FOR CHECKING.

TEST FOUR-TESTS READ OPERATION FROM
-CNSL SW AND CF

- REPEAT THIS TEST USING SEVERAL ANALOG TO DIGITAL
- POT SETTINGS.....

CNSL4 CW%CCR#,WORD3,1,CNSL4+1 -CHAINING TWO WORD 51372.00 40 000021.22 CD 051314.00
CW%CR#,WORD3+1.,2,0 51373.00 00 000040.00 00 051315.00

- CW%CCR#,WORD4,1,CNSL4+3,0 -CHAINING THREE WORDS 51375.00 40 000021.22 CF 051316.00
CW%CCR#,WORD4+1,0,1,CNSL4+4,0 -DATA WILL BEGIN AT WORD 4 51376.00 40 000021.22 D0 051317.00
CW%CR#,WORD4+2,0,1,0 51377.00 00 000020.00 00 051320.00

- USE THE SAME CONTROL WORDS AND WRITE
- OUT DATA FOR CHECKING.
-

18

15

12

11

9

5

4

TEST FIVE-TESTS TYPEWRITER WRITE OPERATION
-AND END CODE

CNSL5	CW%CR□,TYPW1-3.0,4,0	-TYPES ONE WORD -WHICH IS,CR,TYP IST	51400.00 00 000100.00 00	051321.00
	CW%CR□,TYPW2-3.0,5,0	-END CODE TEST-TYPE -TWO WORDS AND END -WORDS ARE, CR,END -CODE TEST,END	51405.00 00 000120.00 00	051322.00
	CW%CR□,TYPW3-3.0,14,0	-TYPE ONE LINE -WHICH IS- -CR, A B C D E F G -H I J K L M N O -P Q R S T U V W X -Y Z... 1 2 3 4 5 6 -7 8 9 0 BS END CR	51413.00 00 000340.00 00	051323.00

TEST SIX-TESTS TYPEWRITER WRITE
-OPERATION AND CF

CNSL6	CW%CCR□,TYPW4-3.0,4,CNSL6+1.	-CHAINS TWO WORDS	51431.00 40 000101.22 D5	051324.00
	CW%CR□,TYPW4+2,1,0	-WORDS ARE-CHAINING -TEST S,ON FAILURE-FAIL	51434.02 00 000020.00 00	051325.00
	CW%CCR□,TYPW4-3.,4,CNSL6+3.	-CHAINS THREE WORDS	51431.00 40 000101.22 D7	051326.00
	CW%CCR□,TYPW4+2.,1,CNSL6+4.	-WORDS ARE-CHAINING	51436.00 40 000021.22 D8	051327.00
	CW%CR□,TYPW4+4.,1,0	-TEST SUCCESS...ON -FAILURE-FAIL	51440.00 00 000020.00 00	051330.00

TEST SEVEN-TESTS TYPWRITER WRITE
-OPERATION MF AND CF

CNSL7	CW%CD□,TYPW5-3.,9,0	-WRITE THREE WORDS -WITH END CODE -BETWEEN WORDS -WORDS ARE-MLTIPLE -TEST SUCCESSFUL -ON FAILURE-FAIL	51441.00 20 000220.00 00	051331.00
	CW%CDSC□,TYPW6-3.,4,CNSL7+2.	-WRITE TWO WORDS ON TYPEWRITER	51452.00 60 000101.22 DB	051332.00
	CW%CR□,TYPW6+1.,4,0	-THE END CODE AND COUNT ZERK -OCCUR SIMULTANEOUSLY	51456.00 00 000100.00 00	051333.00

TEST EIGHT-TESTS TYPEWRITER
-READ OPERATION

THE FOLLOWING CWS READ 40 CHARACTERS TYPED IN

CNSL8	CW%CR□,TYPR1,8,0		51465.00 00 000200.00 00	051334.00
-------	------------------	--	--------------------------	-----------

THE FOLLOWING CWS READ 40 CHARACTERS TYPED IN---
CHAINS AND READS 32 MORE...

	CW%CCR□,TYPR2,8,3+1.		51475.00 40 000201.22 DE	051335.00
	CW%CR□,TYPR3,4,0		51505.00 00 000100.00 00	051336.00

USE THE SAME CONTROL WORDS AND WRITE
OUT DATA FOR CHECKING.

THE FOLLOWING CWS TEST MF AND CF
 WHEN IN MF MODE AND AN END CODE IS
 ENTERED FROM THE CONSOLE TYPEWRITER THE
 NEXT 3 WORDS WILL BE READ FROM CNSL SWITCHES.

FOR ONE TEST-COUNT CHARACTERS AND
 HAVE THE END CODE AND COUNT ZERO OCCUR
 SIMULTANEOUSLY.....

CW%CDH,TYPR4,8,0	-READ IN MF MODE	51511.00 20 000200.00 00	051337.00
CW%CDH,TYPR5,25,0	-READ IN MF MODE	51521.00 20 000620.00 00	051340.00
CW%CDSCH,TYPR7,10,+2.	-MF AND CF SIM-TYPE 8 CHAR	51556.00 60 000257.77 FE	051341.00 C
CW%CDSCH,TYPR8,20,CNSL8+8,0	-MORE MF AND CF CW	51570.00 60 000501.22 E4	051342.00
CW%CCRH,TYPR9,20,CNSL8+9,0		51614.00 40 000501.22 E5	051343.00
CW%CRH,TYPR10,20,0		51640.00 00 000500.00 00	051344.00

TEST NINE -TESTS READ OPERATION
 -WITH SF, MF, AND CF.

-THE FOLLOWING CWS ARE FOR READING
 -WITH MF, SF, AND CF.

EXECUTE THE FOLLOWING CW TO TEST CF AND SF.

CNSL9	CW%SCCRH,TYPR11,5,CNSL9+1,0	-SF AND CF TEST, SKIP 5	51664.00 50 000121.22 E6	051345.00
	CW%CRH,TYPR12,3,0	-TYPE 3 WORDS	51667.00 00 000060.00 00	051346.00

CW TO PRINT OUT DATA ON CONSOLE.

	CW%CRH,TYPR12-3,6,0		51664.00 00 000140.00 00	051347.00
	CW%CRH,TYPR11,5,0	-CW FOR TEST SF AND CF	51664.00 00 000120.00 00	051350.00

EXECUTE THE FOLLOWING CW TO TEST CF, SF, AND MF.

	CW%SCDSCH,TYPR13,4,5+1.	-SF CF, AND MF TEST	51672.00 70 000101.22 EA	051351.00
	CW%CDH,TYPR14,5,0	-DISREGARDS END CODES	51676.00 20 000120.00 00	051352.00

CW TO PRINT OUT DATA ON CONSOLE.

	CW%CDH,TYPR13,4,0	-CW FOR TEST SF,CF, AND MF	51672.00 20 000100.00 00	051353.00
	CW%CDH,TYPR14-3,6,0		51673.00 20 000140.00 00	051354.00

18
15
12
11
9
8
4

				1.00	051355.00
WORD1	DR%BU,64,8,1				
	%8DD%BU,8,8,000,001,002,003,004,005,006,007	-BYTE NUMBER WD			000 051356.00
					001 051356.10
					002 051356.20
					003 051356.30
					004 051356.40
					005 051356.50
					006 051356.60
					007 051356.70
	%8DD%BU,8,8,377,377,377,377,377,377,377,377	-ALL ONES WORD			377 051357.00
					377 051357.10
					377 051357.20
					377 051357.30
					377 051357.40
					377 051357.50
					377 051357.60
					377 051357.70
	DD%BU,64,8,0	-ALL ZEROS WORD	00000000000000000000		000 051360.00
	%8DD%BU,8,8,377,000,377,000,377,000,377,000	-BYTE PATTERN			377 051361.00
					000 051361.10
					377 051361.20
					000 051361.30
					377 051361.40
					000 051361.50
					377 051361.60
					000 051361.70
	%8DD%BU,8,8,210,210,210,210,210,210,210,210	-ALL EIGHTS			210 051362.00
					210 051362.10
					210 051362.20
					210 051362.30
					210 051362.40
					210 051362.50
					210 051362.60
					210 051362.70
	%8DD%BU,8,8,167,167,167,167,167,167,167,167	-ALL SEVENS			167 051363.00
					167 051363.10
					167 051363.20
					167 051363.30
					167 051363.40
					167 051363.50
					167 051363.60
					167 051363.70
18	WORD2	DR%BU,64,8,6	-READ OPERATION	6.00	051364.00
	WORD3	DR%BU,64,8,3	-DATA RESERVATIO	3.00	051372.00
	WORD4	DR%BU,64,8,3		3.00	051375.00
15	TYPW0	DR%BU,64,8,3	-RESERVES LOCATIONS FOR	3.00	051400.00
			-FIRST THREE WORDS IN		
			-A TYPEWRITER OPERATION		
2	TYPW1	%16DD%BU,8,8,FD,53,5D,4B,00,53,51,53	-CR,TYP TEST		375 051403.00
11					123 051403.10
					135 051403.20
					113 051403.30
					000 051403.40
					123 051403.50
					121 051403.60
					123 051403.70
	%16DD%BU,8,8,37,2D,3D,43,35,33,00,00	-FAILED			067 051404.00
					055 051404.10
					075 051404.20
					103 051404.30

DR%BU,64,8H,3 -DATA RESERVATION 3.00
TYPW2 %16HDD%BU,8,8H,FD,35,47,33,00,31,49,33 -END COD

%16HDD%BU,8,8H,35,00,53,35,51,53,00,FE -E TEST, END

%16HDD%BU,8,8H,37,2D,3D,43,35,33,00,00 -FAILED

DR%BU,64,8H,3 -DATA RESERVATION 3.00
TYPW3 %16HDD%BU,8,8H,FD,2D,00,2F,00,31,00,33 -CR, A B C D

%16HDD%BU,8,8H,00,35,00,37,00,39,00,3B -E F G H

%16HDD%BU,8,8H,00,3D,00,3F,00,41,00,43 -I J K L

%16HDD%BU,8,8H,00,45,00,47,00,49,00,4B -M N O P

%16HDD%BU,8,8H,00,4D,00,4F,00,51,00,53 -Q R S T

065 051404.40
063 051404.50
000 051404.60
000 051404.70
000 051405.00
375 051410.00
065 051410.10
107 051410.20
063 051410.30
000 051410.40
061 051410.50
111 051410.60
063 051410.70
065 051411.00
000 051411.10
123 051411.20
065 051411.30
121 051411.40
123 051411.50
000 051411.60
376 051411.70
067 051412.00
055 051412.10
075 051412.20
103 051412.30
065 051412.40
063 051412.50
000 051412.60
000 051412.70
051413.00
375 051416.00
055 051416.10
000 051416.20
057 051416.30
000 051416.40
061 051416.50
000 051416.60
063 051416.70
000 051417.00
065 051417.10
000 051417.20
067 051417.30
000 051417.40
071 051417.50
000 051417.60
073 051417.70
000 051420.00
075 051420.10
000 051420.20
077 051420.30
000 051420.40
101 051420.50
000 051420.60
103 051420.70
000 051421.00
105 051421.10
000 051421.20
107 051421.30
000 051421.40
111 051421.50
000 051421.60
113 051421.70
000 051422.00
115 051422.10
000 051422.20

18
15
14
13
12
11
10
9
8
7
6
5
4

%16DD%BU,8,8H,00,55,00,57,00,59,00,5B -U V W X

%16DD%BU,8,8H,00,5D,00,5F,74,74,74,00 -Y Z...

%16DD%BU,8,8H,00,62,00,64,00,66,00,68 -1 2 3 4

%16DD%BU,8,8H,00,6A,00,6C,00,6E,00,70 -5 6 7 8

%16DD%BU,8,8H,00,72,00,60,00,00,FC,FD -9 0 BS, CR

%16DD%BU,8,8H,35,47,33,FD,00,00,00,00 -END, CR

DR%BU,64,8H,3 -DATA RESERVATION 3,00
TYPW4 %16DD%BU,8,8H,FD,31,3B,2D,3D,47,3D,47 -CHAININ

%16DD%BU,8,8H,37,2D,3D,43,35,33,00,00 -FAIL

117 051422.30
000 051422.40
121 051422.50
000 051422.60
123 051422.70
000 051423.00
125 051423.10
000 051423.20
127 051423.30
000 051423.40
131 051423.50
000 051423.60
133 051423.70
000 051424.00
135 051424.10
000 051424.20
137 051424.30
164 051424.40
164 051424.50
164 051424.60
000 051424.70
000 051425.00
142 051425.10
000 051425.20
144 051425.30
000 051425.40
146 051425.50
000 051425.60
150 051425.70
000 051426.00
152 051426.10
000 051426.20
154 051426.30
000 051426.40
156 051426.50
000 051426.60
160 051426.70
000 051427.00
162 051427.10
000 051427.20
140 051427.30
000 051427.40
000 051427.50
374 051427.60
375 051427.70
065 051430.00
107 051430.10
063 051430.20
375 051430.30
000 051430.40
000 051430.50
000 051430.60
000 051430.70
000 051431.00
375 051434.00
061 051434.10
073 051434.20
055 051434.30
075 051434.40
107 051434.50
075 051434.60
107 051434.70
067 051435.00
055 051435.10
075 051435.20
103 051435.30

%16DD%BU,8,8,39,00,53,35,51,53,00,51 -G TEST S

065 051435.40
063 051435.50
000 051435.60
000 051435.70
071 051436.00
000 051436.10
123 051436.20
065 051436.30
121 051436.40
123 051436.50
000 051436.60
121 051436.70

%16DD%BU,8,8,37,2D,3D,43,35,33,00,00 -FAIL

067 051437.00
055 051437.10
075 051437.20
103 051437.30
065 051437.40
063 051437.50
000 051437.60
000 051437.70

%16DD%BU,8,8,55,31,31,35,51,51,74,74 -UCCESS..

125 051440.00
061 051440.10
061 051440.20
065 051440.30
121 051440.40
121 051440.50
164 051440.60
164 051440.70

DR%BU,64,8,3 -DATA RESERVATION 3.00
TYPW5 %16DD%BU,8,8,FD,45,43,53,48,43,35,FE -CR, MLTPLE, END

051441.00
375 051444.00
105 051444.10
103 051444.20
123 051444.30
110 051444.40
103 051444.50
065 051444.60
376 051444.70

DR%BU,64,8,3 -DATA RESERVATION 3.00
%16DD%BU,8,8,53,35,51,53,00,51,55,31 -TEST SUC

051445.00
123 051450.00
065 051450.10
121 051450.20
123 051450.30
000 051450.40
121 051450.50
125 051450.60
061 051450.70

%16DD%BU,8,8,31,35,51,51,37,55,43,74 -CESSFUL.

061 051451.00
065 051451.10
121 051451.20
121 051451.30
067 051451.40
125 051451.50
103 051451.60
164 051451.70

DR%BU,64,8,3 -DATA RESERVATION 3.00
TYPW6 %16DD%BU,8,8,FD,45,31,00,53,51,53,FE -CR, MC 1ST, END

051452.00
375 051455.00
105 051455.10
061 051455.20
000 051455.30
123 051455.40
121 051455.50
123 051455.60
376 051455.70

18
15
12
11

DR%BU,64,8,3
%16DD%BU,8,8,51,55,31,31,35,51,FE,5F --SUCCESS,END,Z

3.00

121 051456.00
125 051461.10
061 051461.20
061 051461.30
065 051461.40
121 051461.50
376 051461.60
137 051461.70

DR%BU,64,8,2
%16DD%BU,8,8,37,2D,3D,43,35,33,00,00 --FAILEED

2.00

051462.00
067 051464.00
055 051464.10
075 051464.20
103 051464.30
065 051464.40
063 051464.50
000 051464.60
000 051464.70

TYPR1 DR%BU,64,8,8 --RESERVED FOR
TYPR2 DR%BU,64,8,8 --TYPEWRITER
TYPR3 DR%BU,64,8,4 --READ TESTS
TYPR4 DR%BU,64,8,8
TYPR5 DR%BU,64,8,25
TYPR6 DR%BU,64,8,4
TYPR7 DR%BU,64,8,10
TYPR8 DR%BU,64,8,20
TYPR9 DR%BU,64,8,20
TYPR10 DR%BU,64,8,20
TYPR11 DR%BU,64,8,3
TYPR12 DR%BU,64,8,3
TYPR13 DR%BU,64,8,4
TYPR14 DR%BU,64,8,5

10.00
10.00
4.00
10.00
31.00
4.00
12.00
24.00
24.00
24.00
3.00
3.00
4.00
5.00

051465.00
051475.00
051505.00
051511.00
051521.00
051552.00
051556.00
051570.00
051614.00
051640.00
051664.00
051667.00
051672.00
051676.00

18
15
12
11
9
5
4

TYPEWRITER TESTS
 TEST ONE-BACKSPACE TEST
 TEST TWO-RIPPLE TEST
 TEST THREE-BALL MOVEMENT TEST
 TEST FOUR - ALL CHARACTER PRINT

BACKSPACE TEST LOOP

TWT1	CW%CCR#,BST1,11,TWT1+1.	-BACKSPACE TEST	52041.00	40	000261.23	C4	051703.00
	CW%CCR#,BST1+3.,8,TWT1+2.	-TYPES 3 LINES	52044.00	40	000201.23	C5	051704.00
	CW%CDSC#,BST1+3.,8,TWT1	-LOOP	52044.00	60	000201.23	C3	051705.00

RIPPLE TEST

		-RIPPLE 26 LINES					
TWT2	CW%CCR#,RIPL,14,TWT2+1.	-AB...	52054.00	40	000341.23	C7	051706.00
	CW%CCR#,RIPL0,1,TWT2+2.		52057.00	40	000021.23	C8	051707.00
	CW%CCR#,RIPL3,10,TWT2+3.	-BC...	52075.00	40	000241.23	C9	051710.00
	CW%CCR#,RIPL0,1,TWT2+4.		52057.00	40	000021.23	CA	051711.00
	CW%CCR#,RIPL2+2.,3,TWT2+5.	-CD...	52072.00	40	000061.23	CB	051712.00
	CW%CCR#,RIPL1,7,TWT2+6.		52060.00	40	000161.23	CC	051713.00
	CW%CCR#,RIPL0,1,TWT2+7.		52057.00	40	000021.23	CD	051714.00
	CW%CCR#,RIPL4+2.,3,TWT2+8.	-DE...	52107.00	40	000061.23	CE	051715.00
	CW%CCR#,RIPL3,7,TWT2+9.		52075.00	40	000161.23	CF	051716.00
	CW%CCR#,RIPL0,1,TWT2A		52057.00	40	000021.23	D0	051717.00
TWT2A	CW%CCR#,RIPL1+7.,6,TWT2A+1.	-EF...	52067.00	40	000141.23	D1	051720.00
	CW%CCR#,RIPL1,4,TWT2A+2.		52060.00	40	000101.23	D2	051721.00
	CW%CCR#,RIPL0,1,TWT2A+3.		52057.00	40	000021.23	D3	051722.00
	CW%CCR#,RIPL3+7.,6,TWT2A+4.	-FG...	52104.00	40	000141.23	D4	051723.00
	CW%CCR#,RIPL3,4,TWT2A+5.		52075.00	40	000101.23	D5	051724.00
	CW%CCR#,RIPL0,1,TWT2A+6.		52057.00	40	000021.23	D6	051725.00
	CW%CCR#,RIPL1+4.,9,TWT2A+7.	-GH...	52064.00	40	000221.23	D7	051726.00
	CW%CCR#,RIPL1,1,TWT2A+8.		52060.00	40	000021.23	D8	051727.00
	CW%CCR#,RIPL0,1,TWT2A+9.		52057.00	40	000021.23	D9	051730.00
	CW%CCR#,RIPL3+4.,9,TWT2B	-HI...	52101.00	40	000221.23	DA	051731.00
TWT2B	CW%CCR#,RIPL3,1,TWT2B+1.		52075.00	40	000021.23	DB	051732.00
	CW%CCR#,RIPL0,1,TWT2B+2.		52057.00	40	000021.23	DC	051733.00
	CW%CCR#,RIPL1+1.,10,TWT2B+3.	-IJ...	52061.00	40	000241.23	DD	051734.00
	CW%CCR#,RIPL0,1,TWT2B+4.		52057.00	40	000021.23	DE	051735.00
	CW%CCR#,RIPL3+1.,10,TWT2B+5.	-JK...	52076.00	40	000241.23	DF	051736.00
	CW%CCR#,RIPL0,1,TWT2B+6.		52057.00	40	000021.23	E0	051737.00
	CW%CCR#,RIPL2+3.,2,TWT2B+7.	-KL...	52073.00	40	000041.23	E1	051740.00
	CW%CCR#,RIPL1,8,TWT2B+8.		52060.00	40	000201.23	E2	051741.00
	CW%CCR#,RIPL0,1,TWT2B+9.		52057.00	40	000021.23	E3	051742.00
	CW%CCR#,RIPL4+3.,2,TWT2C	-LM...	52110.00	40	000041.23	E4	051743.00
TWT2C	CW%CCR#,RIPL3,8,TWT2C+1.		52075.00	40	000201.23	E5	051744.00
	CW%CCR#,RIPL0,1,TWT2C+2.		52057.00	40	000021.23	E6	051745.00
	CW%CCR#,RIPL2,5,TWT2C+3.	-MN...	52070.00	40	000121.23	E7	051746.00
	CW%CCR#,RIPL1,5,TWT2C+4.		52060.00	40	000121.23	E8	051747.00
	CW%CCR#,RIPL0,1,TWT2C+5.		52057.00	40	000021.23	E9	051750.00
	CW%CCR#,RIPL4,5,TWT2C+6.	-NO...	52105.00	40	000121.23	EA	051751.00
	CW%CCR#,RIPL3,5,TWT2C+7.		52075.00	40	000121.23	EB	051752.00
	CW%CCR#,RIPL0,1,TWT2C+8.		52057.00	40	000021.23	EC	051753.00
	CW%CCR#,RIPL1+5.,8,TWT2C+9.	-OP...	52065.00	40	000201.23	ED	051754.00
	CW%CCR#,RIPL1,2,TWT2D		52060.00	40	000041.23	EE	051755.00
TWT2D	CW%CCR#,RIPL0,1,TWT2D+1.		52057.00	40	000021.23	EF	051756.00
	CW%CCR#,RIPL3+5.,8,TWT2D+2.	-PQ...	52102.00	40	000201.23	FO	051757.00
	CW%CCR#,RIPL3,2,TWT2D+3.		52075.00	40	000041.23	F1	051760.00
	CW%CCR#,RIPL0,1,TWT2D+4.		52057.00	40	000021.23	F2	051761.00

	CW%CCR#,RIPL1+2,,10,TWT2D+5.	-QR...	52062.00	40	000241.23	F3	051762.00
	CW%CCR#,RIPL0,1,TWT2D+6.		52057.00	40	000241.23	F4	051763.00
	CW%CCR#,RIPL3+2,,10,TWT2D+7.	-RS...	52077.00	40	000241.23	F5	051764.00
	CW%CCR#,RIPL0,1,TWT2D+8.		52057.00	40	000241.23	F6	051765.00
	CW%CCR#,RIPL2+4,,1,TWT2D+9.	-ST...	52074.00	40	000241.23	F7	051766.00
	CW%CCR#,RIPL1,9,TWT2E		52060.00	40	000221.23	F8	051767.00
TWT2E	CW%CCR#,RIPL0,1,TWT2E+1.		52057.00	40	000241.23	F9	051770.00
	CW%CCR#,RIPL4+4,,1,TWT2E+2.	-TU...	52111.00	40	000241.23	FA	051771.00
	CW%CCR#,RIPL3,9,TWT2E+3.		52075.00	40	000221.23	FB	051772.00
	CW%CCR#,RIPL0,1,TWT2E+4.		52057.00	40	000241.23	FC	051773.00
	CW%CCR#,RIPL2+1,,4,TWT2E+5.	-UV...	52071.00	40	000101.23	FD	051774.00
	CW%CCR#,RIPL1,6,TWT2E+6.		52060.00	40	000141.23	FE	051775.00
	CW%CCR#,RIPL0,1,TWT2E+7.		52057.00	40	000241.23	FF	051776.00
	CW%CCR#,RIPL4+1,,4,TWT2E+8.	-VW...	52106.00	40	000101.24	00	051777.00
	CW%CCR#,RIPL3,6,TWT2E+9.		52075.00	40	000141.24	01	052000.00
	CW%CCR#,RIPL0,1,TWT2F		52057.00	40	000241.24	02	052001.00
TWT2F	CW%CCR#,RIPL1+6,,7,TWT2F+1.	-WX...	52066.00	40	000161.24	03	052002.00
	CW%CCR#,RIPL1,3,TWT2F+2.		52060.00	40	000061.24	04	052003.00
	CW%CCR#,RIPL0,1,TWT2F+3		52057.00	40	000241.24	05	052004.00
	CW%CCR#,RIPL3+6,,7,TWT2F+4.	-XY...	52103.00	40	000161.24	06	052005.00
	CW%CCR#,RIPL3,3,TWT2F+5.		52075.00	40	000061.24	07	052006.00
	CW%CCR#,RIPL0,1,TWT2F+6.		52057.00	40	000241.24	08	052007.00
	CW%CCR#,RIPL1+3,,10,TWT2F+7.	-YZ..	52063.00	40	000241.24	09	052010.00
	CW%CCR#,RIPL0,1,TWT2F+8.		52057.00	40	000241.24	0A	052011.00
	CW%CCR#,RIPL3+3,,10,TWT2F+9.	-ZA..	52100.00	40	000241.24	0B	052012.00
	CW%CR#,RIPL5,4,0		52112.00	00	000100.00	00	052013.00

BALL MOVEMENT TEST LOOP

TWT3	CW%CCR#,BMT0,15,TWT3+1.	-BALL MOVEMENT TEST	52022.00	40	000361.24	0D	052014.00
	CW%CCR#,BMT1,12,TWT3+2.	-PRINTS 10-44 CHAR-	52025.00	40	000301.24	0E	052015.00
	CW%CCR#,BMT1,12,TWT3+3.	-ACTER LINES AND	52025.00	40	000301.24	0F	052016.00
	CW%CCR#,BMT1,12,TWT3+4.	-ALL CHARACTERS	52025.00	40	000301.24	10	052017.00
	CW%CDSC#,BMT1,12,TWT3	-LOOP	52025.00	60	000301.24	0C	052020.00

TEST FOUR

EXECUTE THIS CONTROL WORD FOR AN ALL CHARACTER PRINT

	CW%CR#,ALLC,27,0		52116.00	00	000660.00	00	052021.00
--	------------------	--	----------	----	-----------	----	-----------

18
15
12
11
9
5
4

TYPEWRITER TEST DATA

Code	Description	Value	Index	Price
BMT0	DR%BU,64,8n,3	-RESERVE 3 LOC.		052022.00
BMT1	%16nDD%BU,8,8n,FD,70,2F,60,3F,50,4F,40	-CR,8BOJSRK	375	052025.00
			160	052025.10
			057	052025.20
			140	052025.30
			077	052025.40
			120	052025.50
			117	052025.60
			100	052025.70
	%16nDD%BU,8,8n,5F,30,6F,20,27,68,37,58	-2C7 4FW	137	052026.00
			060	052026.10
			157	052026.20
			040	052026.30
			047	052026.40
			150	052026.50
			067	052026.60
			130	052026.70
	%16nDD%BU,8,8n,47,48,57,38,67,28,77,71	-NOVG3, 8	107	052027.00
			110	052027.10
			127	052027.20
			070	052027.30
			147	052027.40
			050	052027.50
			167	052027.60
			161	052027.70
	%16nDD%BU,8,8n,76,61,66,51,56,41,46,31	--03SVKNC	166	052030.00
			141	052030.10
			146	052030.20
			121	052030.30
			126	052030.40
			101	052030.50
			106	052030.60
			061	052030.70
	%16nDD%BU,8,8n,36,21,26,69,6E,59,5E,49	-F+/47WZ0	066	052031.00
			041	052031.10
			046	052031.20
			151	052031.30
			156	052031.40
			131	052031.50
			136	052031.60
			111	052031.70
	%16nDD%BU,8,8n,4E,39,3E,29,2E,00,00,FD	-RGJ B ,CR	116	052032.00
			071	052032.10
			076	052032.20
			051	052032.30
			056	052032.40
			000	052032.50
			000	052032.60
			375	052032.70
	%16nDD%BU,8,8n,74,2B,64,3B,54,4B,44,5B	- 2HUPMX	164	052033.00
			053	052033.10
			144	052033.20
			073	052033.30
			124	052033.40
			113	052033.50
			104	052033.60
			133	052033.70
	%16nDD%BU,8,8n,34,6B,24,23,6C,33,5C,43	-E5 6DYL	064	052034.00

%16DD%BU,8,8n,4C,53,3C,63,2C,73,72,2D -QT11A99A

%16DD%BU,8,8n,62,3D,52,4D,42,5D,32,6D -11TQLYD6

%16DD%BU,8,8n,22,25,6A,35,5A,45,4A,55 - 5EXMPU

%16DD%BU,8,8n,3A,65,2A,75,00,00,FC,FC -H2 BS,BS

BST1 DR%BU,64,8n,3 %16DD%BU,8,8n,FD,53,00,00,50,00,3C,50 -T S IS 3.00

%16DD%BU,8,8n,FC,FC,FC,FC,FC,FC,3A,3C - HI

%16DD%BU,8,8n,00,00,00,00,00,2C,00,00 - A

%16DD%BU,8,8n,00,00,00,00,00,00,00,00

153 052034.10
044 052034.20
043 052034.30
154 052034.40
063 052034.50
134 052034.60
103 052034.70
114 052035.00
123 052035.10
074 052035.20
143 052035.30
054 052035.40
163 052035.50
162 052035.60
055 052035.70
142 052036.00
075 052036.10
122 052036.20
115 052036.30
102 052036.40
135 052036.50
062 052036.60
155 052036.70
042 052037.00
045 052037.10
152 052037.20
065 052037.30
132 052037.40
105 052037.50
112 052037.60
125 052037.70
072 052040.00
145 052040.10
052 052040.20
165 052040.30
000 052040.40
000 052040.50
374 052040.60
374 052040.70
052041.00
375 052044.00
123 052044.10
000 052044.20
000 052044.30
120 052044.40
000 052044.50
074 052044.60
120 052044.70
374 052045.00
374 052045.10
374 052045.20
374 052045.30
374 052045.40
374 052045.50
072 052045.60
074 052045.70
000 052046.00
000 052046.10
000 052046.20
000 052046.30
000 052046.40
054 052046.50
000 052046.60
000 052046.70
000 052047.00

%16DD%BU,8,8n,00,52,34,50,52,74,FC,FC -TEST

%16DD%BU,8,8n,FC,FC,FC,FC,FC,FC,FC,FC

%16DD%BU,8,8n,FC,FC,FC,FC,FC,0F,0D,11 - BAC

%16DD%BU,8,8n,81,91,8B,0D,11,15,00,00 -KSPACE

RIPL DR%BU,64,8n,3 3.00
RIPL0 %16DD%BU,8,8n,FC,00,00,FC,FC,00,00,FD -CARR-RET

RIPL1 %16DD%BU,8,8n,2D,2F,31,33,35,37,39,3B -ABCDEFGH

%16DD%BU,8,8n,3D,3F,41,43,45,47,49,4B -IJKLMNOP

%16DD%BU,8,8n,4D,4F,51,53,55,57,59,5B -QRSTUVWXYZ

000 052047.10
000 052047.20
000 052047.30
000 052047.40
000 052047.50
000 052047.60
000 052047.70
000 052050.00
122 052050.10
064 052050.20
120 052050.30
122 052050.40
164 052050.50
374 052050.60
374 052050.70
374 052051.00
374 052051.10
374 052051.20
374 052051.30
374 052051.40
374 052051.50
374 052051.60
374 052051.70
374 052052.00
374 052052.10
374 052052.20
374 052052.30
374 052052.40
017 052052.50
015 052052.60
021 052052.70
201 052053.00
221 052053.10
213 052053.20
015 052053.30
021 052053.40
025 052053.50
000 052053.60
000 052053.70
000 052054.00
374 052057.00
000 052057.10
000 052057.20
374 052057.30
374 052057.40
000 052057.50
000 052057.60
375 052057.70
055 052060.00
057 052060.10
061 052060.20
063 052060.30
065 052060.40
067 052060.50
071 052060.60
073 052060.70
075 052061.00
077 052061.10
101 052061.20
103 052061.30
105 052061.40
107 052061.50
111 052061.60
113 052061.70
115 052062.00
117 052062.10

			121	052062.20
			123	052062.30
			125	052062.40
			127	052062.50
			131	052062.60
			133	052062.70
	%16DD%BU,8,8,5D,5F,2D,2F,31,33,35,37	-YZABCDEF	135	052063.00
			137	052063.10
			055	052063.20
			057	052063.30
			061	052063.40
			063	052063.50
			065	052063.60
			067	052063.70
	%16DD%BU,8,8,39,3B,3D,3F,41,43,45,47	-GHIJKLMN	071	052064.00
			073	052064.10
			075	052064.20
			077	052064.30
			101	052064.40
			103	052064.50
			105	052064.60
			107	052064.70
	%16DD%BU,8,8,49,4B,4D,4F,51,53,55,57	-OPQRSTUW	111	052065.00
			113	052065.10
			115	052065.20
			117	052065.30
			121	052065.40
			123	052065.50
			125	052065.60
			127	052065.70
	%16DD%BU,8,8,59,5B,5D,5F,2D,2F,31,33	-WXYZABCD	131	052066.00
			133	052066.10
			135	052066.20
			137	052066.30
			055	052066.40
			057	052066.50
			061	052066.60
			063	052066.70
	%16DD%BU,8,8,35,37,39,3B,3D,3F,41,43	-EFGHIJKL	065	052067.00
			067	052067.10
			071	052067.20
			073	052067.30
			075	052067.40
			077	052067.50
			101	052067.60
			103	052067.70
	RIPL2 %16DD%BU,8,8,45,47,49,4B,4D,4F,51,53	-MNOPQRST	105	052070.00
			107	052070.10
			111	052070.20
			113	052070.30
			115	052070.40
			117	052070.50
			121	052070.60
			123	052070.70
	%16DD%BU,8,8,55,57,59,5B,5D,5F,2D,2F	-UVWXYZAB	125	052071.00
			127	052071.10
			131	052071.20
			133	052071.30
			135	052071.40
			137	052071.50
			055	052071.60
			057	052071.70
	%16DD%BU,8,8,31,33,35,37,39,3B,3D,3F	-CDEFGHIJ	061	052072.00
			063	052072.10
			065	052072.20
			067	052072.30

18
3
15
4
3
12
11
3
3
8
7
3
5
4
3

%16DD%BU,8,8,41,43,45,47,49,4B,4D,4F -KLMNOPQR

%16DD%BU,8,8,51,53,55,57,59,5B,5D,5F -STUVWXYZ

RIPL3 %16DD%BU,8,8,2F,31,33,35,37,39,3B,3D -BCDEFGHI

%16DD%BU,8,8,3F,41,43,45,47,49,4B,4D -JKLMNO PQ

%16DD%BU,8,8,4F,51,53,55,57,59,5B,5D -RSTUVWXY

%16DD%BU,8,8,5F,2D,2F,31,33,35,37,39 -ZABCDEFG

%16DD%BU,8,8,3B,3D,3F,41,43,45,47,49 -HIJKLMNO

%16DD%BU,8,8,4B,4D,4F,51,53,55,57,59 -PQRSTU VW

071 052072.40
073 052072.50
075 052072.60
077 052072.70
101 052073.00
103 052073.10
105 052073.20
107 052073.30
111 052073.40
113 052073.50
115 052073.60
117 052073.70
121 052074.00
123 052074.10
125 052074.20
127 052074.30
131 052074.40
133 052074.50
135 052074.60
137 052074.70

057 052075.00
061 052075.10
063 052075.20
065 052075.30
067 052075.40
071 052075.50
073 052075.60
075 052075.70
077 052076.00
101 052076.10
103 052076.20
105 052076.30
107 052076.40
111 052076.50
113 052076.60
115 052076.70
117 052077.00
121 052077.10
123 052077.20
125 052077.30
127 052077.40
131 052077.50
133 052077.60
135 052077.70
137 052100.00
055 052100.10
057 052100.20
061 052100.30
063 052100.40
065 052100.50
067 052100.60
071 052100.70
073 052101.00
075 052101.10
077 052101.20
101 052101.30
103 052101.40
105 052101.50
107 052101.60
111 052101.70
113 052102.00
115 052102.10
117 052102.20
121 052102.30
123 052102.40

18
15
12
11
8
5
4

%16DD%BU,8,8,5B,5D,5F,2D,2F,31,33,35 -XYZABCDE

%16DD%BU,8,8,37,39,3B,3D,3F,41,43,45 -FGHIJKLM

RIPL4 %16DD%BU,8,8,47,49,4B,4D,4F,51,53,55 -NOPQRSTU

%16DD%BU,8,8,57,59,5B,5D,5F,2D,2F,31 -VWXYZABC

%16DD%BU,8,8,33,35,37,39,3B,3D,3F,41 -DEFGHIJK

%16DD%BU,8,8,43,45,47,49,4B,4D,4F,51 -LMNOPQRS

%16DD%BU,8,8,53,55,57,59,5B,5D,5F,2D -TUVWXYZA

RIPL5 %16DD%BU,8,8,FD,53,3B,3D,51,00,3D,51 -CR, THIS IS

125	052102.50
127	052102.60
131	052102.70
133	052103.00
135	052103.10
137	052103.20
055	052103.30
057	052103.40
061	052103.50
063	052103.60
065	052103.70
067	052104.00
071	052104.10
073	052104.20
075	052104.30
077	052104.40
101	052104.50
103	052104.60
105	052104.70
107	052105.00
111	052105.10
113	052105.20
115	052105.30
117	052105.40
121	052105.50
123	052105.60
125	052105.70
127	052106.00
131	052106.10
133	052106.20
135	052106.30
137	052106.40
055	052106.50
057	052106.60
061	052106.70
063	052107.00
065	052107.10
067	052107.20
071	052107.30
073	052107.40
075	052107.50
077	052107.60
101	052107.70
103	052110.00
105	052110.10
107	052110.20
111	052110.30
113	052110.40
115	052110.50
117	052110.60
121	052110.70
123	052111.00
125	052111.10
127	052111.20
131	052111.30
133	052111.40
135	052111.50
137	052111.60
055	052111.70
075	052112.00
123	052112.10
073	052112.20
075	052112.30
121	052112.40
000	052112.50
075	052112.60

18
15
12
11
9
8
4

%16DD%BU,8,8,53,38,35,00,35,47,33,00 -THE END

121 052112.70
123 052113.00
073 052113.10
065 052113.20
000 052113.30
065 052113.40
107 052113.50
063 052113.60
000 052113.70

%16DD%BU,8,8,49,37,00,4F,3D,4B,4B,43 -OF RIPPL

111 052114.00
067 052114.10
000 052114.20
117 052114.30
075 052114.40
113 052114.50
113 052114.60
103 052114.70

%16DD%BU,8,8,35,00,53,35,51,53,74,74 -E TEST..

065 052115.00
000 052115.10
123 052115.20
065 052115.30
121 052115.40
123 052115.50
164 052115.60
164 052115.70

CNOP

RED ALPHABET

ALLC DR%BU,64,8,%3
%16DD%BU,8,8,FD,0C,0D,0E,0F,10,11,12

3.00

375 052116.00
014 052121.10
015 052121.20
016 052121.30
017 052121.40
020 052121.50
021 052121.60
022 052121.70

%16DD%BU,8,8,13,14,15,16,17,18,19,1A

023 052122.00
024 052122.10
025 052122.20
026 052122.30
027 052122.40
030 052122.50
031 052122.60
032 052122.70

%16DD%BU,8,8,1B,1C,1D,1E,1F,80,81,82

033 052123.00
034 052123.10
035 052123.20
036 052123.30
037 052123.40
200 052123.50
201 052123.60
202 052123.70

%16DD%BU,8,8,83,84,85,86,87,88,89,8A

203 052124.00
204 052124.10
205 052124.20
206 052124.30
207 052124.40
210 052124.50
211 052124.60
212 052124.70

%16DD%BU,8,8,8B,8C,8D,8E,8F,90,91,92

213 052125.00
214 052125.10
215 052125.20

18
15
12
11
9
8
7
6
5
4

%16DD%BU,8,8n,93,94,95,96,97,98,99,9A

216 052125.30
217 052125.40
220 052125.50
221 052125.60
222 052125.70
223 052126.00
224 052126.10
225 052126.20
226 052126.30
227 052126.40
230 052126.50
231 052126.60
232 052126.70
233 052127.00
234 052127.10
235 052127.20
236 052127.30
237 052127.40
000 052127.50
000 052127.60
000 052127.70

%16DD%BU,8,8n,9B,9C,9D,9E,9F,00,00,00

==
BLACK ALPHABET
==

%16DD%BU,8,8n,FD,2C,2D,2E,2F,30,31,32

375 052130.00
054 052130.10
055 052130.20
056 052130.30
057 052130.40
060 052130.50
061 052130.60
062 052130.70
063 052131.00
064 052131.10
065 052131.20
066 052131.30
067 052131.40
070 052131.50
071 052131.60
072 052131.70
073 052132.00
074 052132.10
075 052132.20
076 052132.30
077 052132.40
100 052132.50
101 052132.60
102 052132.70

%16DD%BU,8,8n,33,34,35,36,37,38,39,3A

%16DD%BU,8,8n,3B,3C,3D,3E,3F,40,41,42

%16DD%BU,8,8n,43,44,45,46,47,48,49,4A

%16DD%BU,8,8n,4B,4C,4D,4E,4F,50,51,52

%16DD%BU,8,8n,53,54,55,56,57,58,59,5A

103 052133.00
104 052133.10
105 052133.20
106 052133.30
107 052133.40
110 052133.50
111 052133.60
112 052133.70
113 052134.00
114 052134.10
115 052134.20
116 052134.30
117 052134.40
120 052134.50
121 052134.60
122 052134.70
123 052135.00
124 052135.10

		125	052135.80
		126	052135.30
		127	052135.40
		130	052135.50
		131	052135.60
		132	052135.70
	%16DD%BU,8,8H,5B,5C,5D,5E,5F,00,00,00	133	052136.00
		134	052136.10
		135	052136.20
		136	052136.30
		137	052136.40
		000	052136.50
		000	052136.60
		000	052136.70
	RED NUMBERS + SPECIALS		
	%16DD%BU,8,8H,FD,01,02,03,04,05,06,07	375	052137.00
		001	052137.10
		002	052137.20
		003	052137.30
		004	052137.40
		005	052137.50
		006	052137.60
		007	052137.70
	%16DD%BU,8,8H,08,09,0A,0B,A0,A1,A2,A3	010	052140.00
		011	052140.10
		012	052140.20
		013	052140.30
		240	052140.40
		241	052140.50
		242	052140.60
		243	052140.70
	%16DD%BU,8,8H,A4,A5,A6,A7,A8,A9,AA,AB	244	052141.00
		245	052141.10
		246	052141.20
		247	052141.30
		250	052141.40
		251	052141.50
		252	052141.60
		253	052141.70
	%16DD%BU,8,8H,AC,AD,AE,AF,B0,B1,B2,B3	254	052142.00
		255	052142.10
		256	052142.20
		257	052142.30
		260	052142.40
		261	052142.50
		262	052142.60
	%16DD%BU,8,8H,B4,B5,B6,B7,00,00,00,00	263	052142.70
		264	052143.00
		265	052143.10
		266	052143.20
		267	052143.30
		000	052143.40
		000	052143.50
		000	052143.60
		000	052143.70
	BLACK NUMBERS + SPECIALS		
	%16DD%BU,8,8H,FD,20,21,22,23,24,25,26	375	052144.00
		040	052144.10
		041	052144.20
		042	052144.30
		043	052144.40
		044	052144.50

%16DD%BU,8,8,27,28,29,2A,2B,60,61,62

045 052144.60
046 052144.70
047 052145.00
050 052145.10
051 052145.20
052 052145.30
053 052145.40
140 052145.50
141 052145.60
142 052145.70

%16DD%BU,8,8,63,64,65,66,67,68,69,6A

143 052146.00
144 052146.10
145 052146.20
146 052146.30
147 052146.40
150 052146.50
151 052146.60
152 052146.70

%16DD%BU,8,8,6B,6C,6D,6E,6F,70,71,72

153 052147.00
154 052147.10
155 052147.20
156 052147.30
157 052147.40
160 052147.50
161 052147.60
162 052147.70

%16DD%BU,8,8,73,74,75,76,77,00,00,00

163 052150.00
164 052150.10
165 052150.20
166 052150.30
167 052150.40
000 052150.50
000 052150.60
000 052150.70

CNOP

2
18
15
12
11
9
5
4

CARD PUNCH TEST

TEST ONE-NON-ECC MODE
 TEST TWO-ECC MODE

TEST ONE-NON-ECC MODE-15 WORDS PER CARD
 TABLE OF STARTING POSITION OF WORDS PUNCHED

WORD	COLUMN	ROW	WORD	COLUMN	ROW
1	1	12	2	6	2
3	11	6	4	17	12
5	22	2	6	27	6
7	33	12	8	38	2
9	43	6	10	49	12
11	55	2	12	59	6
13	65	12	14	70	2
15	75	6			

PCH1 CW%CR#,PWD1,15,0 -PUNCH ONE CARD 52450.00 00 000360.00 00 052151.00

THE FOLLOWING CWS PUNCH 13 CARDS DIAGONAL PATTERN

CW%CR#,PWD1,13,S+1.		52450.00 40 000321,24 6B	052152.00
CW%CDSC#,PWD1,2,S+1.	-PATTERN TEST-PUNCH 13 CARDS	52450.00 60 000041,24 6C	052153.00
CW%CR#,PWD1+1,,12,S+1.	-TOTAL OF 13 CARDS.	52451.00 40 000301,24 6D	052154.00
CW%CDSC#,PWD1,3,S+1.		52450.00 60 000061,24 6E	052155.00
CW%CR#,PWD1+2,,11,S+1.	-CARD 3	52452.00 40 000261,24 6F	052156.00
CW%CDSC#,PWD1,4,S+1.		52450.00 60 000101,24 70	052157.00
CW%CR#,PWD1+3,,10,S+1.	-CARD 4	52453.00 40 000241,24 71	052160.00
CW%CDSC#,PWD1,5,S+1.		52450.00 60 000121,24 72	052161.00
CW%CR#,PWD1+4,,9,S+1.	-CARD 5	52454.00 40 000221,24 73	052162.00
CW%CDSC#,PWD1,6,S+1.		52450.00 60 000141,24 74	052163.00
CW%CR#,PWD1+5,,8,S+1.	-CARD 6	52455.00 40 000201,24 75	052164.00
CW%CDSC#,PWD1,7,S+1.		52450.00 60 000161,24 76	052165.00
CW%CR#,PWD1+6,,7,S+1.	-CARD 7	52456.00 40 000161,24 77	052166.00
CW%CDSC#,PWD1,8,S+1.		52450.00 60 000201,24 78	052167.00
CW%CR#,PWD1+7,,6,S+1.	-CARD 8	52457.00 40 000141,24 79	052170.00
CW%CDSC#,PWD1,9,S+1.		52450.00 60 000221,24 7A	052171.00
CW%CR#,PWD1+8,,5,S+1.	-CARD 9	52460.00 40 000121,24 7B	052172.00
CW%CDSC#,PWD1,10,S+1.		52450.00 60 000241,24 7C	052173.00
CW%CR#,PWD1+9,,4,S+1.	-CARD 10	52461.00 40 000101,24 7D	052174.00
CW%CDSC#,PWD1,11,S+1.		52450.00 60 000261,24 7E	052175.00
CW%CR#,PWD1+10,,3,S+1.	-CARD 11	52462.00 40 000061,24 7F	052176.00
CW%CDSC#,PWD1,12,S+1.		52450.00 60 000301,24 80	052177.00
CW%CR#,PWD1+11,,2,S+1.	-CARD 12	52463.00 40 000041,24 81	052200.00
CW%CDSC#,PWD1,13,S+1.		52450.00 60 000321,24 82	052201.00
CW%CR#,PWD1+12,,1,S+1.		52464.00 40 000021,24 83	052202.00
CW%CR#,PWD1,13,S+1.		52450.00 40 000321,24 84	052203.00
CW%CD#,PWD1,1,0		52450.00 20 000020,00 00	052204.00

TEST TWO-ECC MODE-13 WORDS PER CARD

TABLE OF STARTING POSITION OF WORDS PUNCHED
ALL WORDS BEGIN IN ROW 12.

WORD	COLUMN	WORD	COLUMN
1	1	2	7
3	13	4	19
5	25	6	31
7	37	8	43
9	49	10	55
11	61	12	67
13	73		

TABLE OF BITS ON WHICH ECC BIT IS BASED

ECC BITS	DATA BITS
C-0	0-32
C-1	1, 3, 5, ..., 61, 63
C-2	2-3, 6-7, 10-11, ... 62-63
C-4	4-7, 12-15, ... 60-63
C-8	8-15, 24-31, 40-47, 56-63
C-16	16-31, 48-63
C-32	0, 32-63

C-T IS BASED ON OVERALL PARITY INCLUDING ECC BITS

SET PUNCH TO ECC MODE. CONTROL CODE 00101111

PCH2 CW%CR#,PWD2,13,0 -PUNCH 1 ECC-CARD 52465.00 00 000320.00 00 052205.00

THE FOLLOWING CWS PUNCH 9 CARDS ECC MODE

FLOATING ONE C-BIT PATTERN

PUNCH NINE CARDS	CARD	FIRST WORD	C-BITS
	1		200
	2		010
	3		000
	4		020
	5		001
	6		040
	7		002
	8		100
	9		004

CW%CCR#,PWD2,9,S+1.	52465.00	40	000221.24	87	052206.00
CW%CDSC#,PWD2,4,S+1.	52465.00	60	000101.24	88	052207.00
CW%CCR#,PWD2+4.,5,S+1.	52471.00	40	000121.24	89	052210.00
CW%CDSC#,PWD2,8,S+1.	52465.00	60	000201.24	8A	052211.00
CW%CCR#,PWD2+8.,1,S+1.	52475.00	40	000021.24	8B	052212.00
CW%CCR#,PWD2,9,S+1.	52465.00	40	000221.24	8C	052213.00
CW%CDSC#,PWD2,3,S+1.	52465.00	60	000061.24	8D	052214.00
CW%CCR#,PWD2+3.,6,S+1.	52470.00	40	000141.24	8E	052215.00
CW%CDSC#,PWD2,7,S+1.	52465.00	60	000161.24	8F	052216.00
CW%CCR#,PWD2+7.,2,S+1.	52474.00	40	000041.24	90	052217.00
CW%CCR#,PWD2,9,S+1.	52465.00	40	000221.24	91	052220.00

CW%CDSC□,PWD2,2,5+1.	52465.00	60	000041.24	92	052221.00
CW%CCR□,PWD2+2,7,5+1.	52467.00	40	000161.24	93	052222.00
CW%CDSC□,PWD2,6,5+1.	52465.00	60	000141.24	94	052223.00
CW%CCR□,PWD2+6,3,5+1.	52473.00	40	000061.24	95	052224.00
CW%CCR□,PWD2,9,5+1.	52465.00	40	000221.24	96	052225.00
CW%CDSC□,PWD2,1,5+1.	52465.00	60	000021.24	97	052226.00
CW%CCR□,PWD2+1,8,5+1.	52466.00	40	000201.24	98	052227.00
CW%CDSC□,PWD2,5,5+1.	52465.00	60	000121.24	99	052230.00
CW%CCR□,PWD2+5,4,5+1.	52472.00	40	000101.24	9A	052231.00
CW%CD□,PWD2,9,5+1.	52465.00	20	000221.24	9B	052232.00

18
15
12
11
9
8
4

THE FOLLOWING CWS PUNCH 9 CARDS ECC MODE

FLOATING ZERO C-BIT PATTERN

PUNCH NINE CARDS	CARD	FIRST WORD C-BITS
	- 1	377
	- 2	357
	- 3	376
	- 4	337
	- 5	375
	- 6	277
	- 7	373
	- 8	177
	- 9	367

SET PUNCH TO ECC MODE. CONTROL CODE 00101111

CW%CCR□,PWD3,9,S+1.	52502.00	40	000221.24	9C	052233.00
CW%CDSC□,PWD3,4,S+1.	52502.00	60	000101.24	9D	052234.00
CW%CCR□,PWD3+4,,5,S+1.	52506.00	40	000121.24	9E	052235.00
CW%CDSC□,PWD3,8,S+1.	52502.00	60	000201.24	9F	052236.00
CW%CCR□,PWD3+8,,1,S+1.	52512.00	40	000021.24	A0	052237.00
CW%CCR□,PWD3,9,S+1.	52502.00	40	000221.24	A1	052240.00
CW%CDSC□,PWD3,3,S+1.	52502.00	60	000061.24	A2	052241.00
CW%CCR□,PWD3+3,,6,S+1.	52505.00	40	000141.24	A3	052242.00
CW%CDSC□,PWD3,7,S+1.	52502.00	60	000161.24	A4	052243.00
CW%CCR□,PWD2+3,,2,S+1.	52470.00	40	000041.24	A5	052244.00
CW%CCR□,PWD3,9,S+1.	52502.00	40	000221.24	A6	052245.00
CW%CDSC□,PWD3,2,S+1.	52502.00	60	000041.24	A7	052246.00
CW%CCR□,PWD3+2,,7,S+1.	52504.00	40	000161.24	A8	052247.00
CW%CDSC□,PWD3,6,S+1.	52502.00	60	000141.24	A9	052250.00
CW%CCR□,PWD3+6,,3,S+1.	52510.00	40	000061.24	AA	052251.00
CW%CCR□,PWD3,9,S+1.	52502.00	40	000221.24	AB	052252.00
CW%CDSC□,PWD3,1,S+1.	52502.00	60	000021.24	AC	052253.00
CW%CCR□,PWD3+1,,8,S+1.	52503.00	40	000201.24	AD	052254.00
CW%CDSC□,PWD3,5,S+1.	52502.00	60	000121.24	AE	052255.00
CW%CCR□,PWD3+5,,4,S+1.	52507.00	40	000101.24	AF	052256.00
CW%CD□,PWD3,9,0	52502.00	20	000220.00	00	052257.00

18
15
12
11
9
8
7
6
5
4

--
 -- PUNCH TEST USING IQS DATA
 --
 -- TO CHECK CARDS PUNCHED, A PRINTOUT OF READ
 -- IN AREA AND WRITE AREA IS PROVIDED, WRITE
 -- AREA WORDS ARE PRINTED FIRST.

PCH3	CW%CD□,PWD4,30,0	--NON-ECC MODE.	52513.00	20	000740.00	00	052260.00
	CW%CD□,PRES3,30,0	--PUNCH 2 CARDS NON-ECC MODE	52715.00	20	000740.00	00	052261.00
	CW%CDSC□,PRES1,7,\$+1.	--READ 2 CARDS NON-ECC MODE	52677.00	60	000161.24	B3	052262.00
	CW%CDSC□,PWD4,15,\$+1.	--IDENTIFICATION	52513.00	60	000361.24	B4	052263.00
	CW%CDSC□,PWD4+15.,15,\$+1.		52532.00	60	000361.24	B5	052264.00
	CW%CDSC□,PRES2,7,\$+1.	--IDENTIFICATION WORD	52706.00	60	000161.24	B6	052265.00
	CW%CDSC□,PRES3,15,\$+1.		52715.00	60	000361.24	B7	052266.00
	CW%CR□,PRES3+15.,15,0		52734.00	00	000360.00	00	052267.00

--
 -- SET PUNCH AND READER TO ECC MODE. CONTROL CODE 00101111
 --

PCH4	CW%CD□,PWD5,26,0	--PUNCH 2 CARDS ECC MODE	52551.00	20	000640.00	00	052270.00
	CW%CD□,PRES3A,26,0	--READ 2 CARDS ECC MODE	52753.00	20	000640.00	00	052271.00
	CW%CDSC□,PRES1,7,\$+1.	--IDENTIFICATION	52677.00	60	000161.24	B8	052272.00
	CW%CDSC□,PWD5,13,\$+1.		52551.00	60	000321.24	BC	052273.00
	CW%CDSC□,PWD5+13.,\$+1.		52566.00	61	245720.00	00	052274.00
	CW%CDSC□,PRES2,7,\$+1.	--IDENTIFICATION WORD	52706.00	60	000161.24	BE	052275.00
	CW%CDSC□,PRES3A,13,\$+1.		52753.00	60	000321.24	BF	052276.00
	CW%CR□,PRES3A+13.,\$+1.		52770.00	01	246000.00	00	052277.00

2
 18
 15
 12
 11
 9
 5
 4

- EXTENDED PUNCH TEST
 - CONTROL WORDS ARE PROVIDED FOR ECC OR NON-ECC MODE
 - FOR CHECKING, THE FOLLOWING IS INCLUDED-
 - 1. CONTROL WORDS FOR READING PUNCH TEST OUTPUT.
 - ...CARDS MUST BE READ IN SAME MODE AS PUNCHED.
 - 2. CONTROL WORDS TO PRINT OUT CORRECT DATA
 - AND TEST DATA, EACH IDENTIFIED, CORRECT DATA
 - WILL BE PRINTED FIRST..

-NON-ECC MODE-CF-1, 10 CARDS

PCH5	CW%CDSC□,PWD6,15,S+1.	-CARD 6	52603.00	60	000361.24	C1	052300.00
	CW%CCR□,PWD6,10,S+1.		52603.00	40	000241.24	C2	052301.00
	CW%CDSC□,PWD6C,5,S+1.	-CARD 7	52622.00	60	000121.24	C3	052302.00
	CW%CCR□,PWD6,10,S+1.		52603.00	40	000241.24	C4	052303.00
	CW%CDSC□,PWD6D,5,S+1.	-CARD 10	52627.00	60	000121.24	C5	052304.00
	CW%CCR□,PWD6,10,S+1.		52603.00	40	000241.24	C6	052305.00
	CW%CDSC□,PWD6E,5,S+1.	-CARD 11	52634.00	60	000121.24	C7	052306.00
	CW%CCR□,PWD6,10,S+1.		52603.00	40	000241.24	C8	052307.00
	CW%CDSC□,PWD6F,5,S+1.	-CARD 12	52641.00	60	000121.24	C9	052310.00
	CW%CCR□,PWD6,10,S+1.		52603.00	40	000241.24	CA	052311.00
	CW%CDSC□,PWD6G,5,S+1.	-CARD 13	52646.00	60	000121.24	CB	052312.00
	CW%CCR□,PWD6,10,S+1.		52603.00	40	000241.24	CC	052313.00
	CW%CDSC□,PWD6H,5,S+1.	-CARD 14	52653.00	60	000121.24	CD	052314.00
	CW%CCR□,PWD6,10,S+1.		52603.00	40	000241.24	CE	052315.00
	CW%CDSC□,PWD6J,5,S+1.	-CARD 15	52660.00	60	000121.24	CF	052316.00
	CW%CCR□,PWD6,10,S+1.		52603.00	40	000241.24	DO	052317.00
	CW%CDSC□,PWD6K,5,S+1.	-CARD 16	52665.00	60	000121.24	D1	052320.00
	CW%CCR□,PWD6,10,S+1.		52603.00	40	000241.24	D2	052321.00
	CW%CD□,PWD6L,5,0	-CARD 17	52672.00	20	000120.00	00	052322.00

	CW%CD□,PRES2,150,0	-USE THIS CW TO READ -CARDS	52706.00	20	004540.00	00	052323.00
--	--------------------	--------------------------------	----------	----	-----------	----	-----------

USE THE FOLLOWING CONTROL WORDS FOR PRINTOUT

	CW%CDSC□,PRES1,7,S+1.	-IDENTIFICATION	52677.00	60	000161.24	D5	052324.00
	CW%CDSC□,PWD6,15,S+1.		52603.00	60	000361.24	D6	052325.00
	CW%CCR□,PWD6,10,S+1.		52603.00	40	000241.24	D7	052326.00
	CW%CDSC□,PWD6C,5,S+1.		52622.00	60	000121.24	D8	052327.00
	CW%CCR□,PWD6,10,S+1.		52603.00	40	000241.24	D9	052330.00
	CW%CDSC□,PWD6D,5,S+1.		52627.00	60	000121.24	DA	052331.00
	CW%CCR□,PWD6,10,S+1.		52603.00	40	000241.24	DB	052332.00
	CW%CDSC□,PWD6E,5,S+1.		52634.00	60	000121.24	DC	052333.00
	CW%CCR□,PWD6,10,S+1.		52603.00	40	000241.24	DD	052334.00
	CW%CDSC□,PWD6F,5,S+1.		52641.00	60	000121.24	DE	052335.00
	CW%CCR□,PWD6,10,S+1.		52603.00	40	000241.24	DF	052336.00
	CW%CDSC□,PWD6G,5,S+1.		52646.00	60	000121.24	E0	052337.00
	CW%CCR□,PWD6,10,S+1.		52603.00	40	000241.24	E1	052340.00
	CW%CDSC□,PWD6H,5,S+1.		52653.00	60	000121.24	E2	052341.00
	CW%CCR□,PWD6,10,S+1.		52603.00	40	000241.24	E3	052342.00
	CW%CDSC□,PWD6J,5,S+1.		52660.00	60	000121.24	E4	052343.00
	CW%CCR□,PWD6,10,S+1.		52603.00	40	000241.24	E5	052344.00
	CW%CDSC□,PWD6K,5,S+1.		52665.00	60	000121.24	E6	052345.00
	CW%CCR□,PWD6,10,S+1.		52603.00	40	000241.24	E7	052346.00
	CW%CDSC□,PWD6L,5,S+1.		52672.00	60	000121.24	E8	052347.00

	CW%CDSC□,PRES2,7,S+1.	-IDENTIFICATION WORD	52706.00	60	000161.24	E9	052350.00
	CW%CDSC□,PRES4,15,S+1.	-FROM READ AREA	53005.00	60	000361.24	EA	052351.00
	CW%CDSC□,PRES5,15,S+1.		53024.00	60	000361.24	EB	052352.00
	CW%CDSC□,PRES6,15,S+1.		53043.00	60	000361.24	EC	052353.00
	CW%CDSC□,PRES7,15,S+1.		53062.00	60	000361.24	ED	052354.00

CW%CDSCn,PRES8,15,S+1.
CW%CDSCn,PRES9,15,S+1.
CW%CDSCn,PRES10,15,S+1.
CW%CDSCn,PRES11,15,S+1.
CW%CDSCn,PRES12,15,S+1.
CW%CRn,PRES13,15,0

53101.00 60 000361.24 EE 052355.00
53120.00 60 000361.24 EF 052356.00
53137.00 60 000361.24 F0 052357.00
53156.00 60 000361.24 F1 052360.00
53175.00 60 000361.24 F2 052361.00
53214.00 00 000360.00 00 052362.00

18

15

12

9

SET PUNCH AND READER TO ECC MODE. CONTROL CODE 00101111

-ECC MODE-CF-1,10 CARDS

PCH6	CW%CCR□,PWD6,8,S+1.		52603.00	40	000201.24	F4	052363.00
	CW%CDSC□,PWD6B,5,S+1.	-CARD 6	52615.00	60	000121.24	F5	052364.00
	CW%CCR□,PWD6,8,S+1.		52603.00	40	000201.24	F6	052365.00
	CW%CDSC□,PWD6C,5,S+1.	-CARD 7	52622.00	60	000121.24	F7	052366.00
	CW%CCR□,PWD6,8,S+1.		52603.00	40	000201.24	F8	052367.00
	CW%CDSC□,PWD6D,5,S+1.	-CARD 10	52627.00	60	000121.24	F9	052370.00
	CW%CCR□,PWD6,8,S+1.		52603.00	40	000201.24	FA	052371.00
	CW%CDSC□,PWD6E,5,S+1.	-CARD 11	52634.00	60	000121.24	FB	052372.00
	CW%CCR□,PWD6,8,S+1.		52603.00	40	000201.24	FC	052373.00
	CW%CDSC□,PWD6F,5,S+1.	-CARD 12	52641.00	60	000121.24	FD	052374.00
	CW%CCR□,PWD6,8,S+1.		52603.00	40	000201.24	FE	052375.00
	CW%CDSC□,PWD6G,5,S+1.	-CARD 13	52646.00	60	000121.24	FF	052376.00
	CW%CCR□,PWD6,8,S+1.		52603.00	40	000201.25	00	052377.00
	CW%CDSC□,PWD6H,5,S+1.	-CARD 14	52653.00	60	000121.25	01	052400.00
	CW%CCR□,PWD6,8,S+1.		52603.00	40	000201.25	02	052401.00
	CW%CDSC□,PWD6J,5,S+1.	-CARD 15	52660.00	60	000121.25	03	052402.00
	CW%CCR□,PWD6,8,S+1.		52603.00	40	000201.25	04	052403.00
	CW%CDSC□,PWD6K,5,S+1.	-CARD 16	52665.00	60	000121.25	05	052404.00
	CW%CCR□,PWD6,8,S+1.		52603.00	40	000201.25	06	052405.00
	CW%CDSC□,PWD6L,5,S+1.	-CARD 17	52672.00	20	000121.25	07	052406.00

CW%CD□,PRES14,130,0	-CONTROL WORD TO READ CARDS	53233.00	20	004040.00	00	052407.00
---------------------	-----------------------------	----------	----	-----------	----	-----------

USE THE FOLLOWING CONTROL WORDS FOR PRINTOUT

CW%CDSC□,PRES1,7,S+1.	-IDENTIFICATION	52677.00	60	000161.25	09	052410.00
CW%CCR□,PWD6,8,S+1.	-WRITE AREA	52603.00	40	000201.25	0A	052411.00
CW%CDSC□,PWD6B,5,S+1.		52615.00	60	000121.25	0B	052412.00
CW%CCR□,PWD6,8,S+1.	-WRITE AREA	52603.00	40	000201.25	0C	052413.00
CW%CDSC□,PWD6C,5,S+1.		52622.00	60	000121.25	0D	052414.00
CW%CCR□,PWD6,8,S+1.	-WRITE AREA	52603.00	40	000201.25	0E	052415.00
CW%CDSC□,PWD6D,5,S+1.		52627.00	60	000121.25	0F	052416.00
CW%CCR□,PWD6,8,S+1.		52603.00	40	000201.25	10	052417.00
CW%CDSC□,PWD6E,5,S+1.		52634.00	60	000121.25	11	052420.00
CW%CCR□,PWD6,8,S+1.		52603.00	40	000201.25	12	052421.00
CW%CDSC□,PWD6F,5,S+1.		52641.00	60	000121.25	13	052422.00
CW%CCR□,PWD6,8,S+1.		52603.00	40	000201.25	14	052423.00
CW%CDSC□,PWD6G,5,S+1.		52646.00	60	000121.25	15	052424.00
CW%CCR□,PWD6,8,S+1.		52603.00	40	000201.25	16	052425.00
CW%CDSC□,PWD6H,5,S+1.		52653.00	60	000121.25	17	052426.00
CW%CCR□,PWD6,8,S+1.		52603.00	40	000201.25	18	052427.00
CW%CDSC□,PWD6J,5,S+1.		52660.00	60	000121.25	19	052430.00
CW%CCR□,PWD6,8,S+1.		52603.00	40	000201.25	1A	052431.00
CW%CDSC□,PWD6K,5,S+1.		52665.00	60	000121.25	1B	052432.00
CW%CCR□,PWD6,8,S+1.		52603.00	40	000201.25	1C	052433.00
CW%CDSC□,PWD6L,5,S+1.		52672.00	60	000121.25	1D	052434.00
CW%CDSC□,PRES2,7,S+1.	-IDENTIFICATION WORD	52706.00	60	000161.25	1E	052435.00
CW%CDSC□,PRES14,13,S+1.	-READ AREA	53233.00	60	000321.25	1F	052436.00
CW%CDSC□,PRES15,13,S+1.		53250.00	60	000321.25	20	052437.00
CW%CDSC□,PRES16,13,S+1.		53265.00	60	000321.25	21	052440.00
CW%CDSC□,PRES17,13,S+1.		53302.00	60	000321.25	22	052441.00
CW%CDSC□,PRES18,13,S+1.		53317.00	60	000321.25	23	052442.00
CW%CDSC□,PRES19,13,S+1.		53334.00	60	000321.25	24	052443.00
CW%CDSC□,PRES20,13,S+1.		53351.00	60	000321.25	25	052444.00
CW%CDSC□,PRES21,13,S+1.		53366.00	60	000321.25	26	052445.00

PUNCH TEST DATA

NON-ECC MODE DATA

PWD1 %8DD%BU,8,8,200,004,000,040,001,000,010,000

200 052450.00
004 052450.10
000 052450.20
040 052450.30
001 052450.40
000 052450.50
010 052450.60
000 052450.70

%8DD%BU,8,8,100,002,000,020,000,200,004,000

100 052451.00
002 052451.10
000 052451.20
020 052451.30
000 052451.40
200 052451.50
004 052451.60
000 052451.70

%8DD%BU,8,8,040,001,000,010,000,100,002,000

040 052452.00
001 052452.10
000 052452.20
010 052452.30
000 052452.40
100 052452.50
002 052452.60
000 052452.70

%8DD%BU,8,8,020,000,200,004,000,040,001,000

020 052453.00
000 052453.10
200 052453.20
004 052453.30
000 052453.40
040 052453.50
001 052453.60
000 052453.70

%8DD%BU,8,8,010,000,100,002,000,020,000,200

010 052454.00
000 052454.10
100 052454.20
002 052454.30
000 052454.40
020 052454.50
000 052454.60
200 052454.70

%8DD%BU,8,8,004,000,040,001,000,010,000,100

004 052455.00
000 052455.10
040 052455.20
001 052455.30
000 052455.40
010 052455.50
000 052455.60
100 052455.70

%8DD%BU,8,8,002,000,020,000,200,004,000,040

002 052456.00
000 052456.10
020 052456.20
000 052456.30
200 052456.40
004 052456.50
000 052456.60
040 052456.70

2
1
18
1
15
12
14
9
9

%8DD%BU,8,8,001,000,010,000,100,002,000,020

001 052457.00
000 052457.10
010 052457.20
000 052457.30
100 052457.40
002 052457.50

%8DD%BU,8,8,000,200,004,000,040,001,000,010

000 052457.60
020 052457.70
000 052460.00
200 052460.10
004 052460.20
000 052460.30

%8DD%BU,8,8,000,100,002,000,020,000,200,004

040 052460.40
001 052460.50
000 052460.60
010 052460.70
000 052461.00
100 052461.10

%8DD%BU,8,8,000,040,001,000,010,000,100,002

002 052461.20
000 052461.30
020 052461.40
000 052461.50
200 052461.60
004 052461.70

%8DD%BU,8,8,000,020,000,200,004,000,040,001

000 052462.00
040 052462.10
001 052462.20
000 052462.30
010 052462.40
000 052462.50

%8DD%BU,8,8,000,010,000,100,002,000,020,000

100 052462.60
002 052462.70
000 052463.00
020 052463.10
000 052463.20
200 052463.30

- THE FOLLOWING ARE DATA WORDS FOR THE ECC
- MODE-THE CHECK BITS ARE IN OCTAL NOTATION
-

- FLOATING ZERO PATTERN - C-BITS
PWD2 %8DD%BU,8,8,301,200,000,000,101,200,000,000 -377

004 052463.40
000 052463.50
040 052463.60
001 052463.70
000 052464.00
010 052464.10

000 052464.20
100 052464.30
002 052464.40
000 052464.50
020 052464.60
000 052464.70

%8DD%BU,8,8,350,200,200,000,230,200,200,000

000 052465.00
200 052465.10
000 052465.20
000 052465.30
101 052465.40
200 052465.50

000 052465.60
000 052465.70
350 052466.00
200 052466.10
200 052466.20
000 052466.30

230 052466.40
200 052466.50

18
15
12
11
9
5

	%8DD%BU,8,8□,020,000,000,000,240,000,000,000	-277		200 052466.60
				000 052466.70
				020 052467.00
				000 052467.10
				000 052467.20
				000 052467.30
				240 052467.40
				000 052467.50
				000 052467.60
				000 052467.70
	%8DD%BU,8,8□,002,000,000,000,210,000,000,000	-337		002 052470.00
				000 052470.10
				000 052470.20
				000 052470.30
				210 052470.40
				000 052470.50
				000 052470.60
				000 052470.70
	%8DD%BU,8,8□,000,010,000,000,200,200,000,000	-357		000 052471.00
				010 052471.10
				000 052471.20
				000 052471.30
				200 052471.40
				200 052471.50
				000 052471.60
				000 052471.70
	%8DD%BU,8,8□,000,000,000,200,200,000,200,000	-367		000 052472.00
				000 052472.10
				000 052472.20
				200 052472.30
				200 052472.40
				000 052472.50
				200 052472.60
				000 052472.70
	%8DD%BU,8,8□,000,000,000,200,200,200,000,000	-373		000 052473.00
				000 052473.10
				000 052473.20
				200 052473.30
				200 052473.40
				200 052473.50
				000 052473.60
				000 052473.70
	%8DD%BU,8,8□,140,000,000,000,020,000,000,000	-375		140 052474.00
				000 052474.10
				000 052474.20
				000 052474.30
				020 052474.40
				000 052474.50
				000 052474.60
				000 052474.70
	DD%BU,64,8□,0		0000000000000000000000	052475.00
	DD%BU,64,8□,0		0000000000000000000000	052476.00
	DD%BU,64,8□,0		0000000000000000000000	052477.00
	DD%BU,64,8□,0		0000000000000000000000	052500.00
	DD%BU,64,8□,0		0000000000000000000000	052501.00
	FLOATING ONE PATTERN	C-BITS		
PWD3	%8DD%BU,8,8□,350,200,200,000,000,000,000,000	-200		350 052502.00
				200 052502.10
				200 052502.20
				000 052502.30
				000 052502.40
				000 052502.50
				000 052502.60
				000 052502.70
	%8DD%BU,8,8□,050,200,000,000,000,000,200,000	-100		050 052503.00
				200 052503.10

			000	052503.20
			000	052503.30
			000	052503.40
			000	052503.50
			200	052503.60
			000	052503.70
			110	052504.00
			200	052504.10
			000	052504.20
			000	052504.30
			000	052504.40
			000	052504.50
			200	052504.60
			000	052504.70
			140	052505.00
			200	052505.10
			000	052505.20
			000	052505.30
			000	052505.40
			000	052505.50
			200	052505.60
			000	052505.70
			160	052506.00
			000	052506.10
			000	052506.20
			000	052506.30
			000	052506.40
			000	052506.50
			200	052506.60
			000	052506.70
			160	052507.00
			000	052507.10
			000	052507.20
			000	052507.30
			000	052507.40
			200	052507.50
			000	052507.60
			000	052507.70
			350	052510.00
			200	052510.10
			000	052510.20
			000	052510.30
			000	052510.40
			200	052510.50
			000	052510.60
			000	052510.70
			030	052511.00
			200	052511.10
			000	052511.20
			000	052511.30
			000	052511.40
			200	052511.50
			000	052511.60
			000	052511.70
			350	052512.00
			000	052512.10
			000	052512.20
			200	052512.30
			000	052512.40
			000	052512.50
			000	052512.60
			000	052512.70

 CNOP

EXTENDED PUNCH TEST DATA

PWD4	%8DD%BU,8,8,000	-CCB+CARRIAGE CONTROL BYTE	000	052513.00
	% AZDD%BU,8,8,PUNCH TEST USING IQS - DATA-THIS IS Z			052513.10
	% AZDD%BU,8,8,CARD ONE OF PWD4 DATA WORDS. Z			052517.50
	% AZDD%BU,8,8, IDENTIFIED BY A 1 IN COLUMN 80,Z			052523.20
	% AZDD%BU,8,8,ROW 9. ECC MODEZ			052527.10
	%8DD%BU,8,8,000,000,000,000,000,000,000,001		000	052531.00
			000	052531.10
			000	052531.20
			000	052531.30
			000	052531.40
			000	052531.50
			000	052531.60
			001	052531.70
	%8DD%BU,8,8,000	-CCB	000	052532.00
	% AZDD%BU,8,8, THIS IS CARD TWO OF PWD4 DATA Z			052532.10
	% AZDD%BU,8,8,WORDS. IT IS IDENTIFIED WITH A 1Z			052536.10
	% AZDD%BU,8,8, IN COLUMN 80, ROW 8...ECC MODEZ			052542.10
	DD%BU,64,8,0		000000000000000000000000	052546.00
	DD%BU,64,8,0		000000000000000000000000	052547.00
	%8DD%BU,8,8,000,000,000,000,000,000,000,000,002		000	052550.00
			000	052550.10
			000	052550.20
			000	052550.30
			000	052550.40
			000	052550.50
			000	052550.60
			002	052550.70
PWD5	%8DD%BU,8,8,000	-CCB	000	052551.00
	% AZDD%BU,8,8, THIS IS CARD ONE OF PWD5 DATA Z			052551.10
	% AZDD%BU,8,8,WORDS. IT IS IDENTIFIED WITH A 1Z			052555.00
	% AZDD%BU,8,8, IN COLUMN 78, ROW 8+9. NO-ECC. Z			052561.00
	%8DD%BU,8,8,000,000,000,000,000,000,000,003		000	052565.00
			000	052565.10
			000	052565.20
			000	052565.30
			000	052565.40
			000	052565.50
			000	052565.60
			003	052565.70
	%8DD%BU,8,8,000		000	052566.00
	% AZDD%BU,8,8, THIS IS CARD TWO OF PWD5 DATA Z			052566.10
	% AZDD%BU,8,8,WORDS. IT IS IDENTIFIED WITH A 1Z			052572.00
	% AZDD%BU,8,8, IN COLUMN 78, ROW 7.NO-ECC MODEZ			052576.00
	%8DD%BU,8,8,000,000,000,000,000,000,000,004		000	052602.00
			000	052602.10
			000	052602.20
			000	052602.30
			000	052602.40
			000	052602.50
			000	052602.60
			004	052602.70
PWD6	%8DD%BU,8,8,000		000	052603.00
	% AZDD%BU,8,8,XTENDED CF-1 PUNCH TESTZ			052603.10
PWD6A	% AZDD%BU,8,8, CARD IS NUMBERED OCTAL IN LAST Z			052606.00
	% AZDD%BU,8,8,COLUMN. NON-ECC MODE....Z			052612.00
PWD6B	% AZDD%BU,8,8,CARD ONE OF EXTENDED CF-1 TEST..Z			052615.00
	%8DD%BU,8,8,000,000,000,000,000,000,000,006		000	052621.00
			000	052621.10
			000	052621.20
			000	052621.30
			000	052621.40

18
15
12
11

PWD6C % AZDD%BU,8,8,CARD TWO OF EXTENDED CF-1 TEST,Z
%8DD%BU,8,8,000,000,000,000,000,000,000,007

000 052621.50
000 052621.60
006 052621.70
052622.00
000 052626.00
000 052626.10
000 052626.20
000 052626.30
000 052626.40
000 052626.50
000 052626.60
007 052626.70

PWD6D % AZDD%BU,8,8,CARD THREE OF EXTENDED CF1 TEST,Z
%8DD%BU,8,8,000,000,000,000,000,000,000,010

052627.00
000 052633.00
000 052633.10
000 052633.20
000 052633.30
000 052633.40
000 052633.50
000 052633.60
010 052633.70

PWD6E % AZDD%BU,8,8,CARD FOUR OF EXTENDED CF-1 TEST,Z
%8DD%BU,8,8,000,000,000,000,000,000,000,011

052634.00
000 052640.00
000 052640.10
000 052640.20
000 052640.30
000 052640.40
000 052640.50
000 052640.60
011 052640.70

PWD6F % AZDD%BU,8,8,CARD FIVE OF EXTENDED CF-1 TEST,Z
%8DD%BU,8,8,000,000,000,000,000,000,000,012

052641.00
000 052645.00
000 052645.10
000 052645.20
000 052645.30
000 052645.40
000 052645.50
000 052645.60
012 052645.70

PWD6G % AZDD%BU,8,8,CARD SIX OF EXTENDED CF-1 TEST,Z
%8DD%BU,8,8,000,000,000,000,000,000,000,013

052646.00
000 052652.00
000 052652.10
000 052652.20
000 052652.30
000 052652.40
000 052652.50
000 052652.60
013 052652.70

PWD6H % AZDD%BU,8,8,CARD SEVEN OF EXTENDED CF1 TEST,Z
%8DD%BU,8,8,000,000,000,000,000,000,000,014

052653.00
000 052657.00
000 052657.10
000 052657.20
000 052657.30
000 052657.40
000 052657.50
000 052657.60
014 052657.70

PWD6J % AZDD%BU,8,8,CARD EIGHT OF EXTENDED CF1 TEST,Z
%8DD%BU,8,8,000,000,000,000,000,000,000,015

052660.00
000 052664.00
000 052664.10
000 052664.20
000 052664.30
000 052664.40
000 052664.50
000 052664.60
015 052664.70

18
15
12
11
8
5

				000	052665.00
				000	052671.10
				000	052671.20
				000	052671.30
				000	052671.40
				000	052671.50
				000	052671.60
				016	052671.70
PWD6L	% AZDD%BU,8,8,CARD TEN OF EXTENDED CF-1 TEST,Z				052672.00
	%8DD%BU,8,8,000,000,000,000,000,000,000,017			000	052676.00
				000	052676.10
				000	052676.20
				000	052676.30
				000	052676.40
				000	052676.50
				000	052676.60
				017	052676.70
PRES1	%8DD%BU,8,8,001			001	052677.00
	% AZDD%BU,8,8,THIS IS THE DATA FROM THE WRITEZ				052677.10
	% AZDD%BU,8,8, AREA OF THE PUNCH TEST,Z				052703.00
PRES2	%8DD%BU,8,8,001			001	052706.00
	% AZDD%BU,8,8,THIS IS THE DATA FROM THE READ Z				052706.10
	% AZDD%BU,8,8, AREA OF THE PUNCH TEST,Z				052712.00
PRES3	DR%BU,64,8,30	-READ-IN AREA	36.00		052715.00
PRES3A	DR%BU,64,8,26	-READ-IN AREA-ECC	32.00		052753.00
PRES4	DR%BU,64,8,15	-NON-ECC MODE	17.00		053005.00
PRES5	DR%BU,64,8,15		17.00		053024.00
PRES6	DR%BU,64,8,15		17.00		053043.00
PRES7	DR%BU,64,8,15		17.00		053062.00
PRES8	DR%BU,64,8,15		17.00		053101.00
PRES9	DR%BU,64,8,15		17.00		053120.00
PRES10	DR%BU,64,8,15		17.00		053137.00
PRES11	DR%BU,64,8,15		17.00		053156.00
PRES12	DR%BU,64,8,15		17.00		053175.00
PRES13	DR%BU,64,8,15		17.00		053214.00
PRES14	DR%BU,64,8,13	-READ-IN AREA	15.00		053233.00
PRES15	DR%BU,64,8,13	-NON-ECC MODE	15.00		053250.00
PRES16	DR%BU,64,8,13		15.00		053265.00
PRES17	DR%BU,64,8,13		15.00		053302.00
PRES18	DR%BU,64,8,13		15.00		053317.00
PRES19	DR%BU,64,8,13		15.00		053334.00
PRES20	DR%BU,64,8,13		15.00		053351.00
PRES21	DR%BU,64,8,13		15.00		053366.00
PRES22	DR%BU,64,8,13		15.00		053403.00
PRES23	DR%BU,64,8,13		15.00		053420.00
END	DR%BU,64,8,1		1.00		053435.00
	END,START		50000.00		053436.00

2
11
18
11
15
12
17
9
5
4