# SPECIFICATION

## WHIZZARD 7200

# U.S. PRICE LIST

210	Calf-contained Calligraphic Befreet Craphics Controller	516 000
210	Self-contained Calligraphic Refresh Graphics Controller. Includes:	\$16,000
	a) 12 Slot Chassis	
	b) Basic Graphics Engine	
	- 64K Byte Vector Memory	
	- System Verification PROM	
	- High Speed 32 Bit Microprocessor	
	- Hardware Character Generator	
	c) Analog Vector Generator	
210-24	Same as 7210 except: a) 24 Slot Chassis	18,000
250	Self contained Raster Refresh Graphics Controller.	18,000
	Includes:	•
•	a) 24 Slot Chassis	
	b) Basic Graphics Engine	
	- 64K Byte Vector Memory	
	- System Verification PROM	
	- Bigh Speed 32 Bit Microprocessor	
	- Hardware Character Generator	
	c) Basic Raster Output Modules	
	- Digital Vector Generator	
	- Timing and Control	
	- Double Buffered 512x512 Bit Plane	
	- Single Channel Video Output Card (RGB1)	
250/2	Same as 7250 except: c) Dual Channel Video Output (RGB2)	19,000
<b>290</b> .	Self Contained Combination Raster and Calligraphic	21,500
	Graphics Controller. Includes:	
	a) 24 Slot Chassis	
	b) Basic Graphics Engine	
	- 64K Byte Vector Memory	
	- System Verification PROM	
	- High Speed 32 Bit Microprocessor	
	- Hardware Character Generator	
	c) Basic Raster Output Modules	,
	- Digital Vector Generator	
	- Timing and Control	
	- Double Buffered 512x512 Bit Plane	
	- Single Channel Video Output Card (RGB1)	-
	d) Analog Vector Generator	
290/2	Same as 7290 except: c) Dual Channel Video Output (RGB2)	22,500
Application of	Over 1999 7930 7950	
VIERT ACES OPTI	ONS FOR 7210, 7250	,
F/DEC	UNIBUS I/R with 15' UNIBUS Cable	4,000
F/DG	Data General I/F with 15' Cable	4,000
E\R3	Hewlett Packard I/F with 15' Cable (Requires HP 12930A-2)	4,000
F/PR	PRIME I/P with 15' Cable (Requires SOC 3007, 3025)	4,00
F/UN	Universal Parallel I/F with 15' Single End Cable	4,000
e/ser	9600 Baud RS232-C Serial I/F with 15' Cable	4,000

NOTE: For 25' DEC, DG, or UN Interface Cable, add \$100. For 50' add \$350. For longer SER cables order Serial Extension Cables (SEXT).

World Headquarters 3931 Sorrento Valley Blvd. San Diego, CA 92121 USA

।।।व्लिभाव(

Megatek International/Europe 11 Woudstraat 4031 JA Ingen The Methods

U.S. PRICE LIST 11 November 1980

⊐-2 <b>4</b>	24 Slot Chassis	\$7,000
ICRST2	Hardware 2-D Rotate, Scale, Translate, Clip	6,000
icrs <b>t3</b>	Hardware 3-D Rotate, Scale, Translate, 2-D Clip	8,000
7 <b>M</b>	Additional 64K byta Vector Memory	3,000 X
DC.	User Definable Character/Symbol Set (1024 Strokes)	1,600 ~
<b>T</b> .	Refresh Timer	. 750
ALLIGRAPHIC	OUTPUT OPTIONS	
VG	Analog Vector Generator	4,000
DIS DIS	Dual Display Interface Panel and Cable Quad Display Interface Panel and Cable	50 <b>0</b> 70 <b>0</b>
	NOTE: Dual displays on the same Vector Generator require identical cabling.	
DIS-E	21° Electromagnetic Display with 15 mil Spotsize, P40 Phosphor, phosphor protect, and case.	6,750
DIS-EA	Same as DIS-E except with 10 mil Spot and Dynamic Focus	7,500
IS-P IS-PA	Same as DIS-E except with rack mountable bezel Same as DIS-EA except with rack mountable bezel	6,750 7,500
	NOTE: To substitute P4, P7, P31, P39 phosphor, add \$200.	.,
DIS-G	21° Color Electromagnetic Display including required Graphics Engine circuitry, microcode, and 15° Cables	24,950
VEXT-15	15' Vector Extension Cable	125
VEXT-25	25' Vector Extension Cable 50' Vector Extension Cable	175 300
/EXT-50	NOTE: All displays include 15' Cable. For 25' Cable, add \$50. For 50' Cable, add \$175.	
RASTER OUTPU	T OPTIONS	
ve <b>p</b>	Raster Enhancement Package to upgrade a 7210-24 Includes:	10,000
	<ul> <li>Digital Vector Generator</li> <li>Timing and Control</li> <li>Double Buffered 512x512 Bit Plane</li> </ul>	
REP2	- Single Channel Video Output Card (RGB1) Same as REP except with Dual Channel Video Output (RGB2)	11,000
DBBP	Double Buffered 512x512 Bit Plane	2,000
DIS-RA	19" Non-interlaced, High Resolution Color Display, Case, and 15' Cable	6,000
	Single Channel RGB Video Output Card	2,000
RGā1		3,000
	Dual Channel RGB Video Output Card	3,400
RG32 :	Dual Channel RGA Video Output Card	
RG32	Dual Channel RGA Video Output Card	
RG32 : BARDCOPY OUT	Dual Channel RGA Video Output Card	
RG32 : EARDCOPY OU	Dual Channel RGB Video Output Card	3,000 \
RGB1 RGB2 EARDCOPY OU EP ECU-T ECU-Y	Dual Channel RGA Video Output Card  FPUT  RASTERIZOR Thereface with 15' Cable	3,000
RG32 : HARDCOPY OUT EP ECU-T	Dual Channel RGB Video Output Card  TPUT  RASTERIZOR Interface with 15' Cable  Trilog Hard Copy with RASTERIZOR Interface	3,000 Guote
GB2 : ARDCOPY OUT P CU-Y	Dual Channel RGB Video Output Card  FPUT  RASTERIZOR Interface with 15' Cable  Trilog Hard Copy with RASTERIZOR Interface  Versated Hard Copy Unit with RASTERIZOR	3,000 Factory Quote 10,300

11 November 1980

MELLIGENT !	PERIPHERAL CONTROL UNITS (12CU)	
IPCU-KJ	IPCU with KEY and JOY Interfaces	\$ 1,200
IPCU-KJA	IPCU with KEY, JOY and Asyncronous Console	2,700
1760	Port (ACP) Interfaces	
IPCU-KJG	IPCU with KEY, JOY, and Tablet Interfaces	2,000
IPCU-RJGA	IPCU with KEY, JOY, Tablet and ACP Interfaces	3,500 ~
•	NOTE: ACP Interface requires KEY or KEYJOY. ACP Interface	
	includes a 15' cable. For longer cable length order Serial Extension Cables (SEXT) below.	•
	Serial Extension Cables (SEAT) below.	
KEYBOARDS/JO	(STICKS (Requires IPCU)	
KE <b>Y</b>	Full ASCII keyboard with User Programmable Key Pad	75 <b>0</b>
JOY	Joystick with Control Switch	600
Keyjoy	Reyboard (REY) and Joystick (JOY) mounted together	1,200
	NOTE: Keyboards and Joysticks are supplied with 15' cable. For 25' Cable add \$50. For 50' Cable add \$175.	
TABLET/DIGIT	IZERS (Requires IPCU-KJG or IPCU-KJGA)	
,		
GT-A	Graphics Tablet (11"x11")	2,600
GT-B	Graphics Digitizer (20"x20")	3,200
GT-C	Graphics Digitizer (30°x40°)	4,950
GT-D	Graphics Digitizer (36"x48")	5,250
GT-E	Graphics Digitizer (42*x60*)	7,350
GT-A/D	Dual Graphics Tablet (11"x11") and 36"x48" Digitizer	6,500
GT-A/E	Dual Graphics Tablet (ll"xll") and 42"x60" Digitizer Cable for User Supplied Graphics Tablet/Digitizer	8,550
GT-CAB CSR4	4 Button cursor for Tablet/Digitizers	30 <b>0</b> 175
	NOTE: Tablets and Digitizers are supplied with 15' cable. For 25' Cable add \$50. For 50' Cable add \$175.	
LIGHT PEN/CO	MPARATOR/FUNCTION SWITCHES AND CONTROL DIALS	
PM-LP/PB	Pick Module with Push Button Light Pen	3,500
PM-LP/CR	Pick Module with Capacitive Ring Light Pen	3,500
PM-DC	Pick Module with Digital Comparator	3,500
PM-LP/PB-DC	Pick Module with Push Button Light Pen	4,500
	and Digital Comparator	_
PM-LP/CR-DC	Pick Module with Capacitive Ring Light Pen	4,500
	and Digital Comparator	
FSCD	Lighted Function Switches (16) and Control	3,900√
.5—	Dials (8) with Interface	3,300 4
	NOTE: Light Pens require P31 or P40 CRT Phosphor. Light Pens	
-	and FSCD are supplied with 15' Cable. For 25' Light Pen Interface Cable add 850. For 50' Light Pen Interface	
	Cable add \$175. For Longer FSCD cable lengths order	
•	SEXT below.	
•	-	
EXTENSION CA	BLES	
SEXT-15	15° Serial Extension Cable	125
SEXT-25	25' Serial Extension Cable	175
SECT-50	50' Serial Extension Cable	300
REXT-15	15' Raster Extension Cable	125
REXT-50	<pre>25' Raster Extension Cable 50' Raster Extension Cable</pre>	175
	in variet extension capie	300

ICLOSURES!	(05272)	
770	Terminal Desk (32"Wx48"D) with 24.5 Vertical Panel Space	\$ 1,000
D <b>D</b>	Data Desk (60°Wx41°D) with 24.5° Vertical Panel Space	1,200
DT	Data Table (60"Wx41"D)	008
RM	Rack with 54.25° Vertical Panel Space	1,200
PWR	Power Control Panel	2.000

#### SOFTWARE

WAND Graphics software consists of a series of FORTRAN callable subroutines with systems drivers. The appropriate dash number and distribution medium must be specified when ordering software. All software is distributed in source form with source listings.

WAND-7200-A	Fortran Graphics Package for DG RDOS	4,000
WAND-7200-B	Fortran Graphics Package for DG AOS	4,000
WAND 7200-C	Fortran Graphics Package for DEC RT-11, Version 3	4,000
WAND-7200-D	Portran Graphics Package for DEC RSX-11M	4,000
WAND-7200-E	Fortran Graphics Package for RS232 Systems (May require	4,000
	a user provided host I/O Software Module)	
WAND 7200-7	Fortran Graphics Package for DEC VMS	4,000

## MINIMUM ORDER

A \$100 minimum order applies to all purchases.

#### GENERAL

This price list is for information only and does not constitute an offer to sell. A formal, written quote will be issued by MEGATEK CORPORATION upon request.

All prices are exclusive of all sales, use, or other taxes, if applicable. This price list is valid for orders and equipment delivered in the continental United States only.

All options in this price list are quoted fully integrated into the system if purchased with the WHIZZARD 7200 system. Options shipped subsequent to WHIZZARD 7200 delivery are subject to price revisions and/or separate installation charges.

Due to continued product improvement and other factors, all prices, specifications, descriptions, and models in this list may change or be withdrawn without notice.

#### INSTALLATION

WHIZZARD 7200 installation may be contracted from MEGATEX CORPORATION at the time of purchase for \$720 plus all travel expenses at cost, as required, per system.

#### TRAINING

Software classes are scheduled on a regular basis for \$200 Company registration fee plus \$125 per individual.

Hardware maintenance training is available. Please consult the factory.

#### ENGINEERING SERVICES

MEGATEK Engineering services are available on a contracted basis. Please consult factory for further information.

## CONFIGURATION PROCEDURE

- 1. Choose appropriate Graphic Display Controller
- 2. Select Interface
- J. Select Display and Output Options
- 4. Select Graphic Peripherals and Interfaces
- 5. Select Enclosures/Desks
- 5. Select appropriate WAND 7200 Software
- 7. Order Installation if desired