

Concept Index

"&" keywords	168	compiled code	602
# reader macros	374	compiler	228
%%kbd fields.	363	compiler warnings	238
60ths of a second	629	completion (of file names)	446
accessor function	298	complexnum	102
active process.	538	condition handlers	554
advice to functions.	592	condition instances	552
alist	74	condition names	552
allocation of storage	91	conditional	39
alphabetic case	144	conditionalization, read-time	376
alterant macro	310	conditionalizing clause(s), in loop	283
applicable function	10	conditions.	552
area	62, 223	cons	9, 60
argument checking	562	constructor macro	299, 308
array	10, 121	control structure	39
array initialization	126	coroutine	180, 186
array leader	124, 127		
array-elements loop iteration path	292		
arrest reason	538		
association list	74, 78		
atom	5, 9		
attribute.	81		
attribute list, file	438		
backquote	251		
Balance Directories	446		
band	651		
base-flavor	348		
basic definition	155, 175		
bignum	102		
binding	7		
blocks	82		
booting	651		
break loop.	644		
breakpoint.	644		
byte	116		
byte specifiers	116		
canonical type (of a pathname)	459		
capabilities.	450		
car	60		
catch	54		
cdr.	60		
cell.	197		
character object.	384		
character set	362		
circular list.	60		
cleanup handler.	56		
closure	10, 180		
combined-method	332		
		elements (of a list)	60
		encapsulation	155, 175
		entity	10, 185
		eq versus equal.	12, 13
		equal versus =	13
		error system	552
		eval-when	231
		evalhook	26
		evaluation	14
		exit	39
		external value cell	181
		fascism	450
		fasdump	245
		FEF	8, 163

file	431	expr	31
file attribute list	438	Lisp machine pathnames	476
file directory	442	lisp top level	644
file servers	450	list	60
filename	453	L.M.F.I.L.E. pathnames	477
filename completion	446	loading	437
fill pointer	124	local variable	15
fish	41	Local-File pathnames	476
fixnum	102	locative	11, 197
flavor	321	lock	542
flonum	102	logical pathnames	477
flow of control	39	loop	274
formatted output	411	lower case letter	144
formatting lisp code	426		
function	10, 154	machine code	602
function cell	98	MacLisp file manipulation	483
function entry frame	163	macro character	374
function renaming	179	macro defining macros	298
function spec	154	macro-defining macros	250
garbage collector	646	macros	248
generic pathname	467	mapping	57
grinding	426	MAR	599
grouped array	312	merge (pathname)	454, 462
handling errors	552	message	321
hash table	83, 87	method	321
home directory	466	microseconds	630
host (pathname)	455	mixin	348
host objects	480	module	522
host table	657	monitoring the value of a variable	601
I/O stream	391	Multics pathnames	476
ignored arguments	240	multiple accumulations, in loop	282
index offset	125, 127	multiple values	33
indicator	81	multiprocessing	538
indirect array	125, 126		
init file	466	name (pathname)	455
initialization	624	named structure	312
input and output	362	named-subst	161
input to the compiler	230	namelists (MacLisp compatibility)	483
instance	321	naming convention	8
interchange form of pathname components	457	non-local exit	39, 54
internal value cell	181	number	9, 102
interned-symbols loop iteration path	291		
invisible pointers	202	object	321
iteration	39, 45, 274	optimizer, compiler	243
ITS pathnames	473	optional parameters	21
keyboard character	363	order of evaluation in iteration clauses, in loop	277
keyword parameters	21		
keywords in argument lists	49	package	506
kitty	44	package declarations	509
kitty, yu-shiang	80, 415	Paper tape punch	146
lambda list	21	parameters	21
lambda-list keywords	168	paranoia	451
		parse (pathname)	454
		partition	651
		passwords	450
		patch	531
		pathname	453

period, in symbols	259	special character	378
plane	139	special forms	164
plist	81	special variable	15, 232
positional parameters	21	stack group	123, 186
ppss	116	stack lists	80
predicate	8	status, of a patchable system	536
pretty-printing	426	stepping through evaluation	596
print name	7, 99	storage allocation	91
printer	367	stream	391
proceed types	569	string	10, 143
process	538	structured pathname components	457
process wait function	538	structures	298
program source file	437	subprimitive	200
property list	7, 81	subscript	121
QFASL files	228	subst	161, 255
querying the user	620	substitutable function	255
quote	28	substitution	70
rationalnum	102	supplied-p variable	24
raw pathname components	457	symbol	7, 8, 96
read-eval-print loop	644	system	520
reader	371	system maintenance	531
readtable	379	tail recursion	32
record (structure)	298	Tenex pathnames	475
recursion	39	terminating the iteration, in loop	282
rename-within	179	throw	54
required parameters	21	times and dates	628
resource	91	TOPS-20 pathnames	474
rest parameters	21	tracing function execution	588
resumer	187	transformation	523
returning multiple values	33	tree	60
rubout handler	427	Twenex pathnames	474
run reason	538	type (pathname)	455
S-expression	5	types of arrays	121
saving the Lisp world	651	universal time	628
scheduler	539	Unix pathnames	475
sequential vs parallel binding and initialization, in loop	276	unspecifc pathname components	456
set	74	unwind protection	56
setf	270	unwinding a stack	55
sharp sign reader macros	374	upper case letter	144
signal names	565	value cell	96
signaling conditions	561	variable bindings, in loop	278
simple process	549	version (pathname)	455
single-character symbol	381	Very Mangled Software	475
site configuration	657	VMS pathnames	475
site options	657	wait	538
slashification	367	warnings from the compiler	238
slot	300	yes-or-no	620
small-flonum	102		
sorting	89		

Flavor Index

condition	558	si:output-stream	404
error	559	si:print-readably-mixin	361
ferror	559	si:process	549
fs:file-error	447	si:property-list-mixin	359
si:bidirectional-stream	404	si:simple-process	549
si:buffered-character-stream.	406	si:stream	403
si:buffered-input-character-stream	406	si:unbuffered-line-input-stream.	406
si:buffered-input-stream	404	si:vanilla-flavor	348
si:buffered-output-character-stream	406	sys:bad-array-mixin	129, 559
si:buffered-output-stream	404	sys:cell-contents-error	37
si:buffered-stream	405	sys:local-network-error	495
si:file-input-stream-mixin	407	sys:network-error	494
si:file-output-stream-mixin	407	sys:no-action-mixin.	559
si:file-stream-mixin	407	sys:proceed-with-value-mixin	559
si:input-pointer-remembering-mixin	406	sys:redefinition	170
si:input-stream	403	sys:remote-network-error	495
si:line-output-stream-mixin.	406	sys:warning	559
si:output-pointer-remembering-mixin.	407		

Operation (Message Name) Index

:active-p (to si:process)	548	:foreign-host (to chaos:basic-stream)	491
:advance-input-buffer (to streams)	399	:fresh-line (to streams)	393
:arrest-reason (to si:process)	548	:funcall-inside-yourself	349
:arrest-reasons (to si:process)	547		
		:generic-base-type (to host objects)	482
:back-translated-pathname (to fs:logical-pathname) .	478	:generic-pathname (to file streams)	441
:beep (to streams)	396	:generic-pathname (to fs:pathname)	469
:break	350	:get (to fs:pathname)	470
:bug-report-description (to condition)	560	:get (to si:property-list-mixin)	359
:bug-report-recipient-system (to condition)	560	:get-handler-for	349
		:get-input-buffer (to streams)	398
:canonical-type (to fs:pathname)	460	:get-location (to si:property-list-mixin)	360
:change-properties (to fs:pathname)	471	:get-old-data (to si:output-pointer-remembering-mixin)	407
:characters (to streams)	395	:getl (to fs:pathname)	470
:clear-eof (to chaos:basic-input-stream)	491	:getl (to si:property-list-mixin)	359
:clear-input (to streams)	398		
:clear-output (to streams)	398	:host (to fs:pathname)	458
:clear-screen (to streams)	397		
:close (to chaos:basic-stream)	491	:increment-cursorpos (to streams)	396
:close (to streams)	393, 394	:info (to file streams)	442
:close-all-files (to host objects)	482	:initial-form (to si:process)	546
:complete-string (to fs:pathname)	471	:initial-stack-group (to si:process)	546
:condition-names (to condition)	554	:interrupt (to si:process)	549
:create-directory (to fs:pathname)	472		
:creation-date (to file streams)	442	:kill (to si:process)	549
:dangerous-condition-p (to condition)	559	:length (to file streams)	442
:debugger-command-loop (to condition)	561	:line-in (to streams)	392
:debugging-condition-p (to condition)	560	:line-out (to streams)	394
:delete (to file streams)	442	:listen (to streams)	395
:delete (to fs:pathname)	471		
:describe	349	:maybe-clear-input (to condition)	560
:device (to fs:pathname)	458		
:direction (to streams)	395	:name (to fs:pathname)	458
:directory (to fs:pathname)	458	:name (to host objects)	482
:directory-list (to fs:pathname)	472	:name (to si:process)	546
:directory-pathname-as-file (to fs:pathname) . .	470	:name-as-file-computer (to host objects)	482
:discard-input-buffer (to si:buffered-input-stream) .	404	:network-type (to host objects)	482
:discard-output-buffer (to si:buffered-output-stream) .	405	:network-typep (to host objects)	482
:document-proceed-type (to condition)	571	:new-canonical-type (to fs:pathname)	461
		:new-device (to fs:pathname)	458
:eof (to chaos:basic-output-stream)	491	:new-directory (to fs:pathname)	458
:eof (to streams)	394	:new-name (to fs:pathname)	458
:eval-inside-yourself	349	:new-output-buffer (to si:buffered-output-stream) . .	405
:expunge (to fs:pathname)	472	:new-pathname (to fs:pathname)	459
		:new-raw-device (to fs:pathname)	458
:find-current-frame (to condition)	561	:new-raw-directory (to fs:pathname)	458
:finish (to chaos:basic-output-stream)	491	:new-raw-name (to fs:pathname)	458
:finish (to streams)	398	:new-raw-type (to fs:pathname)	458
:flush (to si:process)	548	:new-suggested-directory (to fs:pathname)	459
:fn1 (to its-pathname)	474	:new-suggested-name (to fs:pathname)	459
:fn2 (to its-pathname)	474	:new-type (to fs:pathname)	458
:force-output (to chaos:basic-output-stream)	491	:new-type-and-version (to fs:pathname)	474
:force-output (to streams)	398	:new-version (to fs:pathname)	458

:next-input-buffer (to si:buffered-input-stream)	404
:open (to fs:pathname)	471
:open-canonical-default-type (to fs:pathname)	462
:open-streams (to host objects)	482
:operation-handled-p	349
:operation-handled-p (to streams)	395
:pathname (to file streams)	441
:pathname-as-directory (to fs:pathname)	470
:pathname-host-namep (to host objects)	482
:plist (to fs:pathname)	470
:preset (to si:process)	548
:primary-device (to fs:pathname)	469
:print-error-message (to condition)	560
:print-self	349
:priority (to si:process)	547
:proceed (to condition)	570
:proceed-asking-user (to condition)	572
:proceed-type-p (to condition)	570
:property-list (to si:property-list-mixin)	360
:property-list-location (to si:property-list-mixin)	360
:push-property (to si:property-list-mixin)	360
:putprop (to fs:pathname)	470
:putprop (to si:property-list-mixin)	360
:qfaslp (to file streams)	442
:quantum (to si:process)	547
:quantum-remaining (to si:process)	547
:raw-device (to fs:pathname)	458
:raw-directory (to fs:pathname)	458
:raw-name (to fs:pathname)	458
:raw-type (to fs:pathname)	458
:read-cursorpos (to streams)	396
:read-input-buffer (to streams)	398
:read-pointer (to streams)	397
:read-until-eof (to streams)	393
:reconstruction-init-plist (to si:print-readably-mixin)	361
:remote-connect (to fs:pathname)	472
:remprop (to fs:pathname)	470
:remprop (to si:property-list-mixin)	360
:rename (to file streams)	442
:rename (to fs:pathname)	471
:report (to condition)	559
:report-string (to condition)	559
:reset (to si:process)	548
:revoke-arrest-reason (to si:process)	548
:revoke-run-reason (to si:process)	547
:rewind (to streams)	398
:rubout-handler (to streams)	396
:run-reason (to si:process)	547
:run-reasons (to si:process)	547
:runnable-p (to si:process)	548
:sample-pathname (to host objects)	482
:send-if-handles	349
:send-if-handles (to streams)	395
:send-output-buffer (to si:buffered-output-stream)	405
:set-buffer-pointer (to si:input-pointer-remembering-mixin)	406
:set-buffer-pointer (to si:output-pointer-remembering-mixin)	407
:set-byte-size (to file streams)	442
:set-cursorpos (to streams)	397
:set-pointer (to streams)	397
:set-priority (to si:process)	547
:set-property-list (to si:property-list-mixin)	360
:set-quantum (to si:process)	547
:set-warm-boot-action (to si:process)	547
:short-name (to host objects)	482
:simple-p (to si:process)	547
:source-pathname (to fs:pathname)	469
:stack-group (to si:process)	546
:string-for-directory (to fs:pathname)	470
:string-for-dired (to fs:pathname)	469
:string-for-editor (to fs:pathname)	469
:string-for-host (to fs:pathname)	470
:string-for-printing (to fs:pathname)	469
:string-for-wholine (to fs:pathname)	469
:string-in (to streams)	392
:string-out (to streams)	393
:system-type (to host objects)	482
:translated-pathname (to fs:logical-pathname)	478
:truename (to file streams)	441
:truename (to fs:pathname)	470
:tyi (to streams)	391
:tyi-no-hang (to streams)	395
:tyipeek (to streams)	392
:tyo (to streams)	393
:type (to fs:pathname)	458
:type-and-version (to fs:pathname)	474
:undeletable-p (to fs:pathname)	471
:undelete (to file streams)	442
:undelete (to fs:pathname)	471
:untyi (to streams)	392
:untyo (to streams)	397
:untyo-mark (to streams)	397
:user-proceed-types (to condition)	573
:version (to fs:pathname)	458
:wait-argument-list (to si:process)	546
:wait-function (to si:process)	546
:warm-boot-action (to si:process)	547
:which-operations	349
:which-operations (to streams)	394
:whostate (to si:process)	546
:wild-p (to fs:pathname)	469
:wildcard-map (to fs:pathname)	472

Keyword Index

sys:%%region-map-bits (for make-area)	225	:condition (for fquery)	621
sys:%%region-scavenge-enable (for make-area)	225	:cons (for defstruct-define-type)	317
sys:%%region-space-type (for make-area)	225	:constructor (for defresource)	92
		:constructor (for defstruct)	302
:accessor-prefix (for defflavor)	346	:copier (for defstruct)	303
:actual-size (for make-equal-hash-table)	85	:copier (for defstruct-define-type)	319
:alterant (for defstruct)	302	:copies (for hardcopy-file)	636
chaos:answered-state (for connection state)	487	:copy-mode (for fs:balance-directories)	447
:area (for make-array)	126		
:area (for make-equal-hash-table)	85	:default-binary-file-type (for defsystem)	522
:area (for make-list)	65	:default-bit-array-printer (for defsite)	659
:arg (for trace)	590	:default-handler (for defflavor)	345
:argpdl (for trace)	589	:default-init-plist (for defflavor)	343
:arpa-contact-name (for defsite)	659	:default-mail-mode (for defsite)	659
:arpa-gateways (for defsite)	659	:default-pointer (for defstruct)	303
:array (for defstruct)	302	:default-printer (for defsite)	659
:array (for typep)	11	:default-value (for make-plane)	140
:array-leader (for defstruct)	302	:defaulted-batch (for make-system)	527
:arrest-reasons (for make-process)	544	:defstruct (for defstruct-define-type)	319
:atom (for typep)	12	:deleted (for fs:complete-pathname)	446
		:deleted (for fs:directory-list)	443
:batch (for make-system)	527	:deleted (for open)	435
:beep (for fquery)	621	:direction (for open)	434
:before-cold (for add-initialization)	624	:displaced-index-offset (for make-array)	127
:bignum (for typep)	11	:displaced-to (for make-array)	126
:both (for trace)	590	:documentation (for defflavor)	347
:break (for trace)	589	:dover (for defsite)	659
:but-first (for defstruct)	306	:dover (for printer-type)	635
:byte-size (for open)	435		
		:entity (for typep)	12
:callable-accessors (for defstruct)	307	:entry (for trace)	590
:chaos (for defsite)	658	:entrycond (for trace)	589
:chaos (for si:sb-on)	542	:entryprint (for trace)	589
:chaos-file-server-hosts (for defsite)	658	:error (for fs:balance-directories)	447
:chaos-host-table-server-hosts (for defsite)	658	:error (for open)	435
:chaos-mail-server-hosts (for defsite)	658	:error (for trace)	589
:chaos-time-server-hosts (for defsite)	658	:esc-f-arg-alist (for defsite)	659
:characters (for open)	434	:essential-mixin (for defflavor :documentation)	347
:checker (for defresource)	93	:estimated-size (for open)	436
:choices (for fquery)	621	:ether (for defsite)	658
:clear-input (for fquery)	621	:eval-sexp (for prompt-and-read)	385
:clock (for si:sb-on)	542	:eval-sexp-or-end (for prompt-and-read)	385
:closure (for typep)	11	:eval-when (for defstruct)	307
chaos:cls-received-state (for connection state)	487	:exit (for trace)	590
:cold (for add-initialization)	624	:exitbreak (for trace)	589
:combination (for defflavor :documentation)	347	:exitcond (for trace)	589
:compare-function (for make-equal-hash-table)	85	:exitprint (for trace)	590
:compile (for make-system)	526	:extension (for make-plane)	140
:compiled-function (for typep)	11		
:complex (for typep)	11	:fill-pointer (for make-array)	126
:component-systems (for defsystem)	521	:find-callers (for meter:analyze)	639
:comsat (for defsite)	659	:finder (for defresource)	93
:conc-name (for defstruct)	303	:first (for add-initialization)	625
:cond (for trace)	589	:fix (for typep)	12

:fixnum (for defstruct)	302	:label (for si:with-help-stream)	402
:fixnum (for typep)	11	:leader-length (for make-array)	126
:fixnum-array (for defstruct)	302	:leader-list (for make-array)	126
:flavor (for make-process)	544	:link-to (for open)	436
:flavor (for open)	436	:list (for defstruct)	302
:float (for typep)	12	:list (for typep)	11
:fignum (for typep)	11	:list-choices (for fquery)	621
:fignum-array (for defstruct)	302	chaos:listening-state (for connection state)	487
:font (for hardcopy-file)	635	:local-mail-hosts (for defsite)	659
:font-list (for hardcopy-file)	635	:locative (for typep)	11
:force-unfinished (for load-patches)	535	:logical-volume (for open)	436
chaos:foreign-state (for connection state)	487	:login (for add-initialization)	625
:format (for hardcopy-file)	635	:logout (for add-initialization)	625
:fquery (for prompt-and-read)	386	:long (for time:day-of-the-week-string)	634
:free-list-size (for defresource)	92	:long (for time:month-string)	634
:french (for time:day-of-the-week-string)	634	chaos:los-received-state (for connection state)	487
:french (for time:month-string)	634	:lowlevel-mixin (for defflavor :documentation)	347
:fresh-line (for fquery)	621		
:full-gc (for add-initialization)	625		
:funcallable-p (for make-equal-hash-table)	86		
:gc (for make-area)	225		
:german (for time:day-of-the-week-string)	634		
:german (for time:month-string)	634		
:gettable-instance-variables (for defflavor)	342		
:gmsgs (for defsite)	659		
:grouped-array (for defstruct)	302		
:hash-function (for make-equal-hash-table)	85		
:heading-font (for hardcopy-file)	636		
:height (for si:with-help-stream)	402		
:help-function (for fquery)	621		
chaos:host-down-state (for connection state)	487		
:host-for-bug-reports (for defsite)	659		
:ignore (for fs:balance-directories)	447		
:in (for fs:complete-pathname)	446		
chaos:inactive-state (for connection state)	487		
:include (for defstruct)	304		
:included-flavors (for defflavor)	345		
:inclusive (for meter:analyze)	639		
:increment-patch (for make-system)	527		
:incremental-update (for open)	436		
:inhibit-links (for open)	435		
:init-keywords (for defflavor)	343		
:initial-copies (for defresource)	92		
:initial-offset (for defstruct)	306		
:initial-status (for defsystem)	522		
:initial-value (for make-array)	126		
:initial-value (for make-list)	65		
:initializer (for defresource)	92		
:inittable-instance-variables (for defflavor)	343		
:instance (for typep)	12		
:integer (for typep)	12		
:keyboard (for si:sb-on)	542		
:keywords (for defstruct-define-type)	319		

:number (for typep)	12	:required-instance-variables (for defflavor)	344
:number-of-values (for make-equal-hash-table)	85	:required-methods (for defflavor)	344
:old (for fs:complete-pathname)	446	:restart-after-boot (for process-run-function)	545
:old-file (for open)	435	:restart-after-reset (for process-run-function)	545
:once (for add-initialization)	624	chaos:rfc-received-state (for connection state)	487
chaos:open-state (for connection state)	487	chaos:rfc-sent-state (for connection state)	487
:ordered-instance-variables (for defflavor)	346	:roman (for time:month-string)	634
:out (for fs:complete-pathname)	446	:room (for make-area)	225
:outside-accessible-instance-variables (for defflavor)	346	:run-reasons (for make-process)	544
:overhead (for defstruct-define-type)	318		
		:safe (for make-stack-group)	190
:package (for defsystem)	521	:select (for fquery)	622
:page-headings (for hardcopy-file)	636	:select-method (for typep)	11
:patchable (for defsystem)	522	:selective (for load-patches)	535
:pathname (for prompt-and-read)	385	:selective (for make-system)	526
:pathname-default (for defsystem)	521	:settable-instance-variables (for defflavor)	343
:pdl (for make-area)	225	:sg-area (for make-process)	544
:physical-volume (for open)	436	:sg-area (for make-stack-group)	189
:predicate (for defstruct)	302	:short (for time:day-of-the-week-string)	634
:predicate (for defstruct-define-type)	319	:short (for time:month-string)	634
:preserve-dates (for open)	436	:short-name (for defsystem)	521
:press-file (for printer-type)	635	:silent (for load-patches)	535
:print (for defstruct)	307	:silent (for make-system)	526
:print (for fs:complete-pathname)	446	:simple-p (for make-process)	544
:print (for trace)	590	:single (for setsyntax)	381
:print-only (for make-system)	527	:site (for add-initialization)	625
:printer (for hardcopy-file)	635	:site-option (for add-initialization)	625
:priority (for make-process)	544	:size (for make-area)	224
:priority (for process-run-function)	545	:size (for make-equal-hash-table)	85
:property (for defstruct)	307	:size-macro (for defstruct)	306
		:size-symbol (for defstruct)	306
:quantum (for make-process)	544	:small-flonum (for typep)	11
:quantum (for process-run-function)	545	:sort-function (for meter:analyze)	639
:query-mode (for fs:balance-directories)	447	:sorted (for fs:directory-list)	443
		:special-instance-variables (for defflavor)	343
:random (for typep)	11	:special-pdl-area (for make-process)	544
:rational (for typep)	11	:special-pdl-area (for make-stack-group)	189
:raw (for open)	436	:special-pdl-size (for make-process)	544
:read (for fs:complete-pathname)	446	:special-pdl-size (for make-stack-group)	189
:read (for prompt-and-read)	385	:special-purpose (for defflavor :documentation)	347
:read-only (for make-area)	225	:spell-server-hosts (for defsite)	659
:real (for typep)	12	:splicing (for setsyntax)	381
:recompile (for make-system)	526	:spool (for hardcopy-file)	636
:redo (for add-initialization)	625	:stack-group (for make-process)	544
:ref (for defstruct-define-type)	318	:stack-group (for meter:analyze)	639
:region-size (for make-area)	224	:stack-group (for typep)	11
:regular-pdl-area (for make-process)	544	:step (for trace)	589
:regular-pdl-area (for make-stack-group)	189	:stream (for fquery)	621
:regular-pdl-size (for make-process)	544	:string (for prompt-and-read)	385
:regular-pdl-size (for make-stack-group)	189	:string (for typep)	11
:rehash-function (for make-equal-hash-table)	85	:string-or-nil (for prompt-and-read)	385
:rehash-size (for make-equal-hash-table)	85	:summarize (for meter:analyze)	639
:rehash-threshold (for make-equal-hash-table)	85	:super-image (for open)	436
:reload (for make-system)	526	:superior (for si:with-help-stream)	402
:representation (for make-area)	225	:swap-sv-of-sg-that-calls-me (for make-process)	544
:required-flavors (for defflavor)	344	:swap-sv-of-sg-that-calls-me (for make-stack-group)	189
		:swap-sv-on-call-out (for make-process)	544

:swap-sv-on-call-out (for make-stack-group)	189
:symbol (for typep)	11
:sys-host (for defsite)	657
:sys-host-translation-alist (for defsite)	657
:sys-login-name (for defsite)	658
:sys-login-password (for defsite)	658
:system (for add-initialization)	624
:systems (for load-patches)	535
:temporary (for open)	436
:times (for defstruct)	306
:timezone (for defsite)	659
:trap-enable (for make-process)	544
:trap-enable (for make-stack-group)	189
:tree (for defstruct)	302
:type (for defstruct)	301
:type (for squery)	621
:type (for make-array)	126
:type (for make-plane)	140
:typep (for si:printing-random-object)	370
:value (for trace)	590
:verbose (for load-patches)	535
:warm (for add-initialization)	624
:warm-boot-action (for make-process)	544
:warm-boot-action (for process-run-function)	545
:warnings-default (for defsystem)	522
:wherein (for trace)	589
:width (for si:with-help-stream)	402
:write (for fs:complete-pathname)	446
:xgp (for printer-type)	635

Object Creation Options

:property-list (for si:property-list-mixin) 360

Meter Index

sys:%aging-depth	222
sys:%count-age-flushed-pages	222
sys:%count-aged-pages	221
sys:%count-chaos-transmit-aborts	219
sys:%count-cons-work	219
sys:%count-disk-ecc-corrected-errors	221
sys:%count-disk-errors	221
sys:%count-disk-page-read-operations	220
sys:%count-disk-page-reads	220
sys:%count-disk-page-write-busys	221
sys:%count-disk-page-write-operations	220
sys:%count-disk-page-write-waits	221
sys:%count-disk-page-writes	220
sys:%count-disk-prepages-not-used	220
sys:%count-disk-prepages-used	220
sys:%count-disk-read-compare-differences	221
sys:%count-disk-read-compare-rereads	221
sys:%count-disk-read-compare-rewrites	221
sys:%count-disk-recalibrates	221
sys:%count-findcore-emergencies	222
sys:%count-findecore-steps	222
sys:%count-first-level-map-reloads	219
sys:%count-fresh-pages	220
sys:%count-meta-bits-map-reloads	220
sys:%count-pdl-buffer-memory-faults	220
sys:%count-pdl-buffer-read-faults	220
sys:%count-pdl-buffer-write-faults	220
sys:%count-scavenger-work	219
sys:%count-second-level-map-reloads	220
sys:%disk-error-log-pointer	221
sys:%disk-wait-time	221
sys:%tv-clock-rate	219

Variable Index

%%arg-desc-max-args	174	sys:%number-of-micro-entries	216
%%arg-desc-min-args	174	sys:%page-cons-alarm	217
%%ch-char	363	sys:%qlaryh	218
%%ch-font	363	sys:%qlaryl	218
%%kbd-char	363	sys:%region-cons-alarm	217
%%kbd-control	363	sys:%scheduler-stack-group	216
%%kbd-control-meta	364	sys:%trap-micro-pc	216
%%kbd-hyper	363	*	645
%%kbd-meta	363	**	645
%%kbd-mouse	364	***	645
%%kbd-mouse-button	364	*all-flavor-names*	334
%%kbd-mouse-n-clicks	364	fs:*always-merge-type-and-version*	463
%%kbd-super	363	si:*batch-mode-p*	528
%%q-all-but-cdr-code	211	sys:*break-bindings*	645
%%q-all-but-pointer	211	si:*default-bit-array-printer*	636
%%q-all-but-typed-pointer	211	fs:*default-pathname-defaults*	464
%%q-cdr-code	210	si:*default-printer*	636
%%q-data-type	210	fs:*defaults-are-per-host*	463
%%q-flag-bit	210	si:*file-transformation-function*	528
%%q-high-half	211	si:*flavor-compilations*	342
%%q-low-half	211	fs-*generic-base-type-alist*	468
%%q-pointer	210	eh:*inhibit-debugger-proceed-prompt*	579
%%q-pointer-within-page	210	fs-*its-uninteresting-types*	473
%%q-typed-pointer	211	si-*make-system-forms-to-be-evaluated-after*	527
%arg-desc-evaluated-rest	174	si-*make-system-forms-to-be-evaluated-before*	527
%arg-desc-sef-bind-hair	174	si-*make-system-forms-to-be-evaluated-finally*	527
%arg-desc-sef-quote-hair	174	fs-*name-specified-default-type*	463
%arg-desc-interpreted	174	*nopoint	367
%arg-desc-quoted-rest	174	fs-*pathname-hash-table*	467
sys:%chaos-csr-address	216	fs-*pathname-host-list*	481
sys:%current-stack-group-calling-args-number	216	si-*query-type*	528
sys:%current-stack-group-calling-args-pointer	216	si-*redo-all*	528
sys:%current-stack-group-state	216	si-*silent-p*	528
sys:%disk-blocks-per-cylinder	218	si-*system-being-defined*	529
sys:%disk-blocks-per-track	218	si-*system-being-made*	527
sys:%disk-run-light	217	time:*timezone*	633
sys:%disk-switches	212	si-*top-level-transformations*	528
sys.%error-handler-stack-group	216	+	645
sys.%gc-flip-ready	217	+ +	645
sys.%gc-generation-number	217	+ + +	645
sys.%gc-switches	219	-	645
sys.%inhibit-read-only	217	//	645
sys.%initial-sef	216		
sys.%initial-stack-group	216	sys:a-memory-counter-block-names	222
sys.%loaded-band	217	sys:a-memory-location-names	219
%mar-high	217	sys:active-processes	542
%mar-low	217	si:advised-functions	594
%mc-code-exit-vector	218	sys:all-processes	542
sys.%meter-buffer-pointer	218	all-special-switch	238
sys.%meter-disk-address	218	allow-variables-in-function-position-switch	237
sys.%meter-disk-count	218		
sys.%meter-global-enable	218		
sys.%meter-microcode-enables	637		
%microcode-version-number	216		

alphanumeric-case-affects-string-comparison	144	ch:condition-default-handlers.	558
sys:amem-evec-vector	219	ch:condition-handlers	558
chaos:ans-op	493	ch:condition-resume-handlers	578
si:applyhook	598	current-process.	540
area-list	226	current-stack-group.	188
arglist	590	current-stack-group-resumer	188
array-bits-per-element.	123	sys:currently-prepared-sheet	218
array-elements-per-q	123		
array-index-order	137	chaos:dat-op.	493
array-types.	123	debug-io	399, 579
art-16b	121	default-cons-area.	224
art-1b.	121		
art-2b.	121	ch:*inhibit-debugger-proceed-prompt*.	579
art-32b	122	ch:breakon-functions	592
art-4b.	121	ch:condition-default-handlers.	558
art-8b.	121	ch:condition-handlers	558
art-complex	123	ch:condition-resume-handlers	578
art-complex-float	123	ch:pdl-grow-ratio	190
art-complex-fps-float	123	ch:trace-conditions	569
art-fat-string.	122	si:encapsulation-standard-order	177
art-float	122	chaos:eof-op.	493
art-fps-float	122	error-output.	399
art-half-fix	122	errset.	565
art-q	121	evalhook	598
art-q-list	121		
art-reg-pdl	123	sys:fasl-constants-area	227
art-special-pdl	123	sys:fdefine-file-pathname	170
art-stack-group-head	123	sys:file-local-declarations	235
art-string	122	chaos:first-data-word-in-pkt	491
si:associated-machine	661	fs:*always-merge-type-and-version*.	463
		fs:*default-pathname-defaults*.	464
background-cons-area	224	fs:*defaults-are-per-host*.	463
base	367	fs:*generic-base-type-alist*.	468
eh:breakon-functions	592	fs:*its-uninteresting-types*.	473
		fs:*name-specified-default-type*.	463
cdr-error	211	fs:*pathname-hash-table*.	467
cdr-next.	211	fs:*pathname-host-list*.	481
cdr-nil	211	fs:host-unit-lifetime	451
cdr-normal.	211	fs:last-file-opened	464
chaos:ans-op	493	fs:load-pathname-defaults	464
chaos:cls-op	493	fs:record-passwords-flag	451
chaos:dat-op	493	fs:user-host-password-alist.	451
chaos:eof-op	493	fs:user-unames.	451
chaos:first-data-word-in-pkt	491		
chaos:los-op	493	si:gc-flip-ratio	646
chaos:lsn-op	493	si:gc-reclaim-immediately	646
chaos:opn-op.	493		
chaos:rfc-op	493	si:host-alist	481
chaos:server-alist	489	fs:host-unit-lifetime	451
sys:clock-function-list	541		
chaos:cls-op	493	ibase	371
si:cold-load-stream	401	ignore	240
compile-encapsulations-flag.	229	inhibit-fdefine-warnings	171
compiler:compiler-verbose	230	inhibit-scavenging-flag	217
compiler:peep-enable	230	inhibit-scheduling-flag	540
compiler:qc-file-check-indentation.	231	inhibit-style-warnings-switch	238
compiler:warn-on-errors	239	sys:init-list-area	227

si:initial-process	542	si:*default-bit-array-printer*	636
si:initial-readable	379	si:*default-printer*	636
si:initialization-keywords	625	si:*file-transformation-function*	528
lambda-list-keywords	168	si:*flavor-compilations*	342
fs:last-file-opened	464	si:*make-system-forms-to-be-evaluated-after*	527
sys:lexical-environment	218	si:*make-system-forms-to-be-evaluated-before*	527
lisp-crash-list	645	si:*make-system-forms-to-be-evaluated-finally*	527
fs:load-pathname-defaults	464	si:*query-type*	528
local-declarations	235	si:*redo-all*	528
si:login-history	654	si:*silent-p*	528
logout-list	648	si:*system-being-defined*	529
si:loop-use-system-destructuring?	288	si:*system-being-made*	527
chaos:los-op	493	si:*top-level-transformations*	528
chaos:lsn-op	493	si:advised-functions	594
macro-compiled-program	227	si:applyhook	598
meter:metered-objects	638	si:associated-machine	661
sys:nr-sym	227	si:cold-load-stream	401
sys:number-cons-area	216	si:encapsulation-standard-order	177
obsolete-function-warning-switch	237	si:gc-flip-ratio	646
open-code-map-switch	237	si:gc-reclaim-immediately	646
chaos:opn-op	493	si:host-alist	481
sys:p-n-string	227	si:initial-process	542
package	512	si:initial-readable	379
eh:pdl-grow-ratio	190	si:initialization-keywords	625
compiler:peep-enable	230	si:login-history	654
permanent-storage-area	226	si:loop-use-system-destructuring?	288
sys:pkg-area	227	si:print-readably	370
prinl	644	si:user-init-options	649
prinlength	369	site-name	660
prinlevel	369	standard-input	399
si:print-readably	370	standard-output	399
sys:property-list-area	227	sys:%chaos-csr-address	216
q-data-types	202	sys:%current-stack-group-calling-args-number	216
compiler:qc-file-check-indentation	231	sys:%current-stack-group-calling-args-pointer	216
query-io	399	sys:%current-stack-group-state	216
read-check-indentation	384	sys:%disk-blocks-per-cylinder	218
read-preserve-delimiters	383	sys:%disk-blocks-per-track	218
readtable	379	sys:%disk-run-light	217
fs:record-passwords-flag	451	sys:%disk-switches	212
chaos:rsc-op	493	sys:%error-handler-stack-group	216
room	642	sys:%gc-flip-ready	217
rubout-handler	429	sys:%gc-generation-number	217
run-in-maclisp-switch	237	sys:%gc-switches	219
sys:scavenger-ws-enable	217	sys:%inhibit-read-only	217
sys:scheduler-stack-group	541	sys:%initial-fef	216
self	338	sys:%initial-stack-group	216
sys:self-mapping-table	356	sys:%loaded-band	217
chaos:server-alist	489	sys:%meter-buffer-pointer	218
si:*batch-mode-p*	528	sys:%meter-disk-address	218
		sys:%meter-disk-count	218
		sys:%meter-global-enable	218
		sys:%meter-microcode-enables	637
		sys:%number-of-micro-entries	216
		sys:%page-cons-alarm	217
		sys:%qlaryh	218
		sys:%qlaryl	218
		sys:%region-cons-alarm	217

sys:%scheduler-stack-group	216	sys:scheduler-stack-group	541
sys:%trap-micro-pc	216	sys:self-mapping-table	356
sys:*break-bindings*	645	tail-recursion-flag	33
sys:a-memory-counter-block-names	222	terminal-io	399
sys:a-memory-location-names	219	time:*timezone*	633
sys:active-processes	542	trace-compile-flag	591
sys:all-processes	542	ch:trace-conditions	569
sys:amem-evcp-vector	219	trace-output	400
sys:clock-function-list	541		
sys:currently-prepared-sheet	218		
sys:fasl-constants-area	227	fs:user-host-password-alist	451
sys:fdefine-file-pathname	170	user-id	648
sys:file-local-declarations	235	si:user-init-options	649
sys:init-list-area	227	fs:user-unames	451
sys:lexical-environment	218	values	590
sys:nr-sym	227	compiler:warn-on-errors	239
sys:number-cons-area	216	working-storage-area	226
sys:p-n-string	227		
sys:pkg-area	227		
sys:property-list-area	227		
sys:scavenger-ws-enable	217		
		zunderflow	104

Function Index

*	107	%p-store-tag-and-pointer	208
≤	106	%pointer	204
≥	106	%pointer-difference	204
		%pop	211
%24-bit-difference	119	%push	211
%24-bit-plus	119	%region-number	226
%24-bit-times	119	%remainder-double.	120
%activate-open-call-block	211	%stack-frame-pointer.	210
%allocate-and-initialize	205	%store-conditional	207
%allocate-and-initialize-array	205	%string-equal	145
%area-number	226	%string-search-char	148
%args-info.	175	%structure-boxed-size	205
%assure-pdl-room	212	%structure-total-size	205
sys:%binding-instances.	215	%unibus-read	207
%blt	206	%unibus-write.	207
sys:%change-page-status	214	sys:%using-binding-instances.	215
sys:%compute-page-hash.	214	%xbus-read	207
sys:%create-physical-page	214	%xbus-write	207
%data-type	204	sys:%xbus-write-sync.	207
sys:%delete-physical-page	214		
sys:%disk-restore	214	*	108
sys:%disk-save	214	*\$	108
%div	109	*array	141
%divide-double	120	*catch	54
%find-structure-header	204	*dif	111
%find-structure-leader.	205	*expr	237
%float-double	120	*fexpr	237
sys:%halt	207	*expr	237
sys:%internal-value-cell	215	*plus	111
%logdpb	118	*quo.	111
%logldb	117	*throw	55
%make-pointer.	204	*times	111
%make-pointer-offset	204	*unwind-stack.	56
%multiply-fractions	119		
%open-call-block.	211	+.	107
%p-cdr-code	209	+\$.	107
%p-contents-as-locative	208		
%p-contents-as-locative-offset	208	-	107
%p-contents-offset	208	-\$	107
%p-data-type	209	//	108
%p-deposit-field	209	//\$	108
%p-deposit-field-offset	209		
%p-dpb.	209	1+	110
%p-dpb-offset	209	1+\$	110
%p-ldb	208	1-	110
%p-ldb-offset	209	1-\$	110
%p-mask-field	209		
%p-mask-field-offset	209	<	106
%p-pointer	209	<=	106
%p-store-cdr-code	210	=	106
%p-store-contents	208		
%p-store-contents-offset	208	>	106
%p-store-data-type	210		
%p-store-pointer	210		

>=	106	array-leader-length	132
@define	167	array-length	130
abs	107	array-pop	134
chaos:accept	489	array-push	133
add-initialization	624	array-push-extend	134
fs:add-logical-pathname-host	478	array-rank	130
compiler:add-optimizer.	244	array-type.	130
addl	110	array-types	123
adjust-array-size	132	arraycall	142
advise	593	arraydims	131
si:advise-1	594	arrayp	10
advise-within.	596	as-1	128
allocate-resource	94	as-1-force.	128
alloc.	128	as-2	128
alphalessp	152	as-2-reverse.	137
meter:analyze.	638	as-3	128
and	41	ascii	152
chaos:answer	490	aset	128
chaos:answer-string	490	ash.	115
ap-1	128	ass	79
ap-1-force.	128	assoc	78
ap-2	128	assq	78
ap-3	128	chaos:assure-enabled	497
ap-leader	129	atan	112
append	67	atan2	112
apply	26	atom	9
apropos	640		
ar-1	128	fs:balance-directories	446
ar-1-force	128	beep	389
ar-2	128	bigp	9
ar-2-reverse	137	bind	212
ar-3	128	bit-test	115
area-name	226	bitblt	136
aref.	128	boole.	114
arg	31	boundp	96
eh:arg-name	173	boundp-in-closure	183
arglist	172	break.	644
args-info	174	format:breakline	425
array	141	breakon.	591
array-active-length	130	bug	643
array-bits-per-element.	124	butlast	68
array-dimension.	130		
array-dimension-n	130	c...r	61
array-dimensions	131	caaaaar	61
array-displaced-p	131	caaadr	61
array-element-size	124	caaar	61
array-elements-per-q	123	caadar	61
array-grow.	132	caaddr	61
array-has-leader-p	132	caadr	61
array-in-bounds-p	131	caar	61
array-index-offset.	131	cadaar	61
array-indexed-p	131	cadadr	61
array-indirect-p.	131	cadar	61
array-initialize	134	caddar	61
array-leader	129	cadddr	61
		caddr	61
		cadr	61

call	27
car	61
car-location	62
caseq	44
catch	55
catch-all	57
catch-continuation	55
catch-continuation-if	55
catch-error	565
catch-error-restart	577
catch-error-restart-if	577
cdaaar	61
cdaadr	61
cdaar	61
cdadar	61
cdaddr	61
cdadr	61
cdar	61
cddaar	61
cddaddr	61
cdddar	61
cdddar	61
cdddr	61
cddr	61
cdr	61
ceiling	109
cerror	562
fs:change-file-properties	445
si:change-indirect-array	133
chaos:accept	489
chaos:answer	490
chaos:answer-string	490
chaos:assure-enabled	497
chaos:close	489
chaos:conn-foreign-address	488
chaos:conn-plist	488
chaos:conn-read-pkts	488
chaos:conn-state	488
chaos:conn-window-available	488
chaos:connect	488
chaos:contact-name	488
chaos:data-available	493
chaos:disable	497
chaos:enable	497
chaos:eval-server-on	504
chaos:fast-answer-string	490
chaos:find-hosts-or-lispms-logged-in-as-user	505
chaos:finger	505
chaos:finger-all-lms	505
chaos:finish	492
chaos:forward-all	490
chaos:get-next-pkt	492
chaos:get-pkt	492
chaos:host-data	496
chaos:interrupt-function	494
chaos:listen	489
chaos:make-stream	490
chaos:may-transmit	492
chaos:open-foreign-connection	489
chaos:open-stream	490
chaos:pkt-link	494
chaos:pkt-nbytes	491
chaos:pkt-opcode	491
chaos:pkt-string	491
chaos:print-all-pkts	497
chaos:print-conn	497
chaos:print-pkt	497
chaos:read-pkts	494
chaos:reject	490
chaos:remove-conn	489
chaos:reset	497
chaos:return-pkt	492
chaos:send-pkt	492
chaos:send-string	492
chaos:send-unc-pkt	492
chaos:set-pkt-string	492
chaos:shout	504
chaos:simple	489
chaos:status	497
chaos:user-logged-into-host-p	505
chaos:wait	488
chaos:whois	505
char-downcase	144
char-equal	144
char-lessp	144
char-upcase	144
character	144
check-arg	562
check-arg-type	563
circular-list	66
cis	112
si:clean-up-static-area	647
clear-mar	600
clear-resource	94
chaos:close	489
close	433
fs:close-all-files	434
tv:close-all-servers	505
closure	183
closure-alist	183
closure-bindings	184
closure-function	184
closure-variables	184
closurep	10
clrhash	87
comment	30
si:compare-band	656
compiler:compilation-define	240
compile	228
compile-encapsulations	229
compile-flavor-methods	340
compile-lambda	229
compiler-let	238

compiler:add-optimizer	244	time:day-of-the-week-string	634
compiler:compilation-define	240	time:daylight-savings-p	633
compiler:fasd-file-symbols-properties	246	time:daylight-savings-time-p	633
compiler:fasd-font	246	deallocate-resource	94
compiler:fasd-symbol-value	246	debugging-info	172
compiler:function-referenced	240	defcf	272
compiler:locking-resources	247	declare	234
compiler:make-obsolete	240	declare-flavor-instance-variables	339
fs:complete-pathname	446	time:decode-universal-time	633
complex	111	math:decompose	138
complexp	10	def.	166
cond	40	fs:default-host	464
cond-every	41	fs:default-pathname	464
condition-bind	555	desconst	20
condition-bind-default	555	desdecl	236
condition-bind-default-if	558	deff	167
condition-bind-if	557	defflavor	334
condition-call	556	deffunction	162
condition-call-if	558	fs:define-canonical-type	460
condition-case	556	si:define-defsystem-special-variable	529
condition-case-if	557	define-loop-macro	286
condition-resume	575	define-loop-path	293
condition-resume-if	575	define-loop-sequence-path	291
condition-typep	554	si:define-make-system-special-variable	528
conjugate	111	si:define-simple-transformation	529
chaos:conn-foreign-address	488	define-site-host-list	660
chaos:conn-plist	488	define-site-variable	660
chaos:conn-read-pkts	488	deflambda-macro	162
chaos:conn-state	488	deflambda-macro-displace	162
chaos:conn-window-available	488	defmacro	250
chaos:connect	488	defmacro-displace	268
cons	61	defmethod	334
cons-in-area	62	defprop	83
consp	9	defresource	92
chaos:contact-name	488	defselect	167
contents	197	defsignal	566
copy-array-contents	135	defsignal-explicit	567
copy-array-contents-and-leader	135	defsite	657
copy-array-portion	135	defstruct	300
copy-closure	184	defstruct-define-type	316
copy-file	434	defsubst	255
fs:copy-pathname-defaults	464	defsystem	520
copy-readable	379	defun	157
copyalist	66	defun-compatibility	167
copylist	66	defunp	159
copylist*	66	defvar	19
copysymbol	101	defwrapper	337
copytree	66	del	77
cos	112	del-if	77
cosd	112	del-if-not	77
fs:create-directory	445	delete	77
si:current-band	652	delete-initialization	625
si:current-microload	652	deletef	433
cursorpos	389	delq	76
chaos:data-available	493	demoninator	113
data-type	201	deposit-byte	117
		deposit-field	117

describe	641	eh:sg-innermost-open	191
describe-area	226	eh:sg-next-active	191
describe-defstruct	301	eh:sg-next-interesting-active	192
describe-flavor	342	eh:sg-next-open	192
describe-package	510	eh:sg-out-to-interesting-active	192
describe-partition	653	eh:sg-previous-active	191
fs:describe-pathname	466	eh:sg-previous-interesting-active	192
math:determinant	138	eh:sg-previous-open	192
difference	107	chaos:enable	497
fs:directory-list	442	meter:enable	638
fs:directory-list-stream	445	fs:enable-capabilities	451
dired	643	si:encapsulate	176
chaos:disable	497	time:encode-universal-time	633
meter:disable	638	entity	185
fs:disable-capabilities	451	entityp	10
disassemble	641	eq	12
disk-restore	652	eql	12, 106
disk-save	653	equal	13
dispatch	44	err	565
displace	267	error	564
do	45	error-restart	577
do*	47	error-restart-loop	577
do*-named	48	errorp	554
do-forever	49	ererset	565
do-named	48	eval	26
documentation	172	chaos:eval-server-on	504
dolist	49	eval-when	231
dont-optimize	233	evalhook	599
dotimes	48	evenp	105
dpb	117	every	78
dribble-all	649	exp	112
dribble-end	649	explode	390
dribble-start	649	explodec	390
dump-forms-to-file	246	exploden	389
si:dump-warnings	239	expt	110
ed	642	fs:expunge-directory	445
si:edit-disk-label	652	fs:extract-attribute-list	440
eh	579	false	30
eh-arg	585	compiler:fasd-file-symbols-properties	246
eh-fun	585	compiler:fasd-font	246
eh-loc	585	compiler:fasd-symbol-value	246
eh-val	585	fasload	438
eh:arg-name	173	chaos:fast-answer-string	490
eh:invoke-resume-handler	577	fboundp	98
eh:local-name	173	fdefine	169
eh:rest-arg-name	173	fdefinedp	171
eh:sg-frame-active-p	192	fdefinition	171
eh:sg-frame-arg-value	192	fdefinition-location	171
eh:sg-frame-local-value	193	ferror	562
eh:sg-frame-number-of-locales	193	fifth	63
eh:sg-frame-number-of-spread-args	192	fs:file-attribute-bindings	440
eh:sg-frame-rest-arg-value	192	fs:file-attribute-list	440
eh:sg-frame-special-pdl-range	193	sys:file-operation-with-warnings	241
eh:sg-frame-value-list	193	fs:file-properties	446
eh:sg-frame-value-value	193	file-retry-new-pathname	432
eh:sg-innermost-active	191	file-retry-new-pathname-if	432

math:fill-2d-array	139	fs:directory-list-stream	445
fill-pointer	124	fs:disable-capabilities	451
fillarray	134	fs:enable-capabilities	451
chaos:find-hosts-or-lispms-logged-in-as-user	505	fs:expunge-directory	445
find-position-in-list	76	fs:extract-attribute-list	440
find-position-in-list-equal	76	fs:file-attribute-bindings	440
chaos:finger	505	fs:file-attribute-list	440
chaos:finger-all-lms	505	fs:file-properties	446
chaos:finish	492	fs:get-pathname-host	481
first	63	fs:init-file-pathname	466
firstn	69	fs:make-pathname	466
fix	113	fs:make-pathname-defaults	464
time:fixnum-microsecond-time	630	fs:merge-and-set-pathname-defaults	466
fixnump	9	fs:merge-pathname-defaults	465
fixp	9	fs:parse-pathname	465
fixr	113	fs:pathname-plist	467
flatc	390	fs:read-attribute-list	440
flatsize	390	fs:remote-connect	445
si:flavor-all-allowed-init-keywords	341	fs:set-default-pathname	464
flavor-allows-init-keyword-p	341	fs:set-host-working-directory	463
float	113	fs:user-homedir	466
floatp	9	fset	98
flonump	9	fset-carefully	171
floor	109	fsignal	564
fmakunbound	98	fsymeval	98
follow-cell-forwarding	203	si:full-gc	647
follow-structure-forwarding	203	funcall	27
format	411	funcall-self	339
format:breakline	425	funcall-with-mapping-table	339
format:ochar	423	function	28
format:ofloat	423	function-cell-location	98
format:onum	423	function-name	173
format:oprint	423	si:function-parent	172
format:ostring	423	compiler:function-referenced	240
format:outfmt	422	si:function-spec-get	171
format:output	422	si:function-spec-lessp	172
format:pad	424	si:function-spec-putprop	172
format:plural	425	functionp	10
format:print-list	420	fundefine	171
format:tab	424		
chaos:forward-all	490	g-l-p	133
forward-value-cell	203	gc-off	646
fourth	63	gc-on	646
fquery	621	gc-status	647
freturn	56	gcd	110
fs:add-logical-pathname-host	478	gensym	101
fs:balance-directories	446	get	82
fs:change-file-properties	445	si:get-all-source-file-names	170
fs:close-all-files	434	get-handler-for	341
fs:complete-pathname	446	si:get-host-from-address	480
fs:copy-pathname-defaults	464	get-list-pointer-into-array	133
fs:create-directory	445	get-locative-pointer-into-array	133
fs:default-host	464	chaos:get-next-pkt	492
fs:default-pathname	464	fs:get-pathname-host	481
fs:define-canonical-type	460	chaos:get-pkt	492
fs:describe-pathname	466	get-pname	99
fs:directory-list	442	get-site-option	660

si:get-source-file-name	170	ldb	116
si:get-system-version	533	ldb-test	117
time:get-time	629	ldiff	69
time:get-universal-time	629	time:leap-year-p.634
getchar	152	length	62
getcharn.	152	lessp	106
getdecl	236	let.	17
gethash86	let*.	18
getl.82	let-closed.184
globalize	518	let-globally18
go52	let-if18
greaterp.	106	lexpr-funcall27
grind-top-level.	426	lexpr-funcall-self339
grindef	426	lexpr-funcall-with-mapping-table339
		lisp-reinitialize644
haipart	116	si:lisp-top-level644
hardcopy-bit-array	636	si:lisp-top-level1.644
hardcopy-file	635	list	64
hardcopy-status	636	list*.	65
hardcopy-stream	636	list*-in-area65
haulong	116	math:list-2d-array139
chaos:host-data.	496	list-array-leader135
hostat.	505	list-in-area65
		listarray135
if39	chaos:listen489
if-for-lispmp	244	listify32
if-for-maclisp	244	listp	9
if-for-maclisp-else-lispmp	244	load437
if-in-lispmp	245	load-and-save-patches653
if-in-maclisp	245	load-byte.117
ignore30	si:load-mcr-file655
ignore-errors.	554	load-patches535
imagpart	111	local-declare233
implode.	153	eh:local-name173
incf	272	locate-in-closure.183
inhibit-style-warnings	239	locate-in-instance342
fs:init-file-pathname	466	location-boundp198
initializations.	626	location-makunbound.198
time:initialize-timebase	633	locativep11
inspect	641	locf271
instantiate-flavor	335	compiler:locking-resources.247
integerp.9	log112
intern.	512	log1649
intern-local	513	logand114
intern-local-soft	513	login.648
intern-soft.	513	login-eval649
chaos:interrupt-function	494	login-setq649
intersection69	logior114
zwei:interval-stream.	401	lognot114
math:invert-matrix	138	logout649
eh:invoke-resume-handler	577	logxor114
isqrt	111	loop274
		loop-finish283
keyword-extract49	si:loop-named-variable294
lambda-macro	162	si:loop-tassoc294
last.64	si:loop-tequal294
		si:loop-tmber294

lsh	115	fs:merge-pathname-defaults	465
lsubrcall	27	meter:analyze	638
macro	248	meter:disable	638
macroexpand	270	meter:enable	638
macroexpand-1	269	meter:reset	639
mail	643	meter:resume-gc-process	639
make-area	224	meter:run	638
make-array	126	meter:test	638
make-array-into-named-structure	314	mexp	267
make-broadcast-stream	401	time:microsecond-time	630
make-condition	567	min	107
make-equal-hash-table	85	minus	107
make-hash-table	85	minusp	105
make-instance	335	monitor-variable	601
make-list	65	time:month-length	633
compiler:make-obsolete	240	time:month-string	634
fs:make-pathname	466	multiple-value	34
fs:make-pathname-defaults	464	multiple-value-bind	34
make-pixel-array	137	multiple-value-list	34
make-plane	140	math:multiply-matrices	138
make-process	544	myrefname	517
make-stack-group	189	named-structure-invoke	314
chaos:make-stream	490	named-structure-p	314
make-symbol	101	named-structure-symbol	314
make-syn-stream	401	nbutlast	68
make-system	526	ncconc	68
maknam	152	nccons	62
makunbound	96	nccons-in-area	62
makunbound-in-closure	183	neq	12
map	57	nintersection	70
mapatoms	514	nleft	69
mapatoms-all	514	nlistp	9
mapc	57	not	13
mapcan	57	nreconc	68
mapcar	57	nreverse	67
mapcon	57	nsublis	72
maphash	86	nsubst	71
maphash-return	87	nsubstring	146
maplist	57	nsymbolp	9
mar-mode	600	nth	63
mask-field	117	nthcdr	64
math:decompose	138	null	13
math:determinant	138	si:null-stream	400
math:fill-2d-array	139	numberp	9
math:invert-matrix	138	numerator	113
math:list-2d-array	139	nunion	69
math:multiply-matrices	138	sys:object-operation-with-warnings	242
math:solve	139	format:ochar	423
math:transpose-matrix	138	oddp	105
max	107	format:ofloat	423
chaos:may-transmit	492	once-only	264
mem	75	format:onum	423
memass	79	open	432
member	75	chaos:open-foreign-connection	489
memq	75	chaos:open-stream	490
fs:merge-and-set-pathname-defaults	466		

format:oprint	423	prinl-then-space	388
or	41	princ	388
format:ostring	423	print	388
format:outfmt	422	chaos:print-all-pkts	497
format:output	422	time:print-brief-universal-time	631
package-cell-location	514	chaos:print-conn	497
package-declare	510	time:print-current-date	630
format:pad	424	time:print-current-time	630
sys:page-in-area	213	time:print-date	630
sys:page-in-array	213	si:print-disk-error-log	643
sys:page-in-pixel-array	213	print-disk-label	651
sys:page-in-region	213	print-herald	652
sys:page-in-structure	213	time:print-interval-or-never	632
sys:page-in-words	213	format:print-list	420
sys:page-out-area	213	si:print-list	431
sys:page-out-array	213	print-notifications	643
sys:page-out-pixel-array	213	si:print-object	431
sys:page-out-region	213	chaos:print-pkt	497
sys:page-out-structure	213	print-sends	504
sys:page-out-words	213	print-system-modifications	533
pairlis	80	time:print-time	630
time:parse	631	time:print-universal-date	631
si:parse-host	480	time:print-universal-time	630
time:parse-interval-or-never	632	si:printing-random-object	370
fs:parse-pathname	465	probef	434
time:parse-universal-time	632	process-allow-schedule	541
fs:pathname-plist	467	process-disable	550
peek	643	process-enable	550
phase	111	process-initial-form	550
pixel-array-height	137	process-initial-stack-group	550
pixel-array-width	137	process-lock	542
pkg-bind	512	process-name	550
pkg-create-package	514	process-preset	550
pkg-find-package	515	process-reset	550
pkg-goto	512	process-reset-and-enable	550
pkg-kill	515	process-run-function	545
pkg-name	515	process-run-restartable-function	545
pkg-refname-alist	515	process-sleep	541
pkg-super-package	515	process-stack-group	550
chaos:pkt-link	494	process-unlock	543
chaos:pkt-nbytes	491	process-wait	541
chaos:pkt-opcode	491	process-wait-argument-list	551
chaos:pkt-string	491	process-wait-function	550
plane-aref	140	process-wait-with-timeout	541
plane-aset	140	process-whostate	551
plane-default	140	prog	50
plane-extension	140	prog*	52
plane-origin	140	progl	31
plane-ref	140	prog2	31
plane-store	140	progn	31
plist	99	progv	19
format:plural	425	progw	19
plus	107	prompt-and-read	385
plusp	105	property-cell-location	99
pop	273	psetq	17
prinl	388	push	272
		putdecl	236

puthash	86	reset-initializations	626
putprop	83	si:reset-temporary-area	226
q-data-types	202	si:resource-in-use-p	95
qc-file	229	si:resource-n-objects	95
qc-file-load	229	si:resource-object	95
qsend	504	si:resource-parameters	95
quote	28	si:resource-parametizer	95
quotient	108	eh:rest-arg-name	173
random	118	rest1	63
si:random-create-array	119	rest2	63
si:random-in-range	118	rest3	63
si:random-initialize	119	rest4	63
rass	79	meter:resume-gc-process	639
rassoc	79	return	52
rassq	79	return-from	53
rational	113	return-list	53
rationalize	113	chaos:return-pkt	492
rationalp	9	return-storage	206
read	383	reverse	66
fs:read-attribute-list	440	room	642
read-chck-indentation	383	rot	115
read-for-top-level	383	round	110
read-from-string	386	sys:rp-function-word	192
time:read-interval-or-never	632	rplaca	70
read-meter	219	rplacd	70
chaos:read-pkts	494	meter:run	638
readch	384	samepnamep	100
readfile	437	sassoc	80
readline	384	sassq	79
readline-trim	384	zwei:save-all-files	643
readlist	386	si:sb-on	542
realp	10	second	63
realpart	111	select	43
si:receive-band	655	select-match	43
recompile-flavor	340	selector	43
sys:record-and-print-warning	242	selectq	42
si:record-source-file-name	170	selectq-every	44
sys:record-warning	242	chaos:send-pkt	492
chaos:reject	490	chaos:send-string	492
rem	77	chaos:send-unc-pkt	492
rem-if	77	set	96
rem-if-not	77	si:set-all-swap-recommendations	213
remainder	108	set-character-translation	380
remhash	86	set-current-band	652
remob	514	set-current-microload	652
fs:remote-connect	445	fs:set-default-pathname	464
remove	77	fs:set-host-working-directory	463
chaos:remove-conn	489	set-in-closure	183
remprop	83	set-in-instance	341
remq	77	time:set-local-time	629
si:rename-within-new-definition-maybe	179	set-mar	600
renamef	433	si:set-memory-size	214
reply	504	chaos:set-pkt-string	492
chaos:reset	497	si:set-process-wait	550
meter:reset	639	si:set-scavenger-ws	648
		si:set-swap-recommendations-of-area	212

set-syntax-#-macro-char	380	si:get-host-from-address	480
set-syntax-from-char	380	si:get-source-file-name	170
set-syntax-from-description	381	si:get-system-version	533
set-syntax-macro-char.	380	si:lisp-top-level	644
si:set-sys-host	662	si:lisp-top-level.	644
si:set-system-source-file	523	si:load-mcr-file	655
si:set-system-status	537	si:loop-named-variable	294
setarg	32	si:loop-tassoc	294
self.	270	si:loop-tequal	294
setplist	99	si:loop-tmember	294
setq	17	si:null-stream	400
setsyntax	381	si:parse-host	480
setsyntax-sharp-macro.	382	si:print-disk-error-log	643
seventh	63	si:print-list	431
eh:sg-frame-active-p	192	si:print-object	431
eh:sg-frame-arg-value.	192	si:printing-random-object	370
eh:sg-frame-local-value	193	si:random-create-array	119
eh:sg-frame-number-of-locales	193	si:random-in-range	118
ch:sg-frame-number-of-spread-args.	192	si:random-initialize.	119
ch:sg-frame-rest-arg-value.	192	si:receive-band	655
eh:sg-frame-special-pdl-range	193	si:record-source-file-name	170
eh:sg-frame-value-list.	193	si:rename-within-new-definition-maybe	179
ch:sg-frame-value-value.	193	si:reset-temporary-area	226
eh:sg-innermost-active	191	si:resource-in-use-p	95
eh:sg-innermost-open	191	si:resource-n-objects	95
eh:sg-next-active	191	si:resource-object	95
eh:sg-next-interesting-active	192	si:resource-parameters	95
eh:sg-next-open	192	si:resource-parametizer	95
eh:sg-out-to-interesting-active	192	si:sb-on	542
eh:sg-previous-active	191	si:set-all-swap-recommendations	213
ch:sg-previous-interesting-active	192	si:set-memory-size	214
eh:sg-previous-open	192	si:set-process-wait	550
sg-regular-pdl	191	si:set-scavenger-ws.	648
sg-regular-pdl-pointer	191	si:set-swap-recommendations-of-area	212
si:sg-resumable-p	190	si:set-sys-host	662
sg-special-pdl	191	si:set-system-source-file	523
sg-special-pdl-pointer.	191	si:set-system-status.	537
chaos:shout	504	si:sg-resumable-p	190
si:advise-1.	594	si:system-version-info	533
si:change-indirect-array	133	si:transmit-band	656
si:clean-up-static-area.	647	si:unadvise-1	594
si:compare-band	656	si:unencapsulate-function-spec	178
si:current-band.	652	si:unfasl-file	247
si:current-microload.	652	si:unfasl-print	247
si:define-defsystem-special-variable	529	si:unwire-page.	213
si:define-make-system-special-variable.	528	si:wire-page.	213
si:define-simple-transformation	529	si:with-help-stream	402
si:dump-warnings.	239	signal	564
si:edit-disk-label	652	signal-condition	568
si:encapsulate	176	signal-proceed-case	574
si:flavor-all-allowed-init-keywords	341	signp	105
si:full-gc	647	signum.	112
si:function-parent.	172	chaos:simple	489
si:function-spec-get.	171	sin	112
si:function-spec-lessp	172	sind	112
si:function-spec-putprop.	172	sixth.	63
si:get-all-source-file-names	170	small-float	113

small-floatp	9
math:solve	139
some	78
sort	89
sort-grouped-array	91
sort-grouped-array-group-key	91
sortcar.	90
special.	235
sqrt.	111
sstatus.	650
stable-sort	90
stable-sortcar.	90
stack-group-preset	190
stack-group-resume	190
stack-group-return	190
chaos:status	497
status	650
step.	596
store	142
store-array-leader.	129
store-conditional	543
stream-copy-until-eof	388
stream-default-handler.	411
string	145
string-append	146
string-capitalize-words	145
string-compare	146
string-downcase.	144
string-equal	145
string-left-trim	147
string-length	145
string-lessp.	146
string-nconc	147
string-nreverse	147
string-pluralize	148
string-remove-fonts	147
string-reverse.	147
string-reverse-search.	149
string-reverse-search-char	149
string-reverse-search-not-char	149
string-reverse-search-not-set	150
string-reverse-search-set	150
string-right-trim	147
string-search	148
string-search-char.	148
string-search-not-char	148
string-search-not-set	149
string-search-set	149
string-subst-char	150
string-trim.	147
string-upcase	144
stringp	10
structure-forward	203
sub-apropos	641
subl	110
sublis	71
subrcall	27
subrp.	10
subset	77
subset-not.	77
subst	70
substring	146
substring-after-char.	150
supdup	504
swaphash	86
sxhash	87
symbol-package	514
symbolp	8
symeval	96
symeval-in-closure	183
symeval-in-instance.	341
symeval-in-stack-group	190
sys:%binding-instances.	215
sys:%change-page-status	214
sys:%compute-page-hash	214
sys:%create-physical-page	214
sys:%delete-physical-page	214
sys:%disk-restore	214
sys:%disk-save	214
sys:%halt	207
sys:%internal-value-cell	215
sys:%using-binding-instances	215
sys:%xbus-write-sync	207
sys:file-operation-with-warnings	241
sys:object-operation-with-warnings	242
sys:page-in-area	213
sys:page-in-array.	213
sys:page-in-pixel-array	213
sys:page-in-region	213
sys:page-in-structure	213
sys:page-in-words	213
sys:page-out-area	213
sys:page-out-array	213
sys:page-out-pixel-array	213
sys:page-out-region.	213
sys:page-out-structure.	213
sys:page-out-words	213
sys:record-and-print-warning.	242
sys:record-warning	242
sys:rp-function-word	192
si:system-version-info	533
format:tab.	424
tailp	76
telnet.	505
terpri.	388
meter:test	638
third	63
throw.	55
time	629
time-difference.	629
time-increment.	629
time-lessp.	629
time:day-of-the-week-string	634

time:daylight-savings-p	633	untrace	591
time:daylight-savings-time-p	633	unwind-protect	56
time:decode-universal-time.	633	si:unwire-page.	213
time:encode-universal-time.	633	fs:user-homedir	466
time:fixnum-microsecond-time	630	chaos:user-logged-into-host-p	505
time:get-time	629	using-resource.	94
time:get-universal-time	629	value-cell-location	97
time:initialize-timebase	633	values	33
time:leap-year-p	634	values-list	33
time:microsecond-time.	630	variable-boundp	97
time:month-length	633	variable-location	97
time:month-string	634	variable-makunbound.	97
time:parse	631	time:verify-date	634
time:parse-interval-or-never	632	viewf	434
time:parse-universal-time	632	chaos:wait	488
time:print-brief-universal-time	631	what-files-call.	640
time:print-current-date	630	when	40
time:print-current-time	630	where-is	641
time:print-date.	630	who-calls.	640
time:print-interval-or-never	632	who-uses	640
time:print-time.	630	chaos:whois	505
time:print-universal-date.	631	si:wire-page.	213
time:print-universal-time	630	si:with-help-stream	402
time:read-interval-or-never	632	with-input-from-string	150
time:set-local-time	629	with-lock	543
time:timezone-string	634	with-open-file	431
time:verify-date	634	with-open-file-case	432
times	108	with-open-file-retry	432
time:timezone-string	634	with-open-stream	401
trace	588	with-open-stream-case	401
si:transmit-band	656	with-output-to-string.	151
math:transpose-matrix	138	with-self-variables-bound	340
true	30	with-stack-list	80
truncate	109	with-stack-list*	80
tv:close-all-servers	505	without-interrupts	540
tyi	383	write-meter	219
tyipeek	384		
tyo	388	xcons	62
typep	11	xcons-in-area	62
unadvise	593	xstore	142
si:unadvise-l.	594		
unadvise-within	596	y-or-n-p.	620
unbreakon.	592	yes-or-no-p	620
uncompile.	228	zerop	105
undefmethod.	338	zwei:interval-stream	401
undefun.	171	zwei:save-all-files	643
undeletef	433	\	108
si:unencapsulate-function-spec	178	\\"	110
si:unfasl-file	247	^	110
si:unfasl-print	247	^\\$	110
union.	69		
unless.	40		
unmonitor-variable	601		
unspecial	236		

Condition Name Index

fs:query	623	sys:connection-no-more-data	496
fs:access-error	449	sys:connection-refused	496
fs:circular-link	448	sys:cons-in-fixed-area	227
fs:creation-failure	449	sys:divide-by-zero	110
fs:data-error	452	sys:end-of-file	387
fs:delete-failure	449	sys:fill-pointer-not-fixnum	134
fs:device-not-found	448	sys:floating-exponent-overflow	104
fs:directory-not-empty	449	sys:floating-exponent-underflow	104
fs:directory-not-found	448	sys:host-not-responding	495
fs:dont-delete-flag-set	449	sys:host-not-responding-during-connection	495
fs:file-already-exists	449	sys:host-stopped-responding	496
fs:file-error	447	sys:invalid-form	36
fs:file-locked	448	sys:invalid-function	36
fs:file-lookup-error	448	sys:invalid-lambda-list	36
fs:file-not-found	448	sys:local-network-error	495
fs:file-open-for-output	448	sys:mar-break	600
fs:file-operation-failure	448	sys:missing-closeparen	387
fs:file-request-failure	452	sys:missing-keyword-argument	37
fs:filepos-out-of-range	448	sys:negative-sqrt	111
fs:host-not-available	452	sys:network-error	494
fs:incorrect-access-to-directory	449	sys:network-resources-exhausted	495
fs:incorrect-access-to-file	449	sys:non-positive-log	112
fs:invalid-byte-size	448	sys:number-array-not-allowed	130
fs:invalid-file-attribute	441	sys:pdl-overflow	190
fs:invalid-property-name	450	sys:print-not-readable	370
fs:invalid-property-value	450	sys:read-end-of-file	387
fs:invalid-wildcard	449	sys:read-error	387
fs:link-target-not-found	449	sys:read-list-end-of-file	387
fs:network-lossage	452	sys:read-string-end-of-file	387
fs:no-more-room	448	sys:read-symbol-end-of-file	387
fs:not-available	448	sys:redefinition	170
fs:not-enough-resources	452	sys:region-table-overflow	227
fs:pathname-parse-error	465	sys:remote-network-error	495
fs:rename-across-directories	450	sys:rplacd-wrong-representation-type	81
fs:rename-failure	450	sys:subscript-out-of-bounds	129
fs:rename-to-existing-file	450	sys:throw-tag-not-seen	38
fs:superior-not-directory	449	sys:too-few-arguments	36
fs:unknown-logical-directory	479	sys:too-many-arguments	37
fs:unknown-operation	452	sys:unbound-closure-variable	38
fs:unknown-pathname-host	481	sys:unbound-instance-variable	38
fs:unknown-property	450	sys:unbound-special-variable	38
fs:wildcard-not-allowed	449	sys:unbound-variable	38
fs:wrong-kind-of-file	449	sys:unclaimed-message	342
math:singular-matrix	139	sys:undefined-function	38
sys:abort	578	sys:undefined-keyword-argument	37
sys:area-overflow	227	sys:unknown-address	495
sys:array-has-no-leader	129	sys:unknown-host-name	480
sys:array-wrong-number-of-dimensions	129	sys:virtual-memory-overflow	227
sys:bad-array-mixin	129	sys:wrong-stack-group-state	190
sys:bad-connection-state	495	sys:wrong-type-argument	38
sys:cell-contents-error	37	sys:zero-to-negative-power	110
sys:connection-closed	496	unknown-locf-reference	272
sys:connection-error	495	unknown-setf-reference	272
sys:connection-lost	496		