HELPING PEOPLE THIME

Robert C. Goldstein

MAC Technical Memorandum 25

April 1971

(Reprinted from Naval Research Reviews January 1971, pp. 1-10)

Massachusetts Institute of Technology PROJECT MAC

MELPING PEOPLE THINK RODER C. Goldstein

NAC Tochieles 1 modigates um 15 April 1911

(Reprinted from Meval Respected Reviews January 1971, pp. 1-19)

Maskachwaseth Institute of Technology

Helping People Think

bу

Robert C. Goldstein

Massachusetts Institute of Technology - Project MAC

Everyone, today, is familiar with the use of machines to ease physical burdens. Since the dawn of civilization, man's progress in gaining control over his environment has been largely determined by the power and sophistication of the machines that he has been able to command. Furthermore, since simple machines can be used to construct more complicated ones, this process, once begun, tends to advance at an accelerating rate.

When general-purpose computers first came into existence in the years following World War II, many optimistic observers felt

The work reported herein was performed at Project MAC, an M.I.T. research project sponsored by the Advanced Research Projects Agency, and was supported by the Office of Naval Research under Contract N00014-69-A-0276-0002.

that they would soon do for man's mental capabilities what other machines had done for his physical ones. We have now passed through the first twenty years of the computer age, and regretably, we do not seem to have made much progress in augmenting man's ability to think. Computers have given man more time to think by relieving him of many highly repetitive clerical tasks, and they have also made it easier by providing relatively quick access to large data bases. However, even these relatively meager benefits are usually available only to those willing to interact with the computer on its own terms. discusses an on-going research program in interactive problem solving and decision making. The goal of this program is to develop a computer based facility for augmenting a man's intellectual ability. Such a system should provide powerful and well human-engineered interactive aids for attacking complex problems and should automatically handle routine ones.

The first requirement of such a system is for a very effective means of communication between the man and the computer. This might take the form shown in Figure 1. The chair provides a comfortable physical environment for the man and serves to minimize outside distractions. Within the chair complex, the man has a number of devices which can be used for

communicating with the computer. Several devices are information inherently comes in several forms and different devices are best suited to each form. For example, ordinary text is entered through the use of a typewriter-like keyboard. A second, smaller keyboard is provided so that a selection of frequently used specific messages or requests can be entered with the push of a single button. At some point in the future, we should be able to replace both of these keyboards with some sort of speech recognition device which would be far more effective. A special pen and writing surface are provided so that the user can enter sketches, graphs, and other pictorial data conveniently. Finally, there is a device which can be used to point at positions or objects on a display screen controlled by the computer. In our system, this device is a "mouse", a small hand-held object which can be moved about, causing corresponding motion of a spot of light, or cursor, on the screen. It would also be exceedingly valuable to have a means whereby complex pictorial data, such as photographs or three-dimensional objects could be perceived by the computer, but such facilities are not yet developed to the point where they can be included in an operational system.

Communication from the computer to the person is handled primarily through the medium of a display screen whose contents

can be altered dynamically by the computer. Both line drawings and text can be presented this way. Color and half-tone capability would be desirable, but will not be included initially. Additional display facilities will be added later for slides, microfilm, and other sources of relatively static information. Telephone and television capabilities will also be provided to facilitate communication with the outside world. Facilities are also provided to permit the user to make a permanent copy of information appearing on the screen. At some point, we would probably also want to consider the use of audio communication from the computer. This is not particularly difficult to provide. However, since the eye has a much higher bandwidth than the ear, it is appropriate that the initial emphasis be placed on visual presentations. The primary value of giving the computer a voice would result from its use as a signalling mechanism. It is possible not to notice a new message silently appearing on a screen, but very hard to miss an signal.

In addition to elaborate facilities for man-machine communication, such a system must also be capable of storing and manipulating significant quantities of information. It is probably possible today to give a computer a better memory than a person, particularly if accuracy is considered as well as size.

However, people have a very highly developed ability screening the information that is constantly being presented to them, and remembering only that which is likely to be of future People are also good at using hierarchical memories. value. they use some portion of their memory to hold a set of That is, to information which they do not choose to remember pointers directly. These pointers refer to other people, or to books which can be considered as lower levels of articles, individual's hierarchical memory. Computers car probably not taught to screen information on input as effectively as people Therefore, to achieve the same level of effectiveness, they probably have to retain more information. Fortunately, this does not pose any particular difficulty. However, if the computer is engage in useful intellectual activities, it must also be given the same benefits as a person in the areas of external library facilities, Probably the most and communication important single reason why computers have been effective only in relatively routine tasks is that the information they are given is too little and too specialized. I would go so far as that, in lieu of being able to read a newspaper, the suggest computer ought to have direct access to one of the national wire services.

Of course, it is not sufficient for the computer to merely pile up a massive amount of data. It must also be capable of finding patterns, drawing inferences, and evaluating implications with respect to given goals or objectives. This brings us into the general area of modeling. Our system must have at its disposal a rich collection of tools for simulation, statistical analysis, mathematical programming, etc. Such tools would offer the computer not only the ability to draw general conclusions from a mass of specific information, but also to compare alternative courses of action in terms of a set of objectives.

At this point, it might seem that there is no longer any reason to have a man in the system. However, before we can actually take the step of removing him, we would not only have to have great confidence in the computer's information gathering and interpreting capability, we would also have to be sure that its goals were the correct ones. Whatever steps we may take in the coming years toward computerized decision-making systems, it seems unlikely that man will, any time soon, be willing to delegate his goal-setting function. However, this should not cause us any particular concern, since our intent is not to replace man, but rather to utilize his unique capabilities most effectively.

Having seen where we would like to go, let us look at have been able to accomplish so far. The work reported here was performed by the MacAIMS (MAC Advanced Interactive Management Group at Project MAC under the sponsorship of the Office of Naval Research and the Advanced Research Projects Agency of the Department of Defence. The work of the MacAIMS Group began in June 1968 as an attempt to use the computer to improve effectiveness of Project MAC's own management. A study was undertaken to identify the most important problem areas. This led to a substantial programming effort that lasted approximately two All programs developed during this phase of the project were written in the AED (Algol Extended for Design) language and are used on a modified IBM 7094 computer operating under the Compatible Time Sharing System (CTSS) developed at Project MAC in the early 1960's. CTSS was one of the first large-scale, general purpose time sharing systems. As such, it lacks many features which exist in some newer systems, but is more capable than in use today. A number of time-sharing systems developed as part of this research are in daily use by headquarters office. These include facilities for personnel administration, purchasing, inventory control, and budgeting. These programs have some excellent characteristics, particularly in the man-machine interface area and in their adaptability to

changes in requirements. Examples of enquiries using the personnel and budgeting facilities are illustrated in Figures 3 and 4, respectively.

One should particularly note, in these two examples, how the system correctly interprets abbreviated or misspelled words. This capability, which was not difficult to implement, has proven to be extremely valuable. The programs also provide guidance at strategic points in the interaction if the user does not seem to know what to do. This guidance can also be requested at any point through use of the "help" request.

The major drawback of this system is that the limited memory capacity of t'e 7094 makes it impossible to combine information from the different application areas. For example, while the budgeting system will make a quick rough cut at a new budget by taking the previous one and making standard adjustments, e.g. for salary increases, it cannot actually look at the personnel data base to find out what current salaries really are. This capability for simultaneously considering information of different types or from different sources is something that peop'e use constantly. Any computer system designed to offer intellectual rather than just clerical assistance must also be able to do this. CTSS also lacks adequate facilities for access

control which has restricted our ability to open the system to wider use.

Late in 1969, a new computer system became available offering substantial improvements in capability. This M.I.T. system is called Multics (for MULTiplexed Information Computing Service) and runs on a GE 645 computer. It was developed as the result of a long cooperative effort by Project Bell Telephone Laboratories, and the General Electric MAC, Company. Multics was explicitly designed to overcome the limitations of CTSS in a number of areas, including processing power, data storage, and access control. Shortly after Multics became available, a decision was taken to begin a second phase of MacAIMS program development in order to take advantage of the new system's additional capabilities as well as the substantial recent progress in terminal device technology and the large experience gained through the actual use of our CTSS amount of Observation of the system in use the MAC hν facility. headquarters staff provided much valuable insight into the relative importance of various capabilities. For example, abbreviation and misspelling recognition facilities mentioned earlier are used very extensively and will be greatly expanded in the new system.

terms of the general philosophy of interaction, we hope to orient the new system more toward commands than questions That is, we want the user to assume the active role, telling the system what to do, rather than merely responding to This brings up the interesting issue of what to do questions. when the user fails to take the initiative. Under some circumstances, this may mean that he is not sure precisely what is going on, or what alternatives are open to him. At other times, he may merely mean that he wishes processing to proceed in a normal fashion. Thus, at every step, the system must be prepared to take some default action in the absence of specific instructions. Our actual operating experience has been very helpful in working out these default strategies.

Probably the most important lesson that we have learned from our past experience has been that the system designers must strive for the utmost flexibility. It is impossible to forsee all the ways in which the system will be used, and its very availability creates additional uses. We have therefore sought to make all aspects of the system alterable under operating conditions without requiring reprogramming. This applies to such system-wide features as the structure of the data lase and to such personal issues as the particular style of interaction. This latter capability implies that the system may actually act

quite differently when used by different individuals. This is merely a manifestation of the well-known differences between people and particularly, their different styles of management. We believe that our system, to be effective, must interact with each individual in a way which is comfortable for him. Thus, the system will constantly monitor the nature of each user's activity in order to adjust, as far as possible, to his individual style.

data management system used in the Multics version of The MacAIMS is substantially different from conventional information retrieval systems. This new design arises both out of our past experience and the additional capabilities made available to by the Multics environment. It is based on a relational, or set theoretic, approach to data base organization. In essence, we take the view that all of the information we might wish to store consists of data elements and relations among them. Furthermore these data elements and relations fall naturally into sets. For example, we might have a set of persons names, and a set of telephone numbers. We might then also have a set of relations associating telephone numbers with people. One obvious advantage of this approach compared to more rigid systems is the ease with which exceptional conditions can be handled. For example, the cases of a person who has no telephone number or of one who has several require no special treatment of any kind. A further

advantage is that the substantial body of theory concerning sets and operations on them can all be brought to bear on the data management problem.

A relational approach to data management also has some attractive implications for the problem of information security. comes from the fact that the data elements are stored separately from the relations among them. It would therefore be possible, for example, to give a particular user access to the name set and the salary set without allowing him to associate specific salaries with individuals. In other words, we can protect that particular relation while still allowing the user access to both names and salaries in other relations, for example, a <name, telephone> relation and a <salary, account> relation. As a second example, a user could be given access to all sorts of relations about people for the purpose of some demographic research, while perfectly preserving individual anonymity by denying access to the name set or any other data set that would permit identifying the element individuals involved.

In recent years, a large number of so-called "Management Information Systems" have been programmed, all presumably aimed at meeting the manager's need for better information and

purporting to help him make better decisions. Despite all of the effort that has gone into these systems, none of them have been particularly successful. We believe that the primary reason for this is that the problem of helping a men to make better decisions is much more complex than is commonly assumed. It is our hope that the rather elaborate bardware and software facilities discussed in this paper will finally provide a framework in which a computer may provide significant intellectual aid to a decision maker.




Figure 1 - Proposed User Station Configuration



Figure 2 - Prototype User Station Configuration

Personnel Record Updating Program Thursday, October 22, 1970 10:27 AM Good Morning! Ready: lones Borothy L. stines Malcolm M. dange Thomas L. James First name: thousa. Thomas L. Johns Lest changed October 22, 1970 > change rank to res assist Effective date: 1 Sept 70 > <u>p</u> Research Assistant > print assign
A. I. - Vision/Robot 1002 > c percent ch to 10 Total percent charged for > add asal 802 201 > _

Figure 3 - Example of Interaction with MacAIMS

Personnel System on CTSS

Program terminated at user request.

```
Good Afternoon!
                         October 23, 1970
                                                 14:53.0
Budget Preparation Program
GROUP : prog ling gen
Group not found in the Data File. Do you wish to add it? yes
SPONSOR : ARPA
SUPERVISIOR: Evans
STARTING DATE: 7/1/67
TERMINATION DATE: 30 jun 71
TOTAL FUNDS: $ 575,000
ACCOUNT NUMBER : 79457
Enter annual Budgets
YEAR
                 AMOUNT
            $ 50000
$ 35,000
1969:
1968:
            $ 25,000
1967:
Type changes Name changes(+,-,$)
Type Period : \frac{7/70}{\text{Period}} Data for this Period and Group does not exist
Do you wish to add it ? yes
Category
                                          Budgeted Amount
                           (dir. cost) $ \frac{1200}{0} (dir. cost) $ \frac{0}{0} (dir. cost) $ \frac{225.00}{0}
FACULTY OFF
RESEARCH STAFF OFF
SECRET. CLERICAL OFF
GRAD. STUD. STAFF OFF (dir. cost) $ 992
                           (dir. cost) $ 0
$ 175,45
$ 25
MIT STUDENTS OFF SPACE RENTAL
POWER
                                          $ <u>15</u>
$ <u>50</u>
OFFICE SUPPLIES XEROX
TELEPHONE
                                            50
COMPUTER USE
                                          $
TERMINAL EQPM
                                          $
                                          $ 54.37
DATA COMM
Do you wish to add Additional Categories? yes
Pisplay list of Additional Categories? no
Category Budgeted Amount
                         175.00
>travel
>consult
                         500
Should personnel cost be adjusted for
fringe benefits and overhead ? ves
Total
                                                       5,794.17
                         changes(+,-,$)
+115
Type changes Name
                  >pow
```

Figure 4 - Example of Interaction with MacAIMS

Budgeting System on CTSS

Do you wish to display information after changes ? yes

(Incl. F.B.+0.H.)

(incl. F.B.+0.H.)

(incl. F.B:+0.H.)

(incl. F.B.+0.H.)

Category

RESEARCH STAFF OFF

MIT STUDENTS OFF

SECRET. CLERICAL OFF

GRAD. STUD. STAFF OFF (incl. F.B.+0.H.)

FACULTY OFF

SPACE RENTAL

SPACE RENTAL

COMPUTER USE

TERMINAL EQPM

CAPITAL EQUIPMENT

OFFICE SUPPLIES XEROX

POWER

TELEPHONE

DATA COMM

Tota1

POWER

Budgeted Amount

1,670.40

1,240.00

.00 313,20

175.45

140.00

175.45

140.00

15.00

50,00

225.75

54.37

1,350.00

115,000.00

120,234.17

```
OFFICE SUPPLIES XEROX
                                                  15.00
 TELEPHONE
                                                  50.00
 COMPUTER USE
                                               1,350.00
 TERMINAL EQPM
                                                 225.75
 DATA COMM
                                                  54.37
                                                 500.00
 CONSULTANTS
 TRAVEL
                                                 220.00
 Do you wish to add Additional Categories ? no
                                               5,954.17
                                         $
 Tota 1
 Type changes Name changes (+,-,*)
 Type Period : \underline{\text{Aug 1970}} Data for this Period and Group does not exist
 Do you wish to copy data from previous period ? yes
 Do you wish to display it ? no
 Do you wish to add Additional Categories ? yes
 Display list of Additional Categories? no
 Category Budgeted Amount
 >capital equip
 Total
                                             115,000.00
 Type changes Name changes(+,-,$)
                                       Budgeted Amount
Category
                       (incl. F.B.+0.H.)
                                              1,670.40
FACULTY OFF
RESEARCH STAFF OFF
                                                   .00
                       (incl. F.B.+0.H.)
SECRET. CLERICAL OFF
                     (incl. F.B.+0.H.)
                                                313.20
GRAD. STUD. STAFF OFF (incl. F.B.+0.H.)
                                              1,240.00
                                                   .00
MIT STUDENTS OFF
                       (incl. F.B.+0.H.)
```

Figure 4 (cont'd.)

Do you wish to add Additional Categories ? no

· · · · · ·	ENT CONTROL DATA - I			
(Security classification of title, body of abstract and indexing annotation must be 1. ORIGINATING ACTIVITY (Corporate author)				
Massachusetts Institute of Technology		UNCLASSIFIED		
Project MAC		2b. GROUP None		
3. REPORT TITLE				
Helping People Think				
4. DESCRIPTIVE NOTES (Type of report and inclusive di	2(08)			
Technical Memorandum				
5. AUTHOR(S) (Last name, first name, initial)				
Goldstein, Robert C.				
5. REPORT DATE	7a. TOTAL	NO. OF PAGES	75. NO. OF REFS	
April 1971		22		
BH. CONTRACT OR GRANT NO.	94. ORIGIN	ATOR'S REPORT	NUMBER(\$)	
N00014-69-A-0276-0002		MAC TM-25		
B. PROJECT NO.				
c.	1	9b. OTHER REPORT NO(5) (Any other numbers that may be assigned this report)		
d.				
NODE		Advanced Research Projects Agency 3D-200 Pentagon		
	Washing	gton, D.C.	20301	
. ABSTRACT				
This paper describes some results of solving and decision making. The refer aiding a human decision maker areference to the nature of the man-c	equirements of a comp re described with par	puter system	m	
Some examples of interactive program of this research are also included.	ns developed during	the course		
. KEY WORDS				
Man-Computer Interaction Interac	tive Systems Mar	nagement Info	ormation Systems	
,	/		21	

MIT/LCS/TM-25

HELPING PEOPLE THINK

Robert C. Goldstein

April 1971