

# Data entry announcement

DATE: November 17, 1981  
NO.: 339  
PRODUCT: All  
TYPE: Marketing & Technical

## PRODUCT MIX CHART

With the acquisition of Pertec's customer base, we have the most complete line of data capture systems in the industry. We can offer either the diskette (UDS-2000) or key-to-disk (PDE-5) to the price conscious user who needs a small cluster of keystations.

The very large user can have cluster of up to 64 keystations with our PDE 1800 MOD I and MOD II systems. For the user who needs a mix of standalone distributed processing and professional data capture we start with the 1900 CADE (without COBOL I/O) and go up to the XL/40 and 1900/10 (with COBOL I/O, more memory, more disks, etc.).

Never before have we (and you) been in such an enviable competitive position. We have the products, support and pricing to take on any competitor and come out a winner!



# PRODUCT MIX CHART — SPERRY UNIVAC AND PERTEC

## SOFTWARE

| SYSTEM             | PROG.<br>LANG.  | DATABASE | USER SOFTWARE<br>MIGRATABILITY                      |
|--------------------|-----------------|----------|---|
| PDE-5              | PL/E            | N.A.     | CHECK BOX 80%<br>TO 1800's PL/E<br>NO MIGRATABILITY |
| UDS-2000           | COBOL<br>SUBSET | N.A.     | 75% TO 1900 (NO<br>COBOL I/O) XL/40,<br>1900/10     |
| 1900-CADE          | COBOL<br>SUBSET | CODASYL  | 98% TO 1900/10,<br>XL/40                            |
| XL/40              | COBOL<br>SUBSET | CODASYL  | 100% TO 1900/10                                     |
| 1900/10            | COBOL<br>SUBSET | CODASYL  | 100% TO XL/40<br>(XPU 2 PROCESSOR)                  |
| PDE-1800<br>MOD I  | KOBOL<br>RPG II | ISAM     | 95% TO 1800 MOD II                                  |
| PDE-1800<br>MOD II | KOBOL<br>RPG II | ISAM     | NONE  |

# PRODUCT MIX CHART — SPERRY UNIVAC AND PERTEC

## HARDWARE

| SYSTEM             | TYPICAL PURCHASE | MEMORY         | MASS STORAGE   | MAX STORAGE            | MAX CRT                              | AVG CRT | LINE PRINTER | COMM   | STATION PRINTERS | TAPE DRIVES | CARD READER | READER PUNCH |
|--------------------|------------------|----------------|--|------------------------|--------------------------------------|---------|--------------|--------|------------------|-------------|-------------|--------------|
| PDE-5              | \$20-25          | 32K<br>(words) | REMOVABLE<br>CARTRIDGE<br>OR PACK                    | 200,000<br>RECORDS     | 16                                   | 9       | 1            | 19.2KB | N.A.             | 1           | N.A.        | N.A.         |
| UDS-2000           | \$25-30          | 128K           | FLOPPY<br>DISK                                       | 1MB/CRT                | 8                                    | 3       | 2            | 9.6KB  | N.A.             | 1           | 1           | 1            |
| 1900-CADE          | \$75-90          | 128K           | REMOVABLE<br>CARTRIDGE                               | 35.2MB                 | 32<br>480 CHAR                       | 12      | 1            | 9.6KB  | N.A.             | 4           | N.A.        | N.A.         |
| XL/40              | \$85-110         | 512K           | NON-REM.<br>DISK &<br>FLOPPY<br>DISK<br>WINCHESTER ° | 120MB                  | 16*<br>480 CHAR<br>2000 CHAR         | 10      | 1            | 9.6KB  | 16*              | 3           | 1           | N.A.         |
| 1900/10            | \$110-140        | 512K           | FIXED/REM.<br>CARTRIDGE<br>WINCHESTER                | 240MB                  | 32**<br>480 CHAR<br>2000 CHAR        | 10      | 1            | 9.6KB  | 16**             | 4           | 1           | N.A.         |
| PDE-1800<br>MOD I  | \$150-185        | 160K           | REMOVABLE<br>PACK                                    | 120MB<br>(Unformatted) | 64<br>256 CHAR                       | 26      | 1            | 19.2KB | N.A.             | 6           | 1           | N.A.         |
| PDE-1800<br>MOD II | \$170-200        | 256K           | REMOVABLE<br>PACK                                    | 120MB<br>(Unformatted) | 64***<br>256 CHAR<br>16-2000<br>CHAR | 24      | 2            | 19.2KB | 16***            | 6           | 1           | N.A.         |

\*XL/40 — MAX OF 16 CRT'S AND STATION PRINTERS MAY BE MIXED ON A SYSTEM.

\*\*1900/10 — MAX OF 32 CRT'S AND STATION PRINTERS MAY BE MIXED ON A SYSTEM.

\*\*\*1800 MOD II — MAX OF 16 — 2000 CHAR. CRT AND STATION PRINTERS MAY BE MIXED ON A SYSTEM.

IF A 2000 CHAR. CRT OR STATION PRINTER IS PRESENT, 256 CHAR. CRT LIMIT IS 32.