TYMSHARE TYMCOM-X

USER PROGRAM INDEX

A Synopsis of Programs and Facilities

MAY 1977

TYMSHARE, INC. CUPERTINO, CALIFORNIA



Table of Contents

This is an index of languages, programs, and subroutines available on the Tymshare TYMCOM-X system. It is divided into sections according to type of usage. See the section entitled "program access" for information on how to run the programs.

SECTION HEADING	PAGE
PROGRAMMING LANGUAGES AND TEXT EDITORS	1
DATA BASE MANAGEMENT SYSTEMS	1
ON-LINE DATA BASES	1
BUSINESS AND FINANCIAL ANALYSIS PROGRAMS	2
ENGINEERING PROGRAMS	2
STATISTICS PROGRAMS	2
LINEAR PROGRAMMING AND CRITICAL PATH PROGRAMS	3
PLOTTING PROGRAMS AND LIBRARIES	3
UTILITY PROGRAMS	3
TERMINAL CONTROL UTILITY PROGRAMS	4
MINICOMPUTER SIMULATION PROGRAMS	4
MICROPROCESSOR SOFTWARE DEVELOPMENT TOOLS	4
LIB40 - SUBROUTINES FOR FORTRAN	6
XLIB - SUBROUTINES FOR FORTRAN	8
COMAND - SUBROUTINES FOR FORTRAN	10
PROGRAM ACCESS	11
SUPPORT CLASSIFICATION	12
SUPPORT DOCUMENTATION	13

Programming Languages and Text Editing

Program Name	Program Description		port Doc.	Program Location				
10EDIT AID ALGOL BLISS CAL CFORTRAN COBAID COBOL DDT EDITOR F10 F40 FAIL FASBOL LISP MACRO SAIL SFORTRAN	Easy to use, line oriented text editor Algebraic language similar to CAL and JOSS Algorithmic Language Software Systems Language Language similar to Tymshare CAL Conversational FORTRAN for debugging COBOL support system Common Business-Oriented Language Dynamic Debugging Tool Tymshare text editing language FORTRAN-10 (DEC's new FORTRAN IV) FORTRAN IV (Tymshare file handling) Stanford 1 pass assembly language SNOBOL4, a compiled version Stanford AI LISP 1.6 Basic assembly language for TYMCOM-X Stanford version of ALGOL with extended features. TYMCOM-X SUPER FORTRAN	III III III III III III III III III II	None DEC DECUS DEC #105 #115 #22 DEC #312 DEC #104 None TIN DECUS DEC DECUS	UPL				
SNOBOL SUDS TECO TBA XBASIC	SNOBOL4 (string manipulation language) Simplified User Dialog System Generally well known PDP-10 EDITOR TYMBASIC Tymshare enhanced DEC BASIC	III III III III	TIN #932 #933 #353 #338					
	Data Base Management Systems							
Program Name	Program Description		port Doc.	Program Location				
MAGNUM X22	Relational Data Base Management System Interactive Retrieval System	I	#311 #294	UPL				
	On-Line Data Bases							
Program Name	Program Description		port Doc.	Program Location				
SITEII TYMQUOTE	Census data base and reporting system Securities data base and reporting system	IV I	#273 #381	CENSIT TQ				

Business and Financial Analysis Programs

Program Name	Program Description		port Doc.	Program Location		
BBL MANMAN OPUS COUNT	Basic Business Language Inventory control and bill of materials MAGNUM inventory management system Interactive accounting system	I IV I	#23 #376 Jun 76 #475	CC UPL OPUS XBASIC		
ATAXLO BONDBI CONSTR DEPRE FINAN FINLES OWNLSE PVIRR SUPER TURNKEY WRAP2	COPAQUEN Library: Evaluates "see-through" lease proposals Coupon optimization program Construction loan analysis Asset depreciation analysis Loan analysis with various schedules Leveraged lease analysis Analyzes cost of ownership vs leasing Present value and return on investment Comprehensive asset analysis Progress vs. lumpsum payment options Wraparound loan analysis	IV	#394 #375 #394 #394 #345 #394 #394 #394 #394	COPQ COPQ COPQ COPQ COPQ COPQ COPQ COPQ		
FINALY	TRICOMP Library: Financial analysis program Statistical Sampling Library Lease Present Value Analysis	IV IV IV	#29 #178 #335	AUDLIB AUDLIB AUDLIB		
	Engineering Programs					
Program Name	Program Description		port Doc.	Program Location		
COMPACT CSMP	Microwave optimization Continuous System Simulation Program (See TYMCOM-IX manual, Pubs #304)	IV III	#390 U #530	PL		
MACE SPICE STRESS RIGID TRUSS	Mech. Analysis of Continuous Elastic Sys. Electronic circuit analysis program IBM-1130 version of STRESS Plane rigid frame structure computations Computations with plane trusses	III III III	#277 #171 #377 TIN TIN	UPL UPL UPL		
	Statistics Programs					
Program Name	Program Description		port Doc.	Program Location		
STATPAK	Statistical Analysis Package	III	#176			

<u>Linear Programming and Critical Path Programs</u>

Program Name	Program Description	Sup _l Code	Program Location	
CRAM	Extended CPM for project control	IV	#380	UPL
C3CPM	Critical Path Method	IV	COMARC	UPL
C3CPFM	Critical Path Method (file output)	IV	COMARC	UPL
MAXIMA	Linear programming program (See MINMAX manual, Pubs #270)	III	#341	

Plotting Programs and Libraries

Program Name	Program Description		port Doc.	Program Location
AGRAPH TCS2A TCS10 TLIB ZLIB	TEKTRONIX advanced graphics package TEKTRONIX terminal control system TEKTRONIX terminal control system TYPAGRAF FORTRAN subroutine library Zeta Plotter FORTRAN subroutine library	III III III	TEK TEK TEK None ZETA	UPL UPL UPL UPL UPL

Utility Programs

Program		Sup	port	Program			
Name	Program Description	Code	Doc.	Location			
	D. J. L. J. Duranasian Drawak Duranas	-	C-16				
BATCH	Peripheral Processing Request Program	I	Self				
CARMEL	Subroutine library maintenance program	III	#105				
CKSUM	Computes the checksum of list of files	III	None				
CROSS	Produces cross-reference listings	III	XEXEC				
DIFFER	Compare two files for differences	III	DEC				
DISPATCH	Remote job entry program	ΙΙ	#386				
NONAME	Account Supervisor Program	I	Self				
PASSWORD	Allows user to change password	I	XEXEC				
PERP	Periodic Processing System	I	TYM-IX				
DEFER	Deferred Processing System	I	TYM-IX				
RENBR	Renumbers FORTRAN programs	III	DECUS	UPL			
RUNOFF	Text processing program	III	DECUS				
SETLIC	Sets license on files	III	XEXEC				
SORT	Sorts files according to specified keys	II	See CO	BOL			
SPOOL	Remote printer file spooling system	I	#398				
SSP	Scientific Subroutine Package for FORTRAN	III	None	UPL			
	(Sources on trp 888, "Routine-name.F4")						

Terminal Control Utility Programs

Program Name	Program Description	-	port Doc.	Program Location
BIONIC FTYPE TAPE PIP TIO	Terminal input using BLOCK I/O Terminal output using BLOCK I/O Paper Tape Package PDP-10 Peripheral Interchange Program Setting terminal characteristics	II II III III	Self Self #393 DEC Self	

Minicomputer Simulation Programs

Program Name	Program Description	Sup Code	Program Location	
LNKX11	PDP11/45 Linking Loader	III	TIN	UPL
MACY11	PDP11/45 Relocatable Assembler	III	TIN	UPL
PALX11	Assembler for PDP-11	III	DECUS	\mathtt{UPL}
SIM11X	Simulator for PDP-11	III	DECUS	UPL

Microprocessor Software Development Tools

Program		Sup	port	Program
Name	Program Description	Code	Doc.	Location
	DOGEOU GUARRUA T.II			
	BOSTON SYSTEMS Library:			
CA8080	Intel, NEC, TI and NSC 8080	IV	BSO	
CA6800	Motorola, Hitachi, and AMI 6800	IV	B'SO	
CA4040	Intel 4004/4040	IV	BSO	
CA8008	Intel 8008	IV	BSO	
CAF8	Fairchild and MOSTEK F8	IV	BSO	
CA6500	MOS Technology MCS6500 Series	IV	BSO	
CA1000	Texas Inst. TMS1000 Series	IV	BSO	
CAPACE	National Semiconductor PACE	IV	BSO	
CAZ80	Zilog and MOSTEK Z-80	IV	BSO	
CAPPS8	Rockwell PPS8	IV	BSO	
CA1802	RCA CDP1802 (COSMAC)	ĬV	BSO	
CA9900	Texas Inst. TMS9900 Series	IV	BSO	
SM6800	Motorola 6800 simulator	IV	BSO	
SI1000	TI TMS1000 symbolic simulator/debugger	IV	BSO	
S18080	8080 symbolic simulator/debugger	IV	BSO	
F46800	6800 FORTRAN IV cross-compiler	IV	BSO	
	-			

Microprocessor Software Development Tools (cont.)

Program			port	Program					
Name	Program Description	Code	Doc.	Location					
	INTEL Library:								
INT4	4004 simulator	IV	INTEL	UPL					
INT40	4040 simulator	IV	INTEL	UPL					
INT8	8008 simulator	IV	INTEL	UPL					
MAC4	Assembler for MCS4 chip	IV	INTEL	UPL					
MAC8	Assembler for MCS8 chip	IV	INTEL	UPL					
MAC40	Assembler for MCS40 chip	IV	INTEL	UPL *					
MAC80	Assembler for MCS80 chip	IV	INTEL	UPL *					
INT80	8080 simulator software package	ΙV	INTEL	UPL *					
PLM81	PL/M for INTEL 8080 chip (pass1)	IV	INTEL	UPL *					
PLM82	PL/M for INTEL 8080 chip (pass1)	IV	INTEL	UPL *					
PLM02 PLM1	PL/M for INTEL 8008 chip (pass1)	IV	INTEL	UPL					
PLM1EX	Expanded version of PLM1	IV	INTEL	UPL					
PLM2	PL/M for INTEL 8008 chip (pass2)	IV		UPL					
PLM2EX	Expanded version of PLM2	IV		UPL					
XMAS	Assembler for INTEL 3000 chip	IV	INTEL	UPL					
XMAP	Map program for INTEL 3000 chip	IV	INTEL	UPL					
AMAP	(*) Add "E" to program name for expanded			OFD					
	(") Add "E to program name for expanded	versio	111						
	NATIONAL SEMICONDUCTOR Library:								
ASM8T	NSC IMP-8 assembler	IV	NSC	NSC					
ASM16	NSC IMP-16 assembler	IV	NSC	NSC					
PCRBT	Produces CRBOOT format decks	IV	NSC	NSC					
PPTBT	Produces hardware loadable paper tapes	IV	NSC	NSC					
PRLMT	Produces IMP-16 loadable deck	IV	NSC	NSC					
PRLM8	Produces IMP-8 loadable deck	IV	NSC	NSC					
PROMT	Produces IMP-16 paper tape input to ROM	IV	NSC	NSC					
PROM8	Produces IMP-8 paper tape input to ROM	IV	NSC	NSC					
	ROCKWELL INTERNATIONAL Library:								
PPSA	PPS-4 assembler	IV	R.I.	UPL					
PPSO	PPS-4 output routine	IV	R.I.	UPL					
PPSS	PPS-4 simulator	IV	R.I.	UPL					
PPS8A	PPS-8 assembler	IV	R.I.	UPL					
PPS80	PPS-8 output routine	IV	R.I.	UPL					
PPS8SM	PPS-8 simulator	IV	R.I.	UPL					
PPSFIX	Program to modify simulator input file	IV	R.I.	UPL					
PPSM	Prints map of used ROM locations	IV	R.I.	UPL					
	WINTEK library:								
CA6800	Motorola 6800 cross assembler	IV	#807	UPL					
SM6800	Motorola 6800 simulator	IV	#690	UPL					
PL6800	Motorola 6800 PL/W compiler	IV	#725						
LD6800	Motorola 6800 loader	IV	None						
ססססם	Mocorord and radger	. ▼	1.01.0						

LIB40 - SUBROUTINES FOR FORTRAN (II)

The following subroutines are available in the FORTRAN library in addition to the standard mathematical functions and include CALCOMP plotter routines. They are documented in the Addendum to FORTRAN IV (Pubs #105) and Language Bulletin #27 (Pubs #339).

Routine Name	Routine Description
AXIS	Subroutine to draw, number, and label axes on the CALCOMP plotter
BYE	Subroutine to log user off system without TRU or terminal time printout
CONNEC	Function to return current connect time
DATE	Subroutine to return today's date in left-justified ASCII
DELET	Subroutine to delete a specified file
DUMP	Subroutine to dump particular portions of core
DYNARY	Subroutine to dynamically allocate array storage
ERRSET	Subroutine to allow user control of runtime mathematical
	error messages
EQ	Checks for equivalence of two ASCII arrays
EXIT	Subroutine to return control to monitor and thus terminate
EXITPE	execution and file I/O
EXIIPE	Subroutine to return control to the PERFORM file and thus terminate execution and file I/O
FILINF	Subroutine to return the protection of a file and check
LIBINI	for its existence
IINDEX	Function that returns character location of any string
	within an array
INTDIS	Subroutine to disable interrupts
INTENA	Subroutine to enable interrupts
IROT	Function which performs cyclical rotation
GETBIT	Subroutine to return a specified bit of a word
GETBYT	Subroutine to return a specified byte of a word
GETC	Subroutine to retrieve a character from a word
LINE	Subroutine to draw a line between two points on CALCOMP
	plotter
LSH	Function to shift bits
LOGOUT	Subroutine to terminate output and log user off system
MAGDEN	Subroutine to allow user specification of magnetic tape density
NAMPPN	Subroutine to convert a user name to a ppn
NEXIT	Subroutine to exit from fortran without printing the word 'EXIT'
NUMBER	Subroutine to plot a floating point number on CALCOMP plotter
OFFINT	Returns interrupt control to the monitor
ONECHR	Subroutine to print a right-justified ASCII character on the user's terminal

Routine Name Routine Description ONINT Specifies label to transfer to on interrupt PDUMP Subroutine to dump portions of core and return to program PLOT Subroutine to plot values on CALCOMP plotter PLOTF Subroutine to initialize program for off-line plotting with CALCOMP plotter **PLOTS** Subroutine to initialize common variables and turn on the CALCOMP plotter POSITION Function to return or set the position on a file opened for random access PROJEC Subroutine to return the current project code PUTC Subroutine to store a character in a word RDTAPE Paper tape input routine RENAM Subroutine to rename a file RENAME Subroutine to rename or delete a specified file RTC Subroutine to retrieve characters from a word RUN Subroutine to execute another core image program SCALE Subroutine to set scaling factor for CALCOMP plotting SETBIT Subroutine to set a specified bit of a word SETBYT Subroutine to set a specified byte of a word SETRAN Subroutine to initialize use of RAN function SIMTTY Subroutine to simulate terminal output on a file SIZE Function to return the size of a random file SLITE Subroutine to turn sense lights on or off STC Subroutine to store characters into a word SYMBOL Subroutine to draw a single or string of characters on a CALCOMP plotter **USERNA** Subroutine to return the user name associated with the current job TIME Subroutine to return current time as left-justified ASCII characters TIMER Subroutine to allow user to specify maximum cpu time before

terminating execution
TRU Function to return current TRU time expended
TRULIMIT Subroutine to set a TRU limit in a program

WAIT Subroutine to suspend execution for a defined period of time WHERE Subroutine to return the pen location and multiplying factor for the CALCOMP plotter

XLIB - SUBROUTINES FOR FORTRAN (II)

This library of FORTRAN utility subroutines, located in the User Program Library (UPL), can be loaded along with the user's main program and subroutines by including "(UPL)XLIB/LIB" in the COMPILE, LOAD, or EXECUTE command. Documentation is printed in Product Supporter, Issue 3, page 26. Copies may be obtained from your local Tymshare office.

Routine Routine Description Name Converts ASCII to SIX-BIT ASCSIX AUXSET Sets terminal characteristics Computes BETA distribution based on Gaussian quadrature BETA Clear terminal input buffer CLRBFI CLRBFO Clear terminal output buffer CORFIL Performs core UUO Prints a single ASCII character on the terminal CPRINT DOLLAR General purpose comma formatting routine Returns current date as MMDDYY DTE Turns terminal echo on or off ECHO EDITOR Starts up and transfers control to EDITOR Returns the size of the specified file FILSIZ Returns file directory information **FSPEC** GETLIN Returns line status word Returns user's PPN GETPPN GETUSN Returns user's username Sets half duplex mode HDX Performs logical AND of two arguments IAND Gets the Nth character from a string ICHAR Compares two real numbers for approximate equality IFF Performs a table look-up on a 5-character input string IFTYP Text retrieval based on key word search INFO Performs logical OR of two arguments IOR ITAB Accesses GETTAB monitor tables Terminates job execution for a specified time IWAIT Performs EXCLUSIVE OR of two arguments IXOR LINEP Checks to see if a line has been typed Returns absolute core address of argument LOCF Same as INFO but from different username MINFO MOVE Copies one array to another Plots multiple curves on one axis on the terminal MPLOT Types message on terminal MSG Performs TTY NO CRLF NOCRLF Returns number of TRU's since log in NTRU Turns off lowercase transmission OFFLC ONCRLF Performs TTY CRLF

Turns on lowercase transmission

Types a character string on the terminal

ONLC

OUTSTR

PACK Packs an alpha array from Al format to A5 format

PERFORM Subroutine to modify running PERFORM file PLOT Subroutine to perform terminal plotting SEC Returns number of seconds since midnight

SETLIN Changes line characteristics SIXASC Converts SIX-BIT to ACSII

TEL Checks terminal input buffer for characters

TIO Starts up and transfers control to the TIO program

TTCHAR Inputs a single character from the terminal

TTYFORM Performs a TTY FORM

TYTLE Punches a readable title on a paper tape

XPRINT Performs eight-level (binary) output

COMAND - SUBROUTINES FOR FORTRAN COMMAND PACKAGE (III)

A FORTRAN subroutine command package consisting of various utility command-oriented subroutines has been compiled and made available in the file (UPL)COMAND.REL. A manual describing how to use these routines is available in the TYMCOM-X Information Notebook.

Routine Routine Description Name Subroutine to scan for a command COMMAND Function to test for a delimiter DELIMI Subroutine to scan for a file name DFILE Subroutine used after unsuccessful line scan ERROR Subroutine to print an up arrow at location of error ERRPNT in input line scan Subroutine to disassemble a file name into its component FBREAK parts Subroutine to scan for a valid file name FILDEOL Subroutine to scan for a remote file name FILE Subroutine to get an arbitrary string of characters from GETSTR the input line Function to get the Nth character from a string **ICHAR** Subroutine to scan for an integer INTEGER Similar to COMMAND KOM Function to get a particular character in a specified LCH list and entry Subroutine to list a specified command entry in LENTRY a specified list on a given FORTRAN unit number Complement to LINESAVE for insertions LINERE Subroutine to save the input line LINESAVE Subroutine to return the absolute core address of argument LOCF Subroutine to get a new line of data NEWLINE Subroutine to input a new line of information NEWLIX Subroutine to get the next character in the input line NEXTCHR Subroutine to get the current character in the input NOWCHR Subroutine to scan for a number NUMBER Subroutine to scan input line for an octal integer OCTAL Subroutine to write part or all of the input line WRINLIN

on the user's terminal or on a specified FORTRAN unit number

PROGRAM ACCESS

Program names which are underlined may be executed simply by typing their name followed by a carriage return at XEXEC command level, signified by the -(dash) prompt.

For example:

-DEFER<CR>

Program names which are not underlined may be accessed in any of several ways, depending on the type of file or program that is desired. Executable programs are accessed by typing one of the following:

R program name

For example:

-R PERP<CR>

R (program location) program name

For example:

-R (UPL) X22<CR>

To access subroutine libraries, such as XLIB, you can include the following with any compile class command.

(program location)program name/LIB

For example:

-EXECUTE MYPROG, (UPL) XLIB/LIB

SOFTWARE SUPPORT CLASSIFICATION

The following is a description of the support code assigned to various programs on the TYMCOM-X system.

- Class I These programs are fully tested and supported. Detailed functional and technical expertise and formal documentation are available from Tymshare or a Tymshare supplier. Support or enhancements requested for these products will be given top priority. Training is likely to be available from Tymshare or a Tymshare supplier.
- II Support for these programs is limited by resource Class Detailed functional and technical availability. expertise may not be available at Tymshare but can often the software supplier. through obtained Documentation is available from Tymshare or a Tymshare No Tymshare training classes are offered. supplier. Special support or enhancement requests will be reviewed periodically.
- Class III These are programs for which Tymshare provides no support. Some of these programs are very useful, and Tymshare makes them available for the convenience of our customers, but for various reasons Tymshare does not accept responsibility for program integrity. Documentation may be incomplete. Program testing is limited to verifying accessibility. Support requests will not be accepted on these programs.
- Class IV These are vendor supplied and supported programs.

 Detailed functional and technical expertise may not be available from Tymshare but is available from the vendor. Documentation is available from the vendor or Tymshare. No Tymshare training classes are offered. Special support or enhancement requests will be reviewed periodically.

SUPPORT DOCUMENTATION

The following list provides an explanation of the column entitled Support Documentation. These documents are available through Tymshare upon request.

Support Document Abbr. Document Name or Document Source COMARC Documentation provided through COMARC Design Systems DEC Documentation provided through Digital Equipment Corporation West Coast: Digital Equipment Corp. 1400 Terra Bella Mountain View, Ca. 94040 East Coast: Digital Equipment Corp. P.O. Box F Maynard, Mass. 01754 **DECUS** Digital Equipment Computer Users Society Program Library BSO Documentation provided through Boston Systems Office, Inc. INTEL Documentation provided through INTEL Corporation NSC Documentation provided through National Semiconductor R.I. Documentation provided through Rockwell International TEK Documentation provided through TEKTRONIX Incorporated TIN TYMCOM-X Information Notebook Self Program contains a standard front end documenting its operation. XEXEC Documentation is provided in the Tymshare XEXEC Manual, Pubs #321. TYM-IX Documentation is provided in the TYMCOM-IX EXECUTIVE Manual, Pubs #100. None No documenation is available from Tymshare Rough Documentation is in a draft state at the current time and is available upon special request only. #nnn This is Tymshare's Pubs number indicating that the document may be ordered directly from Publications.

See This software is documented in conjunction

with the program congram>.

I N D E X

Busin	es	s	Pı	cog	gra	am	s	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	2
Comma Criti	nd .ca	1	Sul Pa	oro ati	out h I	ti Me	ne tho	Pa od	ack (C	a P	ge M)	f	o	r og	FC	RI	'RA	N	•	•	•	•	•	10 3
Data	Ва	s	e I	Mai	naç	ge:	mer	nt	Sy	7 S	te	m s	3	•	•	•	•	•	•	•	•	•	•	1
Engin	ee	r	ing	g 1	Pro	og	ran	ns	•	•	•			•	•	•	•	•	•	•	•	•	•	2
Finar FORTE FORTE	ci RAN RAN	a:	l i Lil Sul	Ana bra	aly ary	ys Y ti	is (Sy ne	Pr st Li	og en	gr n) :a	am · ry	s •		•	•	•	•	•	•	•		•	•	2 6 8
LIB40 Linea	ır	Pi	ro	gr	amı	mi	ng	Pr	•	gr	am	s		•	•	•	•	•	•	•	•	•	•	6
Micro Minio	pr om	p	ce: ut	sso er	or S:	S im	of ula	twa ati	ere ior))	Pr	00	jr	am	·	•	•	•		•	•	•	•	4
On-Li	ne	• 1	Da	ta	В	as	es	•	•	•	•	•	,	•	•	•	•	•	•	•	•	•	•	1
Plott Progr Progr	in am	ig i i	P: Ac in	ro ce:	gra ss La	am • ng	s uaç	ges	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	3 11 1
Simul Stati Suppo Suppo	at ist ort	i (on cs Cl	Prass	ro ro si: me:	gr gr fi nt	am: am: cat:	s tion	on	•	•	•	•	•	•	•	•	•	•	•	•	•	•	4 2 12 13
Termi Text	ina Ed	1 i	Co ti	on ng	tr	01	Pı •	•	gra	am •	s •	•	•	•	•				•	•	•	•	•	4
Utili																								
XLIB	_	S	ub	ro	ut	in	es	fo	or	F	OR	TF	RA	N	•	•	•	•		•	•	•		8