

UNIVERSITY OF ILLINOIS
DIGITAL COMPUTER

AUXILIARY
LIBRARY ROUTINE E 7 - 253

TITLE: Simultaneous Integration by Simpson's Rule (DOI or SADOI)
 TYPE: Closed
 NUMBER OF WORDS: 49
 TEMPORARY STORAGE: 0, 1
 ACCURACY: $\pm 2^{-39}$ + truncation error
 DURATION: $4 + (5 + d)n$ milliseconds where d is the duration of the auxiliary routine.
 DESCRIPTION: Identical to code E3 except two integrals are computed.
 ENTRY: Identical to code E3, i.e., place a in location 0 and b in A and enter with

q	50	pF
	50	qF
q + 1	26	(E7)
	00	nF

where p is the location of the closed auxiliary subroutine which calculates $f_1(x)$ and $f_2(x)$ and n is the number of divisions of the interval of integration. n even.

AUXILIARY SUBROUTINE: This must be a closed routine, placed at p, which takes x from A and places $f_1(x_1)$ in 0 and $f_2(x_1)$ in A.
 RESULTS: Control returned to the left side of q + 2 with

$$\frac{1}{b-a} \int_a^b f_1(x) dx \text{ in location 0 and in the Accumulator}$$

$$\frac{1}{b-a} \int_a^b f_2(x) dx \text{ in Q.}$$

DATE: January 15, 1959

PROGRAMMED BY: D. Lehr

APPROVED BY: J. B. Snyder

LOCATION	ORDER	NOTES	PAGE 1
0	00 K(E7)		E7
	LO F		
	40 40L		
1	L5 F	(b - a)	
	40 41L	a	
2	41 42L	Clear counter	
	K5 6F		
3	42 5L	q + 1	
	L4 37L		
4	42 36L	Link	
	46 11L	p	
5	46 20L		
	L5 F		
6	LO 39L	n	
	40 44L		
7	L4 44L		
	L4 44L		
8	40 43L	3n	
	41 45L	Clear	
9	41 47L		
	26 10L	Waste	
10	L5 41L		
	50 10L		
11	26 F		
	40 48L	$f_2(x_0)$	
12	L5 F		
	40 46L	$f_1(x_0)$	
13	F5 42L		
	40 42L	Step m	
14	FO 44L		
	36 30L	End?	
15	50 40L		
	75 42L		
16	10 1F		
	32 17L		
	L4 42L		
17	66 44L	u_i	

LOCATION	ORDER	NOTES
18	S5 F	
19	S4 F	
20	L4 41L	
	50 19L	
21	26 F	
	40 1F	
22	50 38L	$f_2(u_i)$
	L5 46L	
23	74 F	
	L4 45L	F_1
24	40 45L	
	S5 F	
25	40 46L	
	50 38L	
26	L5 48L	
	74 1F	F_2
27	L4 47L	
	40 47L	
28	S5 F	
	40 48L	Switch
29	L5 2L	
	L0 38L	
30	26 13L	
	50 F	
31	L5 46L	
	70 37L	
32	L4 45L	F_1
	66 43L	
33	S5 F	
	40 F	
34	50 1F	
	L5 48L	
35	70 37L	
	L4 47L	F_2
	66 43L	

POSITION	ORDER	NOTES	PAGE 3
36	L5 F		
27	26 F	Out	
26	00 F		
25	00 LF	Constants	
24	00 F		
23	00 4F		
22	26 L		
21	00 F		
20	00 F		
19	-00 F	(b = a)	
18	00 F	a	
17	00 F	m	
16	00 F		
15	00 F	3n	
14	00 F	n	
13	00 F		
12	00 F	Temporary storage	
11	00 F		
10	00 F		
9	00 F		
8	00 F		
7	00 F		
6	00 F		
5	00 F		
4	00 F		
3	00 F		
2	00 F		
1	00 F		
0	00 F		