

SPERRY UNIVAC
1100 Series
Executive System
Volume 1
Index

EXEC Level 33R1 and Related Software
Programmer Reference

This document contains the latest information available at the time of publication. However, Sperry Univac reserves the right to modify or revise its contents. To ensure that you have the most recent information, contact your local Sperry Univac representative.

Sperry Univac is a division of Sperry Rand Corporation.

FASTRAND, SPERRY UNIVAC, UNISCOPE, UNISERVO, and UNIVAC are registered trademarks of the Sperry Rand Corporation. AccuScan, ESCORT, PAGEWRITER, PIXIE, and UNIS are additional trademarks of the Sperry Rand Corporation.

TEKTRONIX is a trademark of Tektronix Corporation.

FRIDEN is a trademark of Singer Corporation.

Preface

The SPERRY UNIVAC 1100 Series Executive System Programmer Reference is divided into four volumes. These volumes are titled as follows:

- SPERRY UNIVAC 1100 Series Executive System, Volume 1, Index, EXEC Level 33R1 and Related Software, Programmer Reference, UP-4144.11.

Volume 1 references terms and subjects covered in the other volumes.

- SPERRY UNIVAC 1100 Series Executive System, Volume 2, EXEC Level 33R1, Programmer Reference, UP-4144.21.

Volume 2 describes the overall control of SPERRY UNIVAC 1100 Series Systems by the Executive.

- SPERRY UNIVAC 1100 Series Executive System, Volume 3, System Processors, Programmer Reference, UP-4144.31.

Volume 3 describes the basic system processors associated with EXEC Level 33R1. These are the Collector (MAP) Level 28R2, DATA Level 8R1, ED Level 15R2, ELT Level 7, FURPUR Level 27R2, PDP Level 12R1, PMD Level 32R1, SECURE Level 19R3, and SSG Level 17R1.

- SPERRY UNIVAC 1100 Series Executive System, Volume 4; System Utility Programs, Programmer Reference, UP-4144.41.

Volume 4 describes the System Relocatable Library (SYSLIB) Level 73R1 and utility processors associated with EXEC Level 33R1. These are CULL Level 3R2, DOC Level 4R1, FLAP Level 4R1A, LIST Level 3R1, and PIRCB\$ Level 1.0.

Cross references in all four volumes to subjects in other volumes are by volume number, dash, and subsection number, e.g., 2-3.7.4 is volume 2, subsection 3.7.4.

PAGE STATUS SUMMARY

ISSUE: UP-4144.11

Index

This is Volume 1 of the four-volume SPERRY UNIVAC 1100 Series Executive System Programmer Reference corresponding to EXEC Level 33R1 and the associated system processors and system utility programs. Volume 1 is the index for terms found in Volumes 2, 3, and 4 of the set. The notation used in the Reference columns of this index to distinguish between volumes is to use the volume number as the first digit of each Reference entry, then a dash, and then the section or subsection number. References to tables and figures are by the volume number followed by a dash, then the word "Table" or "Figure", and then the table or figure number.

Examples:

| Term | Reference | Page |
|------|-----------|------|
| @ADD | 2-3.10.1 | 3-69 |

@ADD will be found in Volume 2, Section 3, subsection 3.10.1 on page 3-69.

| | | |
|------------------------|-------------|------|
| Restart error codes | 2-Table C-7 | C-37 |
|------------------------|-------------|------|

Restart error codes will be found in Volume 2, Appendix C, Table C-7 on page C-37.

| Term | Reference | Page | Term | Reference | Page |
|-----------------------|--------------|-------|------------------------|--------------|------|
| | A | | termination, error | 2-4.3.2.2 | 4-8 |
| Abbreviations | 2-2.2.2 | 2-12 | termination, normal | 2-4.3.2.1 | 4-7 |
| ABORT\$ | 2-4.3.2.3 | 4-8 | termination, real-time | 2-10.4.2.4 | 10-8 |
| ABSAD\$ | 2-4.7.4 | 4-26 | timed wait | 2-4.3.6 | 4-19 |
| Absolute element | | | ADACT\$ | 2-9.5 | 9-30 |
| arithmetic fault mode | 3-2.2.2.13.1 | 2-20 | @ADD | 2-3.10.1 | 3-69 |
| determination | | | status code | 2-C.4.3 | C-34 |
| Executive action | 3-2.2.2.13.2 | 2-20 | 2-Table C-4 | C-34 | |
| produced by | | | with DATA processor | 3-6.2 | 6-1 |
| arithmetic fault mode | | | with ELT processor | 3-5.2 | 5-1 |
| sensitivity | | | Addressing | | |
| optimization | 3-2.2.2.12 | 2-18 | file | 2-7.2.3 | 7-2 |
| Absolute read/write | 2-6.8 | 6-33 | inter-bank | 2-4.11.4 | 4-80 |
| capability | | | ADED\$ | 2-4.3.1.3 | 4-7 |
| ACSF\$ | 2-4.10.1.2 | 4-69 | AEDIT\$ | 4-2.4.3 | 2-32 |
| ACT\$ | 2-4.3.3.4 | 4-11 | editing routines | 4-2.4.3.3 | 2-34 |
| 2-4.11.8.2 | 4-85 | | packet format | 4-2.4.3.1 | 2-33 |
| release ESI activity | 2-9.5 | 9-29 | packet generation | 4-2.4.3.2 | 2-34 |
| control | | | AEDIT\$ Routines | | |
| Activity | | | AECHAR\$ | 4-Table 2-9 | 2-35 |
| activation | 2-4.3.3.4 | 4-11 | AECOLN\$ | 4-Table 2-9 | 2-35 |
| changing priorities | 2-10.4.2.1 | 10-7 | AECOPY\$ | 4-Table 2-9 | 2-35 |
| changing to real-time | 2-4.3.5.1 | 4-18 | AEDAY1\$ | 4-Table 2-9 | 2-35 |
| status | | | AEDAY2\$ | 4-Table 2-9 | 2-35 |
| control | 2-4.3 | 4-6 | AEDAY3\$ | 4-Table 2-9 | 2-35 |
| creating | 2-4.3.1.1 | 4-6 | AEDECFS | 4-Table 2-9 | 2-35 |
| creating with timed | 2-4.3.1.2 | 4-7 | AEDECV\$ | 4-Table 2-9 | 2-35 |
| wait | | | AEDIT\$ | 4-Table 2-8 | 2-34 |
| deactivation | 2-4.3.3.3 | 4-10 | AEDITR\$ | 4-Table 2-8 | 2-34 |
| dedication | 2-4.3.1.3 | 4-7 | AEDITX\$ | 4-Table 2-8 | 2-34 |
| interrupt | 2-6.1.2 | 6-4 | AEFD1\$ | 4-Table 2-9 | 2-35 |
| interrupt, | 2-4.3.3.5 | 4-11 | AEFD2\$ | 4-Table 2-9 | 2-35 |
| inter-activity | | | AEFLF1\$ | 4-Table 2-10 | 2-36 |
| interrupt, priority | 2-10.4.2.3 | 10-8 | AEFLF2\$ | 4-Table 2-10 | 2-36 |
| reduction | | | AEFLG1\$ | 4-Table 2-10 | 2-36 |
| joining | 2-4.3.3.1 | 4-10 | AEFLG2\$ | 4-Table 2-10 | 2-36 |
| naming | 2-4.3.3.2 | 4-10 | AEFLS1\$ | 4-Table 2-10 | 2-36 |
| real-time | 2-10.6.2.2 | 10-12 | AEFLS2\$ | 4-Table 2-10 | 2-36 |
| reducing interrupt | 2-6.3.8 | 6-12 | AEMSG\$ | 4-Table 2-9 | 2-35 |
| priority | | | AEMSGRS | 4-Table 2-9 | 2-36 |
| removing real-time | 2-4.3.5.2 | 4-19 | AEOCTFS | 4-Table 2-9 | 2-36 |
| status | | | AEOCTV\$ | 4-Table 2-9 | 2-36 |
| synchronization | 2-4.3.3 | 4-9 | AEPACK\$ | 4-Table 2-9 | 2-36 |
| | 2-4.11.8 | 4-84 | AESKIP\$ | 4-Table 2-9 | 2-36 |
| | | | AETIME\$ | 4-Table 2-9 | 2-36 |

| Term | Reference | Page | Term | Reference | Page |
|------------------------|----------------|-------------|--|---|------------------------------|
| @ALG | 2-A.1 2-3.9 | A-1 3-67 | I/O path selection MSA tape packet format tape considerations | 2-6.9.6 2-6.9.4 2-Figure 6-2 2-6.9.5 | 6-40 6-38 6-34 6-40 |
| ALTER | 2-8.3.3.3 | 8-24 | AREAD\$ | 2-5.2.2 | 5-5 |
| Alternate file | | | AREADA\$ | 2-5.2.4 | 5-6 |
| ASCII images | 2-5.2.4 | 5-6 | ASCFD\$ | 4-2.6.2.2 | 2-103 |
| Fielddata images | 2-5.2.3 | 5-5 | ASCII | | |
| Alternate print file | | | image composition | 4-2.4.3 | 2-32 |
| ASCII control | 2-5.4.4 | 5-18 | editing package | | |
| functions | | | (AEDIT\$) | | |
| ASCII images | 2-5.3.4 | 5-10 | to Fielddata conversion | 2-Table D-2 | D-3 |
| Fielddata control | 2-5.4.3 | 5-17 | table | | |
| functions | | | to Fielddata conversion | 4-6.2.2 | 2-103 |
| Fielddata images | 2-5.3.3 | 5-9 | routine | | |
| Alternate punch file | | | ASCII control functions | | |
| ASCII control | 2-5.4.8 | 5-20 | alternate print file | 2-5.4.4 | 5-18 |
| functions | | | alternate punch file | 2-5.4.8 | 5-20 |
| ASCII images | 2-5.3.8 | 5-13 | print file | 2-5.4.2 | 5-17 |
| Fielddata control | 2-5.4.7 | 5-20 | punch file | 2-5.4.6 | 5-20 |
| functions | | | ASCII images | | |
| Fielddata images | 2-5.3.7 | 5-12 | alternate file | 2-5.2.4 | 5-6 |
| APCHCA\$ | 2-5.4.8 | 5-20 | alternate print file | 2-5.3.4 | 5-10 |
| APCHCN\$ | 2-5.4.6 | 5-20 | alternate punch file | 2-5.3.8 | 5-13 |
| APNCHA\$ | 2-5.3.8 | 5-13 | composition editing | 4-2.4.3 | 2-32 |
| APRINT\$ | 2-5.3.2 | 5-9 | package (AEDIT\$) | | |
| APRNNTA\$ | 2-5.3.4 | 5-10 | dynamic request of | 2-4.10.1.2 | 4-69 |
| APRTCA\$ | 2-5.4.4 | 5-18 | control statements | | |
| APRTCNS | 2-5.4.2 | 5-17 | printing | 2-5.3.2 | 5-9 |
| APUNCH\$ | 2-5.3.6 | 5-12 | punching | 2-5.3.6 | 5-12 |
| Arbitrary device | | | reading | 2-5.2.2. | 5-5 |
| assignment | 2-3.7.1.4 | 3-54 | @ASG | | |
| auxiliary storage | 2-6.9.7 | 6-41 | arbitrary device | 2-3.7.1.4 | 3-54 |
| interface | | | sector-formatted files | 2-3.7.1.1 | 3-36 |
| initiate and exit with | 2-6.9.3 | 6-37 | files and peripheral | 2-3.7.1 | 3-34 |
| interrupt (IOAXI\$) | | | devices | | |
| interface | 2-6.9 | 6-33 | for real-time | 2-10.5 | 10-10 |
| initiate and return | 2-6.9.2 | 6-37 | magnetic tape | 2-3.7.1.2 | 3-45 |
| control immediately | | | options | | |
| (IOARB\$) | | | sector-formatted | | |
| I/O packet | 2-6.9.1 | 6-33 | mass storage | 2-Table 3-4 | 3-37 |
| | | | magnetic tape | 2-Table 3-5 | 3-45 |
| | | | status code | 2-Table C-1 | C-16 |

| Term | Reference | Page | Term | Reference | Page |
|------------------------|-------------------------|--------------|-----------------------|--------------|-------|
| word-addressable | | | register basing | 2-4.11.4.2 | 4-81 |
| mass storage | | | referencing | 2-3.4.4.4 | 3-20 |
| normal | 2-3.7.1.3.1 | 3-51 | active | 2-3.4.4.4.5 | 3-23 |
| whole unit | 2-3.7.1.3.2 | 3-53 | initial load | 2-3.4.4.4.4 | 3-23 |
| @ASM | 2-A.1 2-3.9 | A-2 3-67 | static vs. dynamic | 2-3.4.4.4.3 | 3-22 |
| | | | switching between | 2-3.4.4.4.2 | 3-21 |
| | | | visible | 2-3.4.4.4.1 | 3-20 |
| | | | structuring | 3-2.2.2.18 | 2-24 |
| ASSEMBLER | | | Batch processing | 2-1.3.1.1 | 1-3 |
| Procedure Table item | 3-Figure 11-4 | 11-8 | BDSPT\$ | 2-4.7.6 | 4-28 |
| ATREAD\$ | 2-5.2.6 | 5-8 | Binary | | |
| Auxiliary storage | 2-6.9.7 | 6-41 | hexadecimal | | |
| interface via ADH | | | conversion | 2-Table D-4 | D-7 |
| ASCFD\$ | 4-2.6.2.2 | 2-103 | time and date | 2-4.5.2 | 4-21 |
| AWAIT\$ | 2-4.3.3.1 2-4.11.8.2 | 4-10 4-85 | Branching | | |
| AXR\$ | 4-2.1.1 | 2-1 | from within a | | |
| | | | runstream | 2-3.10.4.3 | 3-75 |
| | | | Breakpoint | | |
| | | | setting user | 2-4.10.4 | 4-73 |
| B | | | @BRKPT | 2-3.6.2 | 3-28 |
| BANK | | | alternate symbiont | 2-3.6.2.2 | 3-29 |
| active | 2-3.4.4.4.5 | 3-23 | file | | |
| additional space | 2-4.11.2.2 | 4-79 | example of usage | 2-3.6.4 | 3-31 |
| address assignments | 3-2.2.5.2 | 2-41 | primary output file | 2-3.6.2.1 | 3-28 |
| address limits | 2-4.11.5 | 4-82 | status code | 2-C.4.2 | C-33 |
| common access | 2-3.4.4.2.4 | 3-19 | | 2-Table C-3 | C-33 |
| common usage | 2-4.11.2.1 | 4-78 | *BRKPT | 3-10.5.3.6.1 | 10-36 |
| control | 3-2.2.5.4 | 2-42 | BSP\$ | 4-2.5.7 | 2-71 |
| dynamic usage | 2-4.11.2 | 4-78 | Buffer | | |
| initial load | 2-3.4.4.4.4 | 3-23 | initialization | 3-3.3.3.1 | 3-25 |
| initially based | 3-2.2.5.3 | 2-42 | processing | 2-9.7.2 | 9-32 |
| initially based | 2-3.4.4.2.3 | 3-18 | real-time operations | 2-10.3 | 10-2 |
| common | | | real-time size | 2-10.3.4 | 10-3 |
| lowest address | 2-3.4.4.2.2 | 3-18 | single mode for I/O | 2-9.4.1.6 | 9-16 |
| referencing | 2-3.4.4.4 | 3-20 | | | |
| static vs. dynamic | 2-3.4.4.4.3 | 3-22 | C | | |
| switching between | 2-3.4.4.4.2 | 3-21 | CABSAD\$ | 4-2.3.2.1 | 2-16 |
| visible | 2-3.4.4.4.1 | 3-20 | initialize (CAINIT\$) | 4-2.3.2.3 | 2-18 |
| BANK\$ | 2-4.8.4 | 4-34 | CADD\$ | 2-9.4.2.3 | 9-26 |
| Bank | | | | | |
| descriptor index (BDI) | | | | | |
| retrieval | 2-4.8.4 | 4-34 | | | |
| inter-addressing | 2-4.11.4 | 4-80 | | | |
| collection | 2-4.11.4.1 | 4-81 | | | |
| collector produced | 2-4.11.4.3 | 4-81 | | | |
| tables | | | | | |

| Term | Reference | Page | Term | Reference | Page |
|---|---|---|---|--|------------------------------|
| Card reader standard mode control 9000 mode control | 2-3.6.5 2-3.6.6 | 3-32 3-33 | Checksum | 3-9.14.1 | 9-18 |
| Catalogued file assignments (SECURE) recovery recovery (SECURE) @CAT options status code | 3-9.5 2-12.8 3-9.10 2-3.7.3 2-Table 3-6 2-Table C-1 | 9-5 12-23 9-12 3-57 3-57 C-16 | @CHG catalogued filenames keys and modes examples program file element and version names | 3-4.2.15 3-4.2.15.1 3-4.2.15.3 3-4.2.15.2 | 4-29 4-29 4-31 4-31 |
| CBN\$ | 4-2.3.3.3 | 2-21 | CJOIN\$ | 2-9.4.2.4 | 9-27 |
| CBX\$ | 4-2.3.2.3 | 2-18 | CK, unsolicited console request | 2-11.2.1.3 | 11-3 |
| CCR | 2-8.6 | 8-27 | @CKPAR status code | 2-11.3.1 2-C.4.5 | 11-10 C-35 |
| See also symbiont, demand | | | @CKPT status code | 2-11.2.1.1 2-C.4.5 | 11-2 C-35 |
| @ @CDI DCT 1000 | 2-A.2 2-8.2.2.3 | A-8 8-19 | CLASS, element selection determination | 3-2.2.2.8 | 2-12 |
| @ @CDO DCT 1000 | 2-A.2 2-8.2.2.3 | A-8 8-19 | *CLEAR | 3-10.5.3.2.2 | 10-25 |
| CEND\$ | 2-4.9.4.2 | 4-58 | CLIST\$ | 2-5.5 | 5-21 |
| CERU\$ | 4-2.1.3 | 2-2 | Clocking | 2-12.6 | 12-20 |
| CGET\$ | 2-9.4.2.2. | 9-26 | @CLOSE | 3-4.2.10 | 4-24 |
| Change correction statement | 3-1.2.5 | 1-5 | CLOSRS | 4-2.5.6.7 | 2-69 |
| Changed word dump | 3-3.3.1.3 | 3-11 | CMD\$ | 2-9.4.1.2 | 9-14 |
| Checkpoint/Restart control statement error codes | 2-Section 11 2-11.2.1.1 2-C.5 2-Table C-6 2-Table C-7 | 11-2 C-36 C-35 C-37 | CMH\$ | 2-9.4.1.9 | 9-18 |
| examples Executive Request file format file identification message introduction partial status codes unsolicited console request | 2-11.2.1.4 2-11.2.1.2 2-11.2.2 2-11.2.3 2-11.1 2-11.3 2-C.4.5 2-11.2.1.3 | 11-3 11-3 11-3 11-5 11-1 11-10 C-35 11-3 | CMIS\$ | 2-9.4.1.3 | 9-14 |
| | | | CMOS\$ | 2-9.4.1.4 | 9-15 |
| | | | CMS\$ | 2-9.4.1.1 usage within common processors | 9-13 2-4.11.6.3 4-82 |
| | | | CMSA\$ | 2-9.4.1.5 | 9-15 |
| | | | CMT\$ | 2-9.4.1.10 | 9-19 |
| | | | Coarse scheduler | 2-12.5.4 | 12-11 |

| Term | Reference | Page | Term | Reference | Page |
|----------------------------|----------------|-------------|--------------------------------------|-------------|------|
| @COB | 2-A.1 2-3.9 | A-2 3-66 | Common bank access | 2-3.4.4.2.4 | 3-19 |
| COBOL Procedure Table item | 3-Figure 11-5 | 11-8 | data protection within | 2-4.11.8 | 4-84 |
| @COL | | | Executive Requests | 2-4.11.6 | 4-82 |
| standard card reader | 2-3.6.5 | 3-32 | within | | |
| 9000 card reader | 2-3.6.6 | 3-33 | usage | 2-4.11.2.1 | 4-78 |
| Collection | 2-4.11.4.1 | 4-81 | Entry Points | 4-2.1.2 | 2-1 |
| bank-named | 3-2.2.5 | 2-41 | Processor Interface | 4-Section 3 | 3-1 |
| reentrant processors | 3-2.2.3.5 | 2-32 | Routine (PIRCB\$) | | |
| segmentation within | 3-2.2.5.5 | 2-43 | Common blocks | 3-2.2.4.6 | 2-40 |
| bankname | | | Common block table | 3-2.2.8 | 2-57 |
| Collector | 3-2.2 | 2-1 | Common Data Bank (CDB) Contingencies | 2-4.9.6 | 4-61 |
| defined tags | 3-2.2.9 | 2-60 | queuing for user program | 2-4.9.6.3 | 4-63 |
| diagnostic messages | 3-Appendix A | | processing | 2-4.9.6.2 | 4-62 |
| directives | 3-2.2.2 | 2-5 | responsibilities | 2-4.9.6.1 | 4-61 |
| functional aspects | 3-2.2.3 | 2-29 | termination | | |
| initiation | 3-2.2.1 | 2-2 | abnormal | 2-4.9.6.4 | 4-64 |
| instruction and data area | 3-2.2.3.4 | 2-31 | notification of | 2-4.9.6.5 | 4-65 |
| interface routines | 4-2.2 | 2-4 | (TRMRG\$) | | |
| relocatable elements | 3-2.2.3.1 | 2-29 | Communications | | |
| tables | 3-2.2.8 | 2-57 | completion activities | 2-9.5 | 9-29 |
| | 2-4.11.4.3 | 4-81 | console | 2-4.6 | 4-22 |
| Collector Directives | | | equipment | 2-9.1.1 | 9-1 |
| CLASS | 3-2.2.2.8 | 2-12 | exiting from an ESI activity | 2-9.5 | 9-30 |
| COR | 3-2.2.2.9 | 2-13 | handler support operations | 2-9.4.1 | 9-12 |
| DEF | 3-2.2.2.4 | 2-9 | idle line monitor | 2-9.6 | 9-30 |
| DSEG | 3-2.2.2.16 | 2-22 | interrupt response | 2-9.7.1 | 9-31 |
| END | 3-2.2.2.11 | 2-17 | modes of operation | 2-9.1.2 | 9-3 |
| ENT | 3-2.2.2.6 | 2-10 | operator | 2-1.3.3.5 | 1-5 |
| EQU | 3-2.2.2.7 | 2-11 | pools | 2-9.4.2 | 9-19 |
| IN | 3-2.2.2.1 | 2-5 | timing considerations | 2-9.7 | 9-31 |
| LIB | 3-2.2.2.3 | 2-8 | Communications Control Routine (CCR) | | |
| NOT | 3-2.2.2.2 | 2-7 | debugging | 2-8.6.1.5 | 8-32 |
| REF | 3-2.2.2.5 | 2-10 | initialization | 2-8.6.1.1 | 8-30 |
| RSEG | 3-2.2.2.15 | 2-21 | input function | 2-8.6.1.2 | 8-30 |
| SEG | 3-2.2.2.14 | 2-20 | output function | 2-8.6.1.3 | 8-30 |
| SNAP | 3-2.2.2.10 | 2-15 | ESI\$ ER | 2-8.6.1 | 8-30 |
| COM\$ | 2-4.6.1 | 4-22 | termination | 2-8.6.1.4 | 8-32 |
| COMMNS | 3-2.2.8 | 2-57 | | | |

| Term | Reference | Page | Term | Reference | Page |
|--|-------------|------|---|--------------|------|
| Communications Handler | 2-Section 9 | | Conditional control procedures | | |
| assigning line terminal devices | 2-9.2 | 9-3 | X\$AND | 3-3.3.2.3 | 3-23 |
| completion activities | 2-9.5 | 9-29 | X\$IF | 3-3.3.2.1 | 3-21 |
| error codes for line terminal | 2-9.9 | 9-34 | X\$OR | 3-3.3.2.2 | 3-23 |
| contingencies | | | X\$TALY | 3-3.3.2.4 | 3-24 |
| idle line monitor | 2-9.6 | 9-30 | Conditional statements | 2-3.10.2 | 3-71 |
| information analysis | 2-9.8 | 9-33 | Condition word control | 2-3.10.4 | 3-71 |
| introduction | 2-9.1 | 9-1 | 2-3.10.4.1 | 3-72 | |
| modes of operation | 2-9.1.2 | 9-3 | 2-4.4 | 4-19 | |
| operations | 2-9.4 | 9-12 | retrieval | 2-4.4.2 | 4-20 |
| timing considerations | 2-9.7 | 9-31 | setting | 2-4.4.1 | 4-20 |
| support operations | 2-9.4.1 | 9-12 | testing | 2-3.10.4.2 | 3-73 |
| dialing (CMD\$) | 2-9.4.1.2 | 9-14 | Console | | |
| dual mode for input operations | 2-9.4.1.8 | 9-18 | communications | 2-4.6 | 4-22 |
| hangup (CMH\$) | 2-9.4.1.9 | 9-18 | interrupt handling, | 2-10.4.2.6 | 10-9 |
| initialization (CMS\$) | 2-9.4.1.1 | 9-13 | real-time output | 2-4.6.1 | 4-22 |
| input (CMI\$) | 2-9.4.1.3 | 9-14 | solicited input | 2-4.6.1 | 4-22 |
| output (CMO\$) | 2-9.4.1.4 | 9-15 | unsolicited input | 2-4.6.2 | 4-23 |
| pool mode for I/O operations | 2-9.4.1.7 | 9-17 | @@CONT | 2-A.2 | A-8 |
| send and acknowledge (CMSA\$) | 2-9.4.1.5 | 9-15 | | 2-8.1.1.3.1 | 8-4 |
| single buffer mode for I/O operations | 2-9.4.1.6 | 9-16 | Contingency | | |
| termination (CMT\$) | 2-9.4.1.10 | 9-19 | additional considerations | 2-4.9.4.4 | 4-58 |
| Communications peripherals, FITEM\$ request packet | 2-7.2.6.5 | 7-12 | common data banks | 2-4.9.6 | 4-61 |
| Communications pools | 2-9.4.2 | 9-19 | definition | 2-2.2.1 | 2-4 |
| altering (ROUTE\$) | 2-9.4.3 | 9-28 | 2-4.9.1 | 4-50 | |
| establishing (CPOOL\$) | 2-9.4.2.1 | 9-23 | ESI | 2-4.9.5 | 4-60 |
| expanding (CJOIN\$) | 2-9.4.2.4 | 9-27 | line terminal | 2-9.9 | 9-34 |
| releasing (CREL\$) | 2-9.4.2.5 | 9-27 | mode termination | 2-4.9.4.2 | 4-58 |
| removing buffers (CGET\$) | 2-9.4.2.2 | 9-26 | mode termination and return | 2-4.9.4.3 | 4-58 |
| returning buffers (CADD\$) | 2-9.4.2.3 | 9-26 | multiple | 2-4.9.4.4 | 4-59 |
| Compute, global symbol value | 4-2.3.2.5 | 2-19 | nested | 2-4.9.4.4 | 4-59 |
| COND\$ | 2-4.4.2 | 4-20 | registration | 2-4.9.3 | 4-51 |
| | | | restart routine | 2-11.2.5 | 11-9 |
| | | | routine | 2-4.9.4.1 | 4-57 |
| | | | types | 2-Table 4-2 | 4-51 |
| | | | types and standard action | 2-4.9.2 | 4-50 |
| | | | Control | | |
| | | | activity and program queuing and unit information | 2-4.3 | 4-6 |
| | | | | 2-6.1.3 | 6-5 |
| | | | | 4-Table 2-19 | 2-97 |

| Term | Reference | Page | Term | Reference | Page |
|---|-------------|-------|-------------|---------------------------------|-------------------|
| Control bank | 3-2.2.5.4 | 2-42 | transparent | 2-A.2 2-8.1.1.3.2 2-3.2.8 | A-8 8-5 3-4 |
| Control characters | | | | 2-A.1 | A-1 |
| DCT 500 | 2-8.2.1 | 8-8 | @ADD | 2-3.10.1 | 3-69 |
| DCT 1000 | 2-8.2.2 | 8-13 | @ALG | 2-A.1 | A-1 |
| Teletypewriter | 2-8.2.1 | 8-8 | @ASG | 2-3.9 | 3-68 |
| UNISCOPE 100/200 | 2-8.2.2 | 8-13 | @ASM | 2-3.7.1 | 3-34 |
| UNISCOPE 300 | 2-8.2.3 | 8-19 | @BRKPT | 2-A.1 | A-2 |
| | | | @CLOSE | 2-3.9 | 3-68 |
| | | | @CAT | 2-3.6.2 | 3-28 |
| Control functions, ASCII | | | @CHG | 2-3.7.3 | 3-57 |
| alternate print file | 2-5.4.4 | 5-18 | @CKPAR | 3-4.2.15 | 4-29 |
| alternate punch file | 2-5.4.8 | 5-20 | @CKPT | 2-11.3.1 | 11-10 |
| print file | 2-5.4.2 | 5-17 | @CLOSE | 2-11.2.1.1 | 11-2 |
| punch file | 2-5.4.6 | 5-20 | @COB | 3-4.2.10 | 4-24 |
| | | | @COL | 2-A.1 | A-2 |
| Control functions, Fielddata | | | @COPIN | 2-3.9 | 3-66 |
| alternate print file | 2-5.4.3 | 5-17 | @COPOUT | 2-3.6.5 | 3-32 |
| alternate punch file | 2-5.4.7 | 5-20 | @COPY | 3-4.2.2 | 4-10 |
| print functions | 2-Table 5-2 | 5-14 | @CULL | 3-4.2.3 | 4-13 |
| punch file | 2-5.4.5 | 5-18 | @CYCLE | 3-4.2.1 | 4-6 |
| punch functions | 2-Table 5-3 | 5-19 | @DATA | 4-4.2 | 4-1 |
| | | | @DELETE | 3-Section 6 | 3-4.2.16 |
| Control register | | | @DOC | 3-4.2.7 | 4-32 |
| dump | 3-3.3.1.2 | 3-10 | @ED | 4-Section 5 | 4-22 |
| mnemonic | 4-Table 2-1 | 2-2 | @ELT | 3-Section 7 | |
| designations and absolute addressing | | | @ENABLE | 3-Section 5 | |
| parity error interrupts | 2-12.7.3.1 | 12-22 | @END | 3-4.2.17 | 4-33 |
| (user set) dump | 3-3.3.1.7 | 3-16 | @ENDCL | 3-5.2.1 | 5-4 |
| | | | @ENDF | 2-3.6.5 | 3-32 |
| Control statement | | | @ENDX | 2-3.8.2 | 3-66 |
| annotation | 2-3.2.4 | 3-2 | @EOF | 2-5.5 | 5-23 |
| continuation | 2-3.2.5 | 3-3 | @ERS | 2-3.4.4.3 | 3-19 |
| data preparation | 2-3.8 | 3-64 | @FILE | 3-4.2.6 | 4-22 |
| demand symbiont | 2-A.2 | A-8 | @FIN | 2-3.8.1 | 3-64 |
| summary | | | @FIND | 2-3.4.2 | 3-14 |
| dropout rules | 2-3.2.7 | 3-3 | @FOR | 3-4.2.13 | 4-27 |
| dynamic request of facility | 2-4.10.1 | 4-67 | @FREE | 2-A.1 | A-4 |
| format | 2-3.7 | 3-34 | @HDG | 2-3.9 | 3-66 |
| FURPUR | 2-3.2 | 3-1 | @JUMP | 2-3.7.4 | 3-59 |
| interpreter (CSI) | 3-4.2 | 4-6 | @LIST | 2-3.6.1 | 3-26 |
| labeling | 2-12.5.3 | 12-11 | @LOG | 2-3.10.4.3 | 3-75 |
| language processor | 2-3.10.3 | 3-71 | @MAP | 4-Section 7 | |
| listing user-defined | 2-3.9 | 3-66 | @MARK | 2-3.5.2 | 3-25 |
| message | 2-5.5 | 5-21 | @MODE | 3-2.2.1 | 2-2 |
| notation | 2-3.5 | 3-24 | @MOVE | 3-4.2.9 | 4-24 |
| processor | 2-2.3.2 | 2-15 | @MSG | 2-3.7.2 | 3-56 |
| scheduling | 2-3.9 | 3-66 | @PACK | 3-4.2.4 | 4-15 |
| summary | 2-3.3 | 3-7 | @PCH | 2-3.5.1 | 3-24 |
| | 2-A.1 | A-1 | | 3-4.2.14 | 4-28 |
| | 2-Table 3-1 | 3-5 | | 3-4.2.12 | 4-25 |

| Term | Reference | Page | Term | Reference | Page |
|--|-------------|-------|---|--------------|-------|
| @PDP | 3-8.2 | 8-1 | COR | 3-2.2.2.9 | 2-13 |
| @PMD | 3-3.2.1 | 3-2 | Corrections | | |
| @PREP | 3-4.2.11 | 4-25 | for a relocatable element | 3-2.2.2.9 | 2-13 |
| @PRT | 3-4.2.5 | 4-16 | partial line | 3-1.2.3 | 1-4 |
| @QUAL | 2-3.7.6 | 3-63 | partial line diagnostics | 3-1.2.6 | 1-6 |
| @REWIND | 3-4.2.8 | 4-24 | redefinition of indicator | 3-1.2.2 | 1-4 |
| @RSPAR | 2-11.3.2 | 11-10 | Correction statement | | |
| @RSTRT | 2-11.2.4.1 | 11-7 | change | 3-1.2.5 | 1-5 |
| @RUN | 2-3.4.1 | 3-7 | range | 3-1.2.4 | 1-4 |
| @SETC | 2-3.10.4.1 | 3-72 | *CORRECT | 3-10.5.3.8.1 | 10-54 |
| @START | 2-3.4.3 | 3-15 | CPOOL\$ | 2-9.4.2.1 | 9-23 |
| @SYM | 2-3.6.3 | 3-29 | usage within common bank and reentrant processors | 2-4.11.6.3 | 4-82 |
| @TEST | 2-3.10.4.2 | 3-73 | CQUE\$ | 2-4.9.6.3 | 4-63 |
| @USE | 2-3.7.5 | 3-62 | @@CQUE | 2-A.2 | A-8 |
| @XQT | 2-3.4.4 | 3-16 | | 2-Table 8-1 | 8-5 |
| Conventions | | | *CREATE | 3-10.5.3.3.1 | 10-31 |
| calling sequence | 2-4.1.2 | 4-1 | CREL\$ | 2-9.4.2.5 | 9-27 |
| control statement | 2-2.3.2 | 2-15 | CRELAD\$ | 4-2.3.3 | 2-19 |
| notational | | | Initialize (CRINIT\$) | 4-2.3.3.2 | 2-20 |
| notational | 2-2.3.1 | 2-14 | CRTN\$ | 2-4.9.4.3 | 4-58 |
| Conversational mode, | | | CSF\$ | 2-4.10.1.1 | 4-67 |
| Fielddata | | | complete checkpoint | 2-11.2.1.2 | 11-3 |
| images | 2-5.2.5 | 5-7 | complete restart | 2-11.2.4.2 | 11-8 |
| @COPIN | 3-4.2.2 | 4-10 | real-time | 2-10.5 | 10-10 |
| options when element names are specified | 3-Table 4-5 | 4-12 | status codes | 2-C.4 | C-32 |
| options when filenames are specified | 3-Table 4-4 | 4-11 | CSI | 2-12.5.3 | 12-11 |
| @COPOUT | 3-4.2.3 | 4-13 | CSN\$ | 4-2.3.3.4 | 2-21 |
| options when element names are specified | 3-Table 4-7 | 4-14 | CSX\$ | 4-2.3.2.4 | 2-18 |
| options when filenames are specified | 3-Table 4-6 | 4-13 | CSYML\$ | 4-2.3.2.5 | 2-19 |
| @COPY | 3-4.2.1 | 4-6 | CTMC | 2-9.1.1.2 | 9-2 |
| options when element names are specified | 3-Table 4-3 | 4-9 | | | |
| options when filenames are specified | 3-Table 4-2 | 4-7 | | | |
| Copying | | | | | |
| file | 3-4.2.1 | 4-6 | | | |
| from tape to program files | 3-4.2.2 | 4-10 | | | |
| program files to tape | 3-4.2.3 | 4-13 | | | |

| Term | Reference | Page | Term | Reference | Page |
|-------------------------------------|-------------------------|--------------|-----------------------|--------------|-------|
| CTS | 2-9.1.1.1 | 9-1 | DCT 500/475 | | |
| C\$TS | 2-4.3.4.4 | 4-15 | demand symbiont | 2-8.2.1 | 8-8 |
| C\$TSA | 2-4.3.4.6 | 4-16 | interrupting output | 2-8.2.1.4 | 8-10 |
| C\$TSQ | 2-4.3.4.5 | 4-16 | @@DCT | 2-8.2.1.5 | 8-10 |
| CULL processor | 2-1.5.1 4-Section 4 | 1-9 | operational | 2-8.2.1.1 | 8-8 |
| @CULL options | 4-4.2 4-Table 4-1 | 4-1 4-3 | considerations | | |
| Cursor/SOE coordinates, 2-Table D-3 | | D-6 | paper tape operations | 2-8.2.1.2 | 8-8 |
| UNISCOPE 100/200 | | | semi-automatic | 2-8.2.1.7 | 8-11 |
| Cycle | | | special characters | 2-8.2.1.3 | 8-9 |
| altering retention limit | 3-4.2.16 | 4-32 | Teletypewriter mode | 2-8.2.1.6 | 8-11 |
| symbolic element | 2-2.6.5 | 2-25 | DCT 1000 | | |
| @CYCLE | 3-4.2.16 | 4-32 | demand symbiont | 2-8.2.2.3 | 8-17 |
| D | | | control statements | | |
| DACT\$ | 2-4.3.3.3 2-4.11.8.2 | 4-10 4-85 | operational | 2-8.2.2.2 | 8-16 |
| Data | | | considerations | | |
| collection of | 3-2.2.3.4 | 2-31 | DEF | 3-2.2.2.4 | 2-9 |
| processor | 2-1.4.4 | 1-8 | *DEFINE | 3-10.5.3.1.1 | 10-19 |
| | 3-Section 6 | | DEFINITION | 2-2.2 | 2-1 |
| program separation | 2-3.4.4.3 | 3-19 | @DELETE | 3-4.2.7 | 4-22 |
| protection | 2-4.11.8.3 | 4-85 | Deleting | | |
| @DATA | | | dynamic dumps | 3-3.3.3.3 | 3-26 |
| options | 3-Table 6-1 | 6-2 | files and elements | 3-4.2.7 | 4-22 |
| processor | 3-Section 6 | | Demand | | |
| DATA processor | 2-1.4.4 3-Section 6 | 1-8 | batch sharing | 2-12.5.5.3 | 12-16 |
| DATE\$ | 2-4.5.1 | 4-20 | mode commands | 3-Table 3-4 | 3-35 |
| Day clock | 2-12.6.2 | 12-21 | processing | 2-1.3.1.2 | 1-3 |
| D-bank | 3-2.2 | 2-1 | 2-Section 8 | | |
| structuring | 3-2.2.2.18 | 2-24 | run example | 2-8.5 | 8-25 |
| D-BANK directive | | | terminal termination | 2-8.1.1.4 | 8-7 |
| options | 3-Table 2-2 | 2-26 | Demand symbiont | 2-8.2 | 8-8 |
| @@DCT | 2-A.2 2-8.2.1.5 | A-8 8-10 | DCT 500 | 2-8.2.1 | 8-8 |
| | | | DCT 500, | 2-8.2.1.6 | 8-11 |
| | | | Teletypewriter mode | | |
| | | | DCT 1000 | 2-8.2.2 | 8-13 |
| | | | Friden 7100 | 2-8.2.1 | 8-8 |
| | | | general operation | 2-8.1.1 | 8-2 |
| | | | semi-automatic | | |
| | | | Teletypewriter | 2-8.2.1 | 8-8 |
| | | | UNISCOPE 100/200 | 2-8.2.2 | 8-13 |
| | | | UNISCOPE 300 | 2-8.2.3 | 8-19 |

| Term | Reference | Page | Term | Reference | Page |
|---------------------------------|--------------------------|-------|------------------------|------------------------|--------------|
| Demand terminal | | | DOC processor | 2-1.5.2 4-Section 5 | 1-9 |
| demand symbionts | 2-8.2 | 8-8 | directives | | |
| demand symbiont | 2-8.1.1.3 | 8-3 | column and length | 4-5.5.2 4-Table 5-5 | 5-16 5-12 |
| interface statements | | | internal control | 4-5.4 | 5-6 |
| general operational | 2-8.1.1 | 8-2 | directives | | |
| procedures | | | editing control | 4-5.4.5 | 5-13 |
| initialization | 2-8.1.1.1 | 8-2 | hyphenation | 4-5.4.4.1 | 5-12 |
| modes of operation | 2-8.1.1.2 | 8-3 | removal | | |
| termination | 2-8.1.1.4 | 8-7 | input case control | 4-5.4.2 | 5-7 |
| user techniques | 2-8.4 | 8-24 | listing control | 4-5.4.3 | 5-9 |
| Devices | | | right margin | 4-5.4.4.2 | 5-12 |
| assigning line | 2-9.2 | 9-3 | alignment | | |
| terminal | | | text control | 4-5.4.4 | 5-11 |
| releasing peripheral | 2-3.7.4 | 3-59 | title control | 4-5.4.1 | 5-7 |
| Device handler, input/output | 2-1.3.3.6 2-Section 6 | 1-5 | compatibility | 4-5.4.1.1 | 5-7 |
| Diagnostic, aids | 3-Section 3 | | listing control | 4-Table 5-4 | 5-10 |
| Diagnostic messages | | | directives | | |
| Collector | 3-Appendix A | | output listings | 4-5.3 | 5-6 |
| runstream | 2-C.1 | C-1 | title control | 4-Table 5-3 | 5-8 |
| SSG | 3-10.6 | 10-62 | directives | | |
| device forms | | | device forms | 4-Table 5-2 | 5-4 |
| diagnostic message | | | error handling | 4-5.5 | 5-15 |
| error handling | | | | 4-5.5.1 | 5-15 |
| Directives | | | D\$REL | 3-2.2.4.5.5 | 2-40 |
| SEG considerations | 3-2.2.4.2 | 2-33 | Dropout rules | 2-3.2.7 | 3-3 |
| segmentation | 3-2.2.4.1 | 2-32 | DSEG | 3-2.2.2.16 | 2-22 |
| structure | 3-10.5.3 | 10-17 | directive | 3-2.2.4.4 | 2-36 |
| Disk | | | considerations | | |
| FITEM\$ request | 2-7.2.6.6 | 7-17 | Dump | | |
| packet | | | adding | 3-2.2.2.10 | 2-15 |
| free format | 2-6.9.4 | 6-38 | main storage | 2-4.10.3 | 4-72 |
| functions | 2-6.7 | 6-32 | snapshot | | |
| labeling | 2-7.4 | 7-28 | Postmortem and | 3-Section 3 | |
| mass storage | 2-6.7 | 6-32 | Dynamic | | |
| removable | 2-12.9 | 12-24 | reentrant processor | 2-4.11.7 | 4-83 |
| recovery/registration | | | sample printout, | 3-Figure 3-1 | 3-18 |
| Dispatcher | 2-12.5.6 | 12-18 | standard editing | | |
| *DIVIDE | 3-10.5.3.2.5 | 10-29 | format for integer and | | |
| D\$LOAD | 3-2.2.4.5.4 | 2-39 | octal | | |
| @DOC | 4-Section 5 | 5-1 | standard editing | 3-Table 3-3 | 3-19 |
| device forms | 4-Table 5-2 | 5-4 | formats for printouts | | |
| options | 4-Table 5-1 | 5-3 | DUSE\$ | 4-2.5.3.7 | 2-58 |

| Term | Reference | Page | Term | Reference | Page |
|---|------------|-------|---|----------------------------|------|
| Dynamic Allocator (DA) | 2-12.5.5 | 12-13 | changing length of dump file (X\$SIZE) | 3-3.3.3.5 | 3-28 |
| demand/batch | 2-12.5.5.3 | 12-16 | initializing a buffer (XBUFR\$) | 3-3.3.3.1 | 3-25 |
| sharing | | | placing a message in the dump (XMESG\$) | 3-3.3.3.4 | 3-27 |
| dynamic main storage allocation | 2-12.5.2 | 12-9 | saving and deleting dynamic dumps (XMARK\$ and XBACK\$) | 3-3.3.3.3 | 3-26 |
| general overview | 2-12.5.1 | 12-9 | | | |
| timesharing | 2-12.5.5.4 | 12-17 | | | |
| Dynamic bank usage | 2-4.11.2 | 4-79 | | | |
| Dynamic dumps | 3-3.3 | 3-8 | Dynamic segments | 3-2.2.2.16 | 2-22 |
| calling procedures | 3-3.3.1 | 3-9 | | E | |
| conditional control procedures | 3-3.3.2 | 3-21 | EABT\$ | 2-4.3.2.4 | 4-9 |
| editing formats for examples | 3-3.3.1.8 | 3-17 | E\$A | 4-2.4.4.1 | 2-38 |
| specification procedures | 3-3.3.4 | 3-29 | E\$B | 4-2.4.4.1 | 2-38 |
| | 3-3.3.3 | 3-25 | E\$C | 4-2.4.4.1 | 2-38 |
| Dynamic dump conditional | | | ECHAR\$ | 4-Table 2-5 | 2-24 |
| control procedures | 3-3.3.2 | 3-21 | E\$CLEAR | 4-2.4.4.4 | 2-41 |
| controlling the conditional dump switch (X\$TALY) | 3-3.3.2.4 | 3-24 | ECOL\$ | 4-Table 2-5 | 2-24 |
| logical AND control (X\$AND) | 3-3.3.2.3 | 3-23 | ECOLN\$ | 4-Table 2-5 | 2-24 |
| logical IF control (X\$IF) | 3-3.3.2.1 | 3-21 | ECOPY\$ | 4-Table 2-5 | 2-24 |
| logical OR control (X\$OR) | 3-3.3.2.2 | 3-23 | | | |
| Dynamic dump procedures | 3-3.3 | 3-8 | @ED options | 3-Section 7 3-Table 7-1 | 7-2 |
| changed word dump (XCW\$) | 3-3.3.1.3 | 3-11 | E\$D | 4-2.4.4.1 | 2-38 |
| control register and main storage dump (XDUMP\$) | 3-3.3.1.2 | 3-10 | ED processor | 2-1.4.7 3-Section 7 | 1-8 |
| control register (user set) dump (XCREG\$) | 3-3.3.1.7 | 3-16 | commands | 3-Table 7-2 | 7-4 |
| file dump (XFILE\$) | 3-3.3.1.6 | 3-15 | edit mode commands | 3-7.3 | 7-3 |
| main storage dump (XCORE\$) | 3-3.3.1.1 | 3-9 | usage considerations | 3-7.6 | 7-29 |
| mass storage dump (XDRUM\$) | 3-3.3.1.5 | 3-14 | E\$DAT1 | 4-2.4.2.5 | 2-30 |
| tape block dump (XTAPE\$) | 3-3.3.1.4 | 3-13 | E\$DAT2 | 4-2.4.2.5 | 2-30 |
| Dynamic dump specification procedures | 3-3.3.3 | 3-25 | E\$DAT3 | 4-2.4.2.5 | 2-30 |
| allowing and ignoring dump procedure calls (X\$ON and X\$OFF) | 3-3.3.3.2 | 3-25 | EDAY1\$ | 4-Table 2-6 | 2-25 |
| | | | EDAY2\$ | 4-Table 2-6 | 2-25 |

| Term | Reference | Page | Term | Reference | Page |
|--|---|------------------------------|------------------------------|---------------|-------|
| EDAY3\$ | 4-Table 2-6 | 2-25 | EDIT\$T routines | 4-2.4.2.2 | 2-23 |
| E\$DE | 4-2.4.4.1 | 2-38 | EDITX\$ | 4-Table 2-5 | 2-24 |
| EDECF\$ | 4-Table 2-5 | 2-24 | EDJS\$ | 2-4.8.7 | 4-47 |
| EDECV\$ | 4-Table 2-5 | 2-24 | E\$DR | 4-2.4.4.1 | 2-38 |
| EDIT\$, image composition packet format procedures (EDIT\$P) | 4-2.4.2.1 4-Table 2-5 4-2.4.2.4 4-2.4.2.5 | 2-24 2-24 2-28 2-30 | E\$E | 4-2.4.4.1 | 2-38 |
| EDIT\$F | 4-2.4.2 | 2-22 | E\$F | 4-2.4.4.1 | 2-38 |
| *EDIT (SGS) | 3-10.5.3.5 | 10-34 | EFD1\$ | 4-Table 2-5 | 2-24 |
| Editing | | | EFD2\$ | 4-Table 2-5 | 2-24 |
| ASCII image composition routines (AEDIT\$) | 4-2.4.3 4-Table 2-8 4-Table 2-9 4-Table 2-10 | 2-32 2-34 2-35 2-36 | E\$FLD | 4-2.4.4.3 | 2-40 |
| control (DOC) floating-point routines (EDIT\$F) | 4-5.4.5 4-2.4.2.3 4-Table 2-7 | 5-13 2-26 2-27 | EFLF1\$ | 4-Table 2-7 | 2-27 |
| format for dump generalized output procedures text editor | 3-3.3.1.8.1 4-2.4.4 4-2.4.2.5 3-Section 7 | 3-17 2-36 2-30 3-17 | EFLF2\$ | 4-Table 2-7 | 2-27 |
| Editing dump formats | | | EFLG1\$ | 4-Table 2-7 | 2-27 |
| dynamic | 3-3.3.1.8 | 3-17 | EFLG2\$ | 4-Table 2-7 | 2-27 |
| standard | 3-3.3.1.8.1 | 3-17 | EFLS1\$ | 4-Table 2-7 | 2-27 |
| user-defined | 3-3.3.1.8.2 | 3-19 | EFLS2\$ | 4-Table 2-7 | 2-27 |
| Editing routines | | | E\$INDX | 4-2.4.4.3 | 2-40 |
| image composition (EDIT\$) | 4-2.4 4-2.4.2 4-Table 2-5 | 2-22 2-22 2-24 | E\$JUMP | 4-2.4.4.4 | 2-40 |
| time and date (EDIT\$T) | 4-2.4.2.2 4-Table 2-6 | 2-23 2-25 | Element | | |
| floating-point (EDIT\$F) | 4-2.4.2.3 4-Table 2-7 | 2-26 2-27 | changing name | 3-4.2.15.2 | 4-31 |
| ASCII image composition (AEDIT\$) | 4-2.4.3 4-Table 2-8 4-Table 2-9 4-Table 2-10 | 2-32 2-34 2-35 2-36 | deleting | 3-4.2.7 | 4-22 |
| EDIT\$P | 4-2.4.2.5 | 2-30 | deleting SGSs, PERM and TEMP | 3-10.5.3.3.2 | 10-32 |
| EDITR\$ | 4-Table 2-5 | 2-24 | exclusion | 3-2.2.2.2 | 2-7 |
| | | | file format | 3-11.2.2 | 11-9 |
| | | | in element file format | 3-Figure 11-8 | 11-12 |
| | | | inclusion | 3-2.2.2.1 | 2-5 |
| | | | | 3-2.2.3.2 | 2-29 |
| | | | | 3-2.2.5.6 | 2-43 |
| | | | | 3-2.2.3.2 | 2-29 |
| | | | | 3-2.2.5.6 | 2-43 |
| | | | mark for deletion | 3-11.3.1.3 | 11-20 |
| | | | names | 2-2.6.4 | 2-24 |
| | | | notation (INFOR) | 4-2.5.3.1 | 2-53 |
| | | | placement | 3-2.2.5.7 | 2-44 |

| Term | Reference | Page | Term | Reference | Page |
|--|------------------------|--------------|---|---|------------------------------|
| positioning within, files | 3-4.2.13 | 4-27 | @ELT options | 3-5.2 3-Table 5-1 | 5-1 5-2 |
| processing preambles | 3-2.2.3.3 | 2-31 | ELT\$ table format | 4-Figure 2-3 | 2-56 |
| reference example | 2-2.6.7 | 2-27 | EMSG\$ | 4-Table 2-5 | 2-25 |
| referencing | 2-2.6.6 | 2-26 | EMSGR\$ | 4-Table 2-5 | 2-25 |
| removal of deleted | 3-4.2.14 | 4-28 | @ENABLE | 3-4.2.17 | 4-33 |
| selection | 3-2.2.2.8 | 2-12 | END | 3-2.2.2.11 | 2-17 |
| determination | | | @END | 3-5.2.1 | 5-4 |
| SYMSTREAM | 3-10.5 | 10-16 | *END | 3-10.5.3.1.1 | 10-19 |
| subtype definitions (SSTYP\$) | 4-2.1.6 | 2-4 | @ @END | 2-A.2 2-Table 8-1 for DCT 1000 or UNISCOPE 100/200 | A-8 8-5 8-17 |
| table | 3-11.2.1.1 | 11-1 | @ENDCL | 2-A.1 2-3.6.5 | A-4 3-32 |
| table format | 3-Figure 11-3 | 11-5 | @ENDF | 2-3.8.2 | 3-66 |
| Element, absolute | | | @ENDX | 2-A.1 2-5.5 | A-4 5-53 |
| arithmetic fault mode | 3-2.2.2.13.1 | 2-20 | ENT | 3-2.2.2.6 | 2-10 |
| determination | | | ENTRY\$ | 3-2.2.8 | 2-57 |
| Executive action | 3-2.2.2.13.2 | 2-20 | Entry point table Collector generated creation of item | 4-Table 2-18 3-2.2.8 3-4.2.11 3-Figure 11-6 | 2-96 2-57 4-25 11-9 |
| produced by arithmetic fault mode | | | E\$O | 4-2.4.4.1 | 2-38 |
| sensitivity | | | EOCTF\$ | 4-Table 2-5 | 2-25 |
| optimization | 3-2.2.2.12 | 2-18 | EOCTV\$ | 4-Table 2-5 | 2-25 |
| Element file format | 3-11.2.2 | 11-9 | @EOF | 2-3.4.4.3 | 3-19 |
| | 3-Figure 11-7 | 11-11 | EOF, marking on tape file | 3-4.2.9 | 4-24 |
| positioning within | 3-4.2.13 | 4-27 | | | |
| Element inclusion | 3-2.2.5.6 | 2-43 | | | |
| global | 3-2.2.5.6.1 | 2-43 | | | |
| local | 3-2.2.5.6.2 | 2-44 | | | |
| Element table format updating | 11-3.11.2.1.1 | 11-5 | | | |
| | 3-11.3.1.1 | 11-18 | | | |
| Elements names | 2-2.6.4 | 2-24 | | | |
| Elements, program file punching (@PCH) | 3-4.2.12 | 4-25 | | | |
| Elements, relocatable Collector-produced corrections | 3-2.2.3.1 3-2.2.2.9 | 2-29 2-13 | | | |
| Elements, symbolic modifying | 3-1.2 | 1-2 | | | |
| E\$LINK | 4-2.4.4.4 | 2-40 | | | |
| *ELSE | 3-10.5.3.7 | 10-38 | | | |
| ELT processor | 2-1.4.5 3-Section 5 | 1-8 | | | |

| Term | Reference | Page | Term | Reference | Page |
|----------------------|--------------|-------|----------------------|--------------|-------|
| EOUT\$ | 4-2.4.4 | 2-36 | E\$SCL | 4-2.4.4.3 | 2-39 |
| control functions | 4-2.4.4.4 | 2-40 | ESI | | |
| editing functions | 4-2.4.4.1 | 2-38 | activities | 2-9.5 | 9-29 |
| examples | 4-2.4.4.5 | 2-41 | activity concept | 2-10.6.1 | 10-11 |
| modal functions | 4-2.4.4.3 | 2-39 | activity exit | 2-9.5 | 9-30 |
| output functions | 4-2.4.4.2 | 2-39 | contingencies | 2-4.9.5 | 4-60 |
| E\$OVRP | 4-2.4.4.3 | 2-40 | exiting from an | 2-9.5 | 9-30 |
| EPACK\$ | 4-Table 2-5 | 2-25 | activity | | |
| E\$PKT | 4-2.4.2.4 | 2-29 | interrupts | 2-10.6.2.1 | 10-11 |
| E\$PKTF | 4-2.4.2.4 | 2-29 | processing | 2-12.5.6.1 | 12-18 |
| E\$PNT | 4-2.4.4.3 | 2-39 | real-time concepts | 2-10.6.2.2 | 10-12 |
| EQU | 3-2.2.2.7 | 2-11 | timing | 2-10.6.2 | 10-11 |
| Equipment codes | 2-Appendix E | | ESKIP\$ | 4-Table 2-5 | 2-25 |
| EROR\$ | 4-2.5.8.3 | 2-93 | ESOR\$ | 4-2.5.9.3 | 2-100 |
| E\$RPT | 4-2.4.4.4 | 2-41 | E\$TD | 4-2.4.2.5 | 2-30 |
| ERR\$ | 2-4.3.2.2 | 4-8 | E\$TERM | 4-2.4.4.4 | 2-40 |
| ERRPR\$ | 2-4.10.5 | 4-75 | ETIME\$ | 4-Table 2-6 | 2-26 |
| Error | | | E\$W | 4-2.4.4.2 | 2-39 |
| codes | | | E\$WS | 4-2.4.4.2 | 2-39 |
| checkpoint/ restart | 2-11.4 | 11-11 | E\$WT | 4-2.4.4.2 | 2-39 |
| | 2-C.5 | C-36 | | | |
| line terminal | 2-9.9 | 9-34 | Executive | | |
| contingencies | | | basic design | 2-12.2 | 12-1 |
| handling | 2-4.1.4 | 4-2 | philosophy | | |
| mode status codes | 2-Table C-2 | C-19 | catalogued file | 2-12.8 | 12-23 |
| symbiont output file | 2-5.7 | 5-24 | recovery | | |
| recovery | | | clocking | 3-12.6 | 12-20 |
| termination | 2-4.9.2.1 | 4-50 | control language | 2-1.3.3.1 | 1-4 |
| considerations | | | control statements | 2-Section 3 | |
| types | 2-Table 4-3 | 4-53 | definition and | 2-12.3.3 | 12-6 |
| @ERS | 3-4.2.6 | 4-22 | residency of | | |
| ERU\$ | 4-2.1.4 | 2-2 | components | | |
| @@ESC | 2-Table 8-1 | 8-5 | function arrangement | 3-2.2.2.17 | 2-22 |
| for DCT 1000 or | 2-A.2 | A-8 | interlock processing | 2-12.5.6.1 | 12-18 |
| UNISCOPE 100/200 | 2-8.2.2.3 | 8-17 | internal design | 2-Section 12 | |
| | | | interrupt handling | 2-12.7 | 12-21 |
| | | | main storage usage | 2-12.3 | 12-3 |
| | | | nonresident | 2-Table 12-2 | 12-7 |
| | | | components | | |
| | | | PCT usage | 2-12.3.2 | 12-6 |
| | | | resident components | 2-Table 12-1 | 12-7 |
| | | | scheduling | 2-12.5 | 12-9 |
| | | | service requests | 2-Section 4 | |

| Term | Reference | Page | Term | Reference | Page |
|----------------------|--------------|-------|---------|--------------|-------|
| Executive Request | 2-Section 4 | | CREL\$ | 2-9.4.2.5 | 9-27 |
| | 2-2.5.4 | 2-19 | CRTN\$ | 2-4.9.4.3 | 4-58 |
| basic I/O | 2-6.1.1 | 6-1 | CSF\$ | 2-4.10.1.1 | 4-67 |
| calling sequence | 2-4.1.2 | 4-1 | C\$TS | 2-4.3.4.4 | 4-15 |
| conventions | | | C\$TSA | 2-4.3.4.6 | 4-16 |
| coding restrictions | 2-4.1.1 | 4-1 | C\$TSQ | 2-4.3.4.5 | 4-16 |
| program file | 3-11.3.1 | 11-18 | DACT\$ | 2-4.3.3.3 | 4-10 |
| maintenance | | | DATE\$ | 2-4.5.1 | 4-20 |
| summary of available | 2-Table 4-1 | 4-3 | EABT\$ | 2-4.3.2.4 | 4-9 |
| ERs | 2-Appendix B | | EDJS\$ | 2-4.8.7 | 4-47 |
| synchrony | 2-4.1.3 | 4-2 | ERR\$ | 2-4.3.2.2 | 4-8 |
| with ASCII image | 2-4.10.1.2 | 4-69 | ERRPR\$ | 2-4.10.5 | 4-75 |
| with Fieldata image | 2-4.10.1.1 | 4-67 | EXIT\$ | 2-4.3.2.1 | 4-8 |
| within common banks | 2-4.11.6 | 4-82 | EXLNK\$ | 2-4.8.6.4 | 4-46 |
| and reentrant | | | FACIL\$ | 2-7.2.7 | 7-18 |
| processors | | | FACIT\$ | 2-7.2.7 | 7-18 |
| ABORT\$ | 2-4.3.2.3 | 4-8 | FITEM\$ | 2-7.2.6 | 7-4 |
| ABSAD\$ | 2-4.7.4 | 4-26 | FORK\$ | 2-4.3.1.1 | 4-6 |
| ACSF\$ | 2-4.10.1.2 | 4-69 | IALL\$ | 2-4.9.3 | 4-51 |
| ACT\$ | 2-4.3.3.4 | 4-11 | IDENT\$ | 2-4.3.3.6 | 4-12 |
| ADACT\$ | 2-9.5 | 9-30 | II\$ | 2-4.6.2 | 4-23 |
| ADED\$ | 2-4.3.1.3 | 4-7 | INFO\$ | 2-4.8.8 | 4-48 |
| APCHCA\$ | 2-5.4.8 | 5-20 | INT\$ | 2-4.3.3.5 | 4-11 |
| APCHCN\$ | 2-5.4.6 | 5-24 | IO\$ | 2-6.3.3 | 6-10 |
| APNCHA\$ | 2-5.3.8 | 5-13 | IOARB\$ | 2-6.9.2 | 6-37 |
| APRINT\$ | 2-5.3.2 | 5-9 | IOAXI\$ | 2-6.9.3 | 6-37 |
| APRNTA\$ | 2-5.3.4 | 5-10 | IOI\$ | 2-6.3.4 | 6-10 |
| APRTCA\$ | 2-5.4.4 | 5-18 | IOW\$ | 2-6.3.5 | 6-11 |
| APRTCN\$ | 2-5.4.2 | 5-17 | IOWI\$ | 2-6.3.6 | 6-11 |
| APUNCH\$ | 2-5.3.6 | 5-12 | IOXI\$ | 2-6.3.7 | 6-11 |
| AREAD\$ | 2-5.2.2 | 5-5 | LABEL\$ | 2-Appendix B | B-5 |
| AREADA\$ | 2-5.2.4 | 5-6 | LCORE\$ | 2-4.7.2 | 4-25 |
| ATREAD\$ | 2-5.2.6 | 5-8 | LOAD\$ | 2-4.7.5 | 4-27 |
| AWAIT\$ | 2-4.3.3.1 | 4-10 | MCORE\$ | 2-4.7.1 | 4-24 |
| BANK\$ | 2-4.8.4 | 4-34 | NAME\$ | 2-4.3.3.2 | 4-10 |
| BDSPT\$ | 2-4.7.6 | 4-28 | NRT\$ | 2-4.3.5.2 | 4-19 |
| CADD\$ | 2-9.4.2.3 | 9-26 | OPT\$ | 2-4.8.1 | 4-30 |
| CEND\$ | 2-4.9.4.2 | 4-58 | PCHCA\$ | 2-5.4.7 | 5-20 |
| CGET\$ | 2-9.4.2.2 | 9-26 | PCHCN\$ | 2-5.4.5 | 5-18 |
| CJOIN\$ | 2-9.4.2.4 | 9-27 | PCT\$ | 2-4.8.2 | 4-30 |
| CLIST\$ | 2-5.5 | 5-21 | PFD\$ | 3-11.3.1.3 | 11-20 |
| CMD\$ | 2-9.4.1.2 | 9-14 | PFI\$ | 3-11.3.1.1 | 11-18 |
| CMH\$ | 2-9.4.1.9 | 9-18 | PFS\$ | 3-11.3.1.2 | 11-19 |
| CMI\$ | 2-9.4.1.3 | 9-14 | PFUWL\$ | 3-11.3.1.4 | 11-21 |
| CMO\$ | 2-9.4.1.4 | 9-15 | PFWL\$ | 3-11.3.1.5 | 11-21 |
| CMS\$ | 2-9.4.1.1 | 9-13 | PNCHA\$ | 2-5.3.7 | 5-12 |
| CMSA\$ | 2-9.4.1.5 | 9-15 | PRINT\$ | 2-5.3.1 | 5-8 |
| CMT\$ | 2-9.4.1.10 | 9-19 | PRNTA\$ | 2-5.3.3 | 5-9 |
| COM\$ | 2-4.6.1 | 4-22 | PRTCA\$ | 2-5.4.3 | 5-17 |
| COND\$ | 2-4.4.2 | 4-20 | PRTCN\$ | 2-5.4.1 | 5-14 |
| CPOOL\$ | 2-9.4.2.1 | 9-23 | PSR\$ | 2-4.10.2 | 4-69 |
| CQUE\$ | 2-4.9.6.3 | 4-63 | PUNCH\$ | 2-5.3.5 | 5-11 |

| Term | Reference | Page | Term | Reference | Page |
|----------------------|------------|------|--------------------------|-------------|-------|
| READ\$ | 2-5.2.1 | 5-3 | | | |
| READA\$ | 2-5.2.3 | 5-5 | External reference | | |
| ROUTE\$ | 2-9.4.3 | 9-28 | definition | 3-2.2.2.7 | 2-11 |
| RSI\$ | 2-8.6 | 8-27 | retention | 3-2.2.2.5 | 2-10 |
| RT\$ | 2-4.3.5.1 | 4-18 | table | 3-2.2.8 | 2-57 |
| SETBP\$ | 2-4.10.4 | 4-73 | | | |
| SETC\$ | 2-4.4.1 | 4-20 | F | | |
| SNAP\$ | 2-4.10.3 | 4-72 | | | |
| SYSBAL\$ | 2-4.8.5 | 4-38 | FACIL\$ | 2-7.2.7 | 7-18 |
| T\$CELL | 2-4.3.4.1 | 4-14 | | | |
| TLBL\$ | 2-7.3.2 | 7-22 | Facility | | |
| TDATE\$ | 2-4.5.2 | 4-21 | control statements | 2-3.7 | 3-34 |
| TFORK\$ | 2-4.3.1.2 | 4-7 | CSF\$ status codes | 2-C.4.1 | C-32 |
| TIME\$ | 2-4.5.3 | 4-21 | inventory and | 2-12.5.2 | 12-9 |
| TINTL\$ | 2-7.2.8 | 7-18 | selection | | |
| TREAD\$ | 2-5.2.5 | 5-7 | request status codes | 2-C.2 | C-15 |
| TRMRG\$ | 2-4.9.6.5 | 4-65 | status bits | 2-Table C-1 | C-16 |
| TSQCL\$ | 2-4.3.4.3 | 4-15 | | | |
| TSQRG\$ | 2-4.3.4.2 | 4-15 | Facility assignment | 2-1.3.3.3 | 1-5 |
| TSWAP\$ | 2-7.2.9 | 7-19 | alternate method of | 2-7.2.7 | 7-18 |
| TWAIT\$ | 2-4.3.6 | 4-19 | retrieving | | |
| UNLCK\$ | 2-6.3.8 | 6-12 | retrieving (FITEM\$) | 2-7.2.6 | 7-4 |
| UNLNK\$ | 2-4.8.6.4 | 4-46 | | | |
| WAIT\$ | 2-6.3.1 | 6-9 | FACIT\$ | 2-7.2.7 | 7-18 |
| WANY\$ | 2-6.3.2 | 6-9 | | | |
| Executive Requests | 2-4.11.6 | 4-82 | FASTRAND | | |
| within common bank | | | drum-formatted mass | | |
| and reentrant | | | storage | | |
| processors | | | file assignment | 2-3.7.1.1 | 3-36 |
| CMS\$ and CPOOL\$ | 2-4.11.6.3 | 4-82 | FITEM\$ request | 2-7.2.6.2 | 7-7 |
| IALL\$ | 2-4.11.6.2 | 4-82 | packet | | |
| IO\$ | 2-4.11.6.6 | 4-83 | handler functions | 2-6.6 | 6-28 |
| LOAD\$ | 2-4.11.6.4 | 4-82 | I/O functions and | 2-Table 6-8 | 6-29 |
| MCORE\$ and LCORE\$ | 2-4.11.6.1 | 4-82 | codes | | |
| EXIT | 2-8.3.3.4 | 8-24 | FCT | 4-2.6.4 | 2-104 |
| EXIT\$ | 2-4.3.2.1 | 4-8 | F-cycle | 2-2.6.3 | 2-23 |
| real-time activity | 2-10.4.2.4 | 10-8 | FDASC\$ | 4-2.6.2 | 2-102 |
| release ESI activity | 2-9.5 | 9-29 | FLDREL\$ | 4-2.5.10.1 | 2-100 |
| control | | | Field Release (FLDREL\$) | 4-2.5.10.1 | 2-100 |
| EXLNK\$ | 2-4.8.6.4 | 4-46 | | | |
| External definition | 3-2.2.2.4 | 2-9 | Fielddata | | |
| retention | | | BCD translations | 2-Table 6-3 | 6-19 |
| External filename | 2-2.6.2 | 2-22 | | 2-Table 6-6 | 6-24 |
| | | | control statement | 2-5.5 | 5-21 |
| | | | listing | | |
| | | | dynamic request of | 2-4.10.1.1 | 4-67 |
| | | | control statements | | |
| | | | time and date in | 2-4.5.1 | 4-20 |

| Term | Reference | Page | Term | Reference | Page |
|-------------------------------|-------------|-------|-------------------------------|-------------|-------|
| to ASCII conversion | 2-Table D-1 | D-2 | independent cataloguing | 2-3.7.3 | 3-57 |
| to ASCII conversion routine | 4-2.6.2.1 | 2-103 | listing | 3-4.2.5 | 4-16 |
| Fielddata control functions | | | maintenance | 3-11.3 | 11-17 |
| alternate print file | 2-5.4.3 | 5-17 | multireel | 3-4.1.3 | 4-4 |
| alternate punch file | 2-5.4.7 | 5-20 | names | 2-2.6.1 | 2-21 |
| print file | 2-5.4.1 | 5-14 | notation (INFOR) | 4-2.5.3.1 | 2-53 |
| punch file | 2-5.4.5 | 5-18 | organization | 2-7.2 | 7-1 |
| Fielddata images | | | reference example | 2-2.6.7 | 2-27 |
| alternate file | 2-5.2.3 | 5-5 | referencing | 2-2.6.6 | 2-26 |
| alternate print file | 2-5.3.3 | 5-9 | releasing | 2-3.7.4 | 3-59 |
| alternate punch file | 2-5.3.7 | 5-12 | rollout and rollback | 2-7.2.5 | 7-3 |
| conversational mode | 2-5.2.5 | 5-7 | search sequencing | 3-2.2.2.3 | 2-8 |
| printing | 2-5.3.1 | 5-8 | SECURE recovery, catalogued | 3-9.10 | 9-12 |
| punching | 2-5.3.5 | 5-11 | SECURE, selection for | 3-9.8 | 9-10 |
| reading | 2-5.2.1 | 5-3 | unload | | |
| @FILE | 2-3.8.1 | 3-64 | simultaneous use of | 3-4.1.2 | 4-3 |
| File | | | specifying a filename | 2-3.7.6 | 3-63 |
| addressing | 2-7.2.3 | 7-2 | qualifier | | |
| administration | 2-1.4.6 | 1-8 | symbiont concepts | 2-2.4.3.1 | 2-17 |
| processor | | | symbiont output | 2-3.6.3 | 3-29 |
| SECURE | 3-Section 9 | | queuing | | |
| assignment | 2-3.7.1 | 3-34 | terminating mode | 2-3.8.2 | 3-66 |
| attaching internal names | 2-3.7.5 | 3-62 | utility routines | 3-Section 4 | |
| basic formats | 3-4.1.4 | 4-4 | | | |
| catalogued, recovery | 2-12.8 | 12-23 | File Administration Processor | | |
| changing name, keys and mode | 3-4.2.15.1 | 4-29 | See SECURE processor | | |
| checkpoint identification | 2-11.2.3 | 11-5 | File, alternate | | |
| message copying | 2-8.2.1 | 8-8 | ASCII images | 2-5.2.4 | 5-6 |
| control | 2-Section 7 | | Fielddata images | 2-5.2.3 | 5-5 |
| creation of card image | 2-1.3.3.4 | 1-5 | File, alternate print | | |
| cycles (F-cycles) | 2-2.6.3 | 2-23 | ASCII control functions | 2-5.4.4 | 5-18 |
| deleting | 3-4.2.7 | 4-22 | ASCII images | 2-5.3.4 | 5-10 |
| dump | 3-3.3.1.6 | 3-15 | Fielddata control functions | 2-5.4.3 | 5-17 |
| emptying | 3-4.2.6 | 4-22 | File, alternate punch | | |
| enabling disabled | 3-4.2.17 | 4-33 | ASCII control functions | 2-5.4.8 | 5-20 |
| exclusive use | 2-7.2.4 | 7-3 | ASCII images | 2-5.3.8 | 5-13 |
| external and internal names | 2-2.6.2 | 2-22 | Fielddata control functions | 2-5.4.7 | 5-20 |
| formats | 3-11.2 | 11-1 | Fielddata images | 2-5.3.7 | 5-12 |
| identification statements-SSG | 3-10.2.2 | 10-4 | | | |

| Term | Reference | Page | Term | Reference | Page |
|--|--|------------------------------|---|---|--|
| File, catalogued changing the name, key and mode recovery | 3-4.2.15.1 2-12.8 | 4-29 12-23 | File table index format reading writing | 3-Figure 11-2 4-2.5.7.1 4-2.5.7.9 | 11-3 2-71 2-88 |
| File-Control Table (FCT) for SDFI for SDFO | 4-2.6.4 4-Table 2-20 4-Table 2-21 | 2-104 2-106 2-109 | File, magnetic tape assigning closing copy into program file initialization marking an EOF positioning positioning within rewinding swapping | 2-3.7.1.2 3-4.2.10 3-4.2.2 2-7.2.8 3-4.2.9 3-4.2.4 3-4.2.13 3-4.2.8 2-7.2.9 | 3-45 4-24 4-10 7-18 4-24 4-15 4-27 4-24 7-19 |
| File, element format | 3-11.2.2 | 11-9 | @FIN | 2-3.4.2 | 3-14 |
| File, FASTRAND drum-formatted assignment | 2-3.7.1.1 | 3-36 | @FIND | 3-4.2.13 | 4-27 |
| File formats element file program file system data file | 3-11.2 3-11.2.2 3-11.2.1 3-11.2.3 | 11-1 11-9 11-1 11-9 | FITEM\$ equipment codes | 2-7.2.6 2-7.1 2-Table 7-1 | 7-4 7-14 7-14 |
| File, print ASCII control functions Fieldata control functions | 2-5.4.2 2-5.4.1 | 5-17 5-14 | FITEM\$ packet format communications peripherals disk peripherals sector-formatted mass storage magnetic tape peripherals unit record and nonstandard peripherals word-addressable mass storage | 2-7.2.6.5 2-7.2.6.6 2-7.2.6.2 2-7.2.6.3 2-7.2.6.1 2-7.2.6.4 | 7-12 7-17 7-7 7-8 7-6 7-10 |
| File, program basic service package (BSP) | 4-2.5.7 | 2-71 | FLAP (flow analysis program) entry points flow information processor (FLIP) flow output procedure (FLOP) | 4-Section 6 4-Table 6-1 4-6.3 | 6-1 6-2 6-5 |
| copying to tape | 3-4.2.3 | 4-13 | | | |
| emptying | 3-4.2.6 | 4-22 | | | |
| Executive Request maintenance format | 3-11.3.1 3-11.2.1 | 11-18 11-1 | | | |
| package status conditions | 3-11.3.1.6 | 11-22 | | | |
| retrieving write location address table of contents search | 3-11.3.1.5 3-11.3.1.2 | 11-21 11-19 | | | |
| update next write location | 3-11.3.1.4 | 11-21 | | | |
| File, punch ASCII control functions Fieldata control functions | 2-5.4.6 2-5.4.5 | 5-20 5-18 | FLDGET | 4-2.5.1.5 | 2-48 |
| | | | FLIP | 4-6.3 | 6-5 |
| | | | error messages | 4-6.5 | 6-11 |

| Term | Reference | Page | Term | Reference | Page |
|---|--|------------------------------|---------|-------------|------|
| Floating-point editing routines | 4-2.4.2.3 | 2-26 | @CLOSE | 3-4.2.10 | 4-24 |
| FLOP error messages | 4-6.2 4-6.4 | 6-2 6-11 | @COPIN | 3-4.2.2 | 4-10 |
| Flow analysis program | 4-Section 6 | | @COPOUT | 3-4.2.3 | 4-13 |
| @FOR | 2-A.1 2-3.9 | A-4 3-66 | @COPY | 3-4.2.1 | 4-6 |
| FORK\$ for real-time within reentrant processor | 2-4.3.1.1 2-10.5 2-4.8.6.5 | 4-6 10-10 4-46 | @CYCLE | 3-4.2.16 | 4-32 |
| FORM | 3-2.2.2.20 | 2-27 | @DELETE | 3-4.2.7 | 4-22 |
| Format file | 3-11.2 | 11-1 | @ENABLE | 3-4.2.17 | 4-33 |
| standard editing for dumps | 3-3.3.1.8.1 | 3-17 | @ERS | 3-4.2.6 | 4-22 |
| system data files | 3-11.2.3 | 11-9 | @FIND | 3-4.2.13 | 4-27 |
| user-defined for dumps | 3-3.3.1.8.2 | 3-19 | @MARK | 3-4.2.9 | 4-24 |
| FORTRAN table item | 3-Figure 11-4 | 11-8 | @MOVE | 3-4.2.4 | 4-15 |
| @FREE options status code used with @ASG | 2-3.7.4 2-Table 3-7 2-Table C-1 2-3.7.1 | 3-59 3-60 C-16 3-34 | @PACK | 3-4.2.14 | 4-28 |
| Friden Model 7100 | 2-8.2.1 | 8-8 | @PCH | 3-4.2.12 | 4-25 |
| @ @FRZ UNISCOPE 300 | 2-A.2 2-8.2.3.2 | A-8 8-20 | @PREP | 3-4.2.11 | 4-25 |
| @ @FUL | 2-A.2 3-8.2.2.3 | A-8 8-17 | @PRT | 3-4.2.5 | 4-16 |
| Functions, handler disk FASTRAND mass storage tape word addressable storage | 2-6.7 2-6.6 2-6.4.1 2-6.5.1 | 6-32 6-28 6-12 6-25 | @REWIND | 3-4.2.8 | 4-24 |
| FURPUR control statements @CHG | 3-4.2.15 | 4-29 | summary | 3-Table 4-1 | 4-1 |
| FURPUR processor | | | | | |
| 3-Section 4 | | | | | |
| 2-1.4.2 | | | | | |
| 1-7 | | | | | |
| altering file formats | | | | | |
| 3-Figure 4-1 | | | | | |
| 4-5 | | | | | |
| basic file formats | | | | | |
| 3-4.1.4 | | | | | |
| 4-4 | | | | | |
| control statement | | | | | |
| 3-4.2 | | | | | |
| 4-6 | | | | | |
| description | | | | | |
| control statement | | | | | |
| 3-4.1.1 | | | | | |
| 4-2 | | | | | |
| generalities | | | | | |
| control statement | | | | | |
| 3-4.1 | | | | | |
| 4-1 | | | | | |
| summary | | | | | |
| multireel tape files | | | | | |
| 3-4.1.3 | | | | | |
| 4-4 | | | | | |
| simultaneous use of files | | | | | |
| 3-4.1.2 | | | | | |
| 4-3 | | | | | |
| G | | | | | |
| GETAS\$ | | | | | |
| 4-2.5.6.5 | | | | | |
| 2-68 | | | | | |
| GETNM\$ | | | | | |
| 4-2.5.6.6 | | | | | |
| 2-69 | | | | | |
| GETPSF\$ | | | | | |
| 4-2.5.5 | | | | | |
| 2-60 | | | | | |
| GETSR\$ | | | | | |
| 4-2.5.6.4 | | | | | |
| 2-67 | | | | | |
| Guard mode status codes | | | | | |
| 2-C.6 | | | | | |
| C-36 | | | | | |
| H | | | | | |
| Handler | | | | | |
| arbitrary device | | | | | |
| 2-6.9 | | | | | |
| 6-33 | | | | | |
| disk | | | | | |
| 2-6.7 | | | | | |
| 6-32 | | | | | |
| disk, free format | | | | | |
| 2-6.9.4 | | | | | |
| 6-38 | | | | | |
| FASTRAND drum | | | | | |
| 2-6.6 | | | | | |
| 6-28 | | | | | |
| mass storage | | | | | |

| Term | Reference | Page | Term | Reference | Page |
|---|--------------|-------|---|--------------|-------|
| magnetic tape | 2-6.4 | 6-12 | II\$ | 2-4.6.2 | 4-23 |
| MSA tape arbitrary device | 2-6.9.4 | 6-38 | Image composition (EDIT\$) | 4-2.4.3 | 2-32 |
| word-addressable mass storage | 2-6.5 | 6-25 | general purpose editing routines | 4-Table 2-5 | 2-24 |
| Hardware fault interrupts | 2-12.7.3 | 12-22 | generating the packet (E\$PKT and E\$PKTF) | 4-2.4.2.4 | 2-29 |
| Heading output control | 2-3.6.1 | 3-26 | floating-point routines | 4-2.4.2.3 | 2-26 |
| @HDG | 2-3.6.1 | 3-26 | mode initialization and termination | 4-Table 2-5 | 2-24 |
| @@HI | 2-A.2 | A-8 | Image, skeleton (SSG) | | |
| UNISCOPE 300 | 2-8.2.3.2 | 8-20 | calling a predefined sequence | 3-10.5.3.2 | 10-23 |
| IALL\$ | 2-4.9.3 | 4-51 | defining sequences | 3-10.5.3.1 | 10-19 |
| for real-time | 2-10.5 | 10-10 | editing package | 3-10.5.3.5 | 10-34 |
| usage within common bank and reentrant processors | 2-4.11.6.2 | 4-82 | loops | 3-10.5.3.2.1 | 10-24 |
| I-bank structuring | 3-2.2 | 2-2 | outputting | 3-10.5.3.5 | 10-34 |
| | 3-2.2.2.18 | 2-24 | nondirective images as one image | | |
| IBACKUP, command | 3-9.7.1 | 9-6 | skipping | 3-10.5.3.7 | 10-38 |
| IBANK directive options | 3-Table 2-2 | 2-26 | Images, ASCII | | |
| ICR | | | alternate file | 2-5.2.4 | 5-6 |
| See control register | | | alternate print file | 2-5.3.4 | 5-10 |
| IDBUFF length | 4-2.5.4 | 2-59 | alternate punch file | 2-5.3.8 | 5-13 |
| | 4-Table 2-12 | 2-59 | printing | 2-5.3.2 | 5-9 |
| IDENT\$ | 2-4.3.3.6 | 4-12 | punching | 2-5.3.6 | 5-12 |
| Idle line monitor | 2-9.6 | 9-30 | reading | 2-5.2.2 | 5-5 |
| IDLIN\$ | 4-2.5.4.1.1 | 2-60 | Images, Fielddata | | |
| IDLINES\$ | 4-2.5.4.1 | 2-59 | alternate file | 2-5.2.3 | 5-5 |
| IDONLY\$ | 4-2.5.4.2 | 2-60 | alternate punch file | 2-5.3.7 | 5-12 |
| IDTIME\$ | 4-2.5.4.1.2 | 2-60 | conversational mode | 2-5.2.5 | 5-7 |
| IDTOME\$ | 4-2.5.4.2.2 | 2-60 | printing | 2-5.3.1 | 5-8 |
| *IF | 3-10.5.3.7 | 10-40 | punching | 2-5.3.5 | 5-11 |
| | | | reading | 2-5.2.1 | 5-3 |
| | | | IN | 3-2.2.2.1 | 2-5 |
| | | | *INCREMENT | 3-10.5.3.2.1 | 10-24 |
| | | | INFO\$ | | |
| | | | Executive Request | 2-4.8.8 | 4-48 |
| | | | INFOR table format | 4-Figure 2-2 | 2-52 |
| | | | INFOR-table Interface Routines | 4-2.5.3 | 2-51 |
| | | | assign attached name to file specified (DUSE\$) | 4-2.5.3.7 | 2-58 |

| Term | Reference | Page | Term | Reference | Page |
|---|--------------|-------|---|----------------------|------------|
| element and file notation | 4-2.5.3.1 | 2-53 | Input/output initiation | | |
| internal format | 4-2.5.3.3 | 2-53 | exit, with interrupt | 2-6.3.7 | 6-11 |
| read INFOR table (RINF\$) | 4-2.5.3.4 | 2-54 | return control | 2-6.3.3 | 6-10 |
| reading the table | 4-2.5.3.2 | 2-53 | immediately | | |
| search INFOR table (SINF\$) | 4-2.5.3.5 | 2-54 | return control | 2-6.3.4 | 6-10 |
| transfer to ELT\$ table | 4-2.5.3.6 | 2-56 | immediately, with interrupt | | |
| Initially based banks | 3-2.2.5.3 | 2-46 | wait for completion | 2-6.3.5 | 6-11 |
| INISR\$ | 4-2.5.6.3 | 2-66 | wait for completion, with interrupt | 2-6.3.6 | 6-11 |
| Input | | | @@INQ | 2-A.2 2-Table 8-1 | A-8 8-4 |
| end of (END) | 3-2.2.2.11 | 2-17 | @@INS | 2-A.2 | A-9 |
| merge of input streams (SSG) | 3-10.5.3.8 | 10-52 | for UNISCOPE 100/200 | 2-8.2.2.3 | 8-17 |
| merging streams | 3-10.5.3.8.1 | 10-54 | for UNISCOPE 300 | 2-8.2.3.2 | 8-20 |
| paper tape | 2-8.2.1.2.2 | 8-9 | Instruction and data areas (bank-implied collections) | 3-2.2.3.4 | 2-31 |
| solicited console | 2-4.6.1 | 4-22 | INT\$ | 2-4.3.3.5 | 4-11 |
| termination sentinel | 3-5.2.1 | 5-4 | Interface | | |
| unsolicited console | 2-4.6.2 | 4-23 | arbitrary device | 2-6.9 | 6-33 |
| Input/output assignments | 2-6.1.1 | 6-1 | demand symbiont | 2-8.1.1.3 | 8-3 |
| basic Executive Request | 2-6.1.1 | 6-1 | routines, collector | 4-2.2 | 2-4 |
| codes defined in SYS\$*RLIB\$ | 2-Table 6-1 | 6-4 | routines, processor (PIRs) | 4-2.5 | 2-42 |
| device handlers | 2-Section 6 | | routines, symbiont/user | 2-5.1.2 | 5-2 |
| device handlers and symbionts | 2-1.3.3.6 | 1-5 | Interlock processing | 2-12.5.6.1 | 12-18 |
| interrupt handling | 2-12.7.1 | 12-21 | Internal filename | 2-2.6.2 | 2-22 |
| magnetic tape packet generation (I\$OT) | 2-6.2.1 | 6-6 | Internal format routines | 4-2.5.3.3 | 2-53 |
| mass storage packet generation (I\$OD) | 2-6.2.2 | 6-7 | See also INFOR-table Interface Routines | | |
| packet format | 2-Figure 6-1 | 6-2 | Interprocessor interrupt handling | 2-12.7.2 | 12-22 |
| packet generation | 2-6.2 | 6-5 | Interrupt | | |
| path selection via ADH | 2-6.9.6 | 6-40 | activity | 2-6.1.2 | 6-4 |
| priority, real-time program | 2-10.4.1.1 | 10-5 | activity priority | 2-6.3.8 | 6-12 |
| synchronization status codes | 2-6.3 | 6-8 | reduction | 2-10.4.2.3 | 10-8 |
| streams | 3-10.3.2 | 10-7 | ESI handling | 2-10.6.2.1 | 10-11 |
| wait for completion of any | 2-6.3.2 | 6-9 | | 2-12.7 | 12-21 |
| wait for completion of specific | 2-6.3.1 | 6-9 | | | |

| Term | Reference | Page | Term | Reference | Page |
|--|------------|-------|---|-------------|------|
| hardware fault | 2-12.7.3 | 12-22 | LABEL\$ | 2-7.3.1 | 7-20 |
| input/output | 2-12.7.1 | 12-21 | Labeling | | |
| inter-activity | 2-4.3.3.5 | 4-11 | control statements | 2-3.10.3 | 3-71 |
| interprocessor | 2-12.7.2 | 12-22 | disk | 2-7.4 | 7-28 |
| power loss | 2-12.7.3.2 | 12-22 | tape | 2-7.3 | 7-20 |
| processing | 2-12.5.6.1 | 12-18 | Language processor | 2-3.9 | 3-66 |
| program generated | 2-12.7.4 | 12-23 | control statements | 2-3.9 | 3-66 |
| real-time console handling | 2-10.4.2.6 | 10-9 | introduction | 3-1.6 | 1-10 |
| reducing activity priority | 2-6.3.8 | 6-12 | LCORE\$ | 2-4.7.2 | 4-25 |
| response | 2-9.7.1 | 9-31 | restrictions | 2-4.7.3 | 4-25 |
| storage and ICR parity error | 2-12.7.3.1 | 12-22 | usage within common bank and reentrant processors | 2-4.11.6.1 | 4-82 |
| Interrupt handling | 2-12.7 | 12-21 | \$lcs | 3-2.2.2.19 | 2-27 |
| I/O interrupts and queuing | 2-12.7.1 | 12-21 | LIB | 3-2.2.2.3 | 2-8 |
| interprocessor interrupts | 2-12.7.2 | 12-22 | LIB\$ | 2-3.9 | 3-66 |
| power loss | 2-12.7.3.2 | 12-22 | Library | | |
| program generated interrupts | 2-12.7.4 | 12-23 | operating system files | 2-3.9 | 2-66 |
| storage and control register parity error interrupts | 2-12.7.3.1 | 12-22 | 3-1.6 | 1-10 | |
| IO\$ | 2-6.3.3 | 6-10 | 3-1.6 | 1-10 | |
| IOARB\$ | 2-6.9.2 | 6-37 | relocatable subroutine | 2-1.7 | 1-9 |
| IOAXI\$ | 2-6.9.3 | 6-37 | LIJ/LBJ/LDJ | | |
| I\$OD | 2-6.2.2 | 6-7 | switching between banks | 2-3.4.4.4.2 | 3-21 |
| IOI\$ | 2-6.3.4 | 6-10 | Line corrections | | |
| I\$OT | 2-6.2.1 | 6-6 | partial | 3-1.3 | 1-7 |
| IOW\$ | 2-6.3.5 | 6-11 | redefinition of | 3-1.2.2 | 1-4 |
| IOWI\$ | 2-6.3.6 | 6-11 | indicator | 3-1.2.1 | 1-2 |
| IOXI\$ | 2-6.3.7 | 6-11 | statement | | |
| J | | | Line terminal | | |
| @JUMP | 2-3.10.4.3 | 3-75 | deactivation of | 2-9.4.1.10 | 9-19 |
| L | | | input/output | | |
| Label field | 2-3.2.1 | 3-2 | device assignment | 2-9.2 | 9-3 |
| | | | group initialization | 2-9.4.1.1 | 9-13 |
| | | | table | 2-9.3 | 9-3 |
| | | | table input status | 2-Table 9-1 | 9-8 |
| | | | codes | | |
| | | | Listing | | |
| | | | control (DOC) | 4-5.4.3 | 5-9 |
| | | | files and master file directory | 4-Table 5-4 | 5-10 |
| | | | | 3-4.2.5 | 4-16 |

| UP-NUMBER | Volume 1 Index | | | UPDATE LEVEL | PAGE |
|--|--|--|--|--|---|
| Term | Reference | Page | Term | Reference | Page |
| user-defined control statement | 2-5.5 | 5-21 | allocation | 2-2.5.2 | 2-18 |
| LOAD\$ | | | contraction | 2-4.7.2 | 4-25 |
| bank-implied collection | 3-2.2.4.5.1 | 2-36 | data area | 3-Figure 2-2 | 2-50 |
| bank-named collection | 3-2.2.5.8.1 | 2-45 | dump | 3-3.3.1.1 | 3-9 |
| loading, direct method | 2-4.7.5 3-2.2.4.5.1 | 4-27 2-36 | dynamic allocation | 2-12.5.5.2 | 12-14 |
| usage with common bank and reentrant processors | 2-4.11.6.4 | 4-82 | Executive components | 2-12.3.3 | 12-6 |
| Location counter set specification | 3-2.2.2.19 4-Table 2-16 | 2-27 2-95 | expansion | 2-4.7.1 | 4-24 |
| @LOG | 2-3.5.2 | 3-25 | for buffers | 2-10.3.2 | 10-2 |
| Logging on, TSS basic method execution method run method | 2-8.3.2 2-8.3.2.1 2-8.3.2.3 2-8.3.2.2 | 8-21 8-21 8-23 8-22 | snapshot dump | 2-4.10.3 | 4-72 |
| *LOOP | 3-10.5.3.2.1 | 10-24 | layout, 1108, 1100/10/20 | 2-12.3.1.1 | 12-3 |
| @@LOW UNISCOPE 300 | 2-A.2 2-8.2.3.2 | A-9 8-20 | layout, 1110, 1100/40 | 2-12.3.1.2 | 12-5 |
| LPD (Load Processor Designators) | 2-4.10.2.2 | 4-70 | @MAP options | 3-2.2.1 3-Table 2-1 | 2-2 2-3 |
| M | | | @MARK | 3-4.2.9 | 4-24 |
| Magnetic tape assignment FITEM\$ request packet functions versus unit type handler functions I/O function with interrupt I/O function without interrupt I/O functions and codes Peripherals noise constant See also tape | 2-3.7.1.2 2-7.2.6.3 2-Table 6-5 2-6.4.1 2-6.2.1.2 2-6.2.1.1 2-Table 6-2 2-7.2.6.3 2-6.4.2.1 See also tape | 3-45 7-8 6-23 6-12 6-6 6-6 6-13 7-8 6-17 | Mass storage absolute read/write allocation assigning word-addressable dump I/O function with interrupt I/O function without interrupt I/O packet generation utilization | 2-6.8 2-7.2.2 2-3.7.1.3 3-3.3.1.5 2-6.2.2.2 2-6.2.2.1 2-6.2.2 2-1.3.2 | 6-33 7-2 3-51 3-14 6-8 6-7 6-7 1-3 |
| Main storage absolute addressing | 2-4.7.4 | 4-26 | See also FASTRAND drum mass storage See also word-addressable mass storage | | |
| Master configuration table (MCT) retrieval of | 2-4.8.3 | 4-32 | Master log, inserting information in | 2-3.5.2 | 3-25 |
| Master File Directory Service Package (MFDSP\$) | 2-7.2.1 4-2.6.1 | 7-1 2-101 | MCORE\$ usage within common bank and reentrant processors restrictions | 2-4.7.1 2-4.11.6.1 | 4-24 4-82 |
| MCT\$ | 2-4.8.3 | 4-32 | | | |

| Term | Reference | Page | Term | Reference | Page |
|---|------------------------|--------------|--|-----------------------|--------------|
| @@MED UNISCOPE 300 | 2-A.2 2-8.2.3.2 | A-9 8-20 | NOT | 3-2.2.2.2 | 2-7 |
| Message control statements | 2-3.5 | 3-24 | Notational conventions | 2-2.3.1 | 2-14 |
| displaying | 2-3.5.1 | 3-24 | NRT\$ | 2-4.3.5.2 | 4-19 |
| placing in a dump | 3-3.3.3.4 | 3-27 | real-time | 2-10.4.2.1 | 10-7 |
| MFD See Master File Directory | | | Numeric expressions | | |
| MFDS\$ | 4-2.6.1 | 2-101 | SSG | 3-10.3.2 | 10-7 |
| MINGAP | 3-2.2.2.12 | 2-18 | O | | |
| MINSIZ | 3-2.2.2.12 | 2-18 | OBACKUP, command | 3-9.7.1 | 9-6 |
| @MODE status code | 2-3.7.2 2-Table C-1 | 3-56 C-16 | Octal/decimal conversion | 2-Table D-5 | D-8 |
| Modal functions (EOUT\$) | 4-2.4.4.3 | 2-39 | Omnibus element | 2-2.6.4 3-11.2.1.1 | 2-24 11-4 |
| @MOVE | 3-4.2.4 | 4-15 | subtypes | 4-Table 2-2 | 2-4 |
| MSA data word formats | 2-Table 6-4 | 6-21 | Operand fields | 2-3.2.3 | 3-2 |
| @MSG options | 2-3.5.1 2-Table 3-3 | 3-24 3-24 | Operating system library files | 2-1.2 2-3.9 | 1-1 3-66 |
| Multiprocessing | 2-12.4 | 12-8 | Operation demand terminal modes of fields | 2-8.1.1.2 | 8-3 |
| Multiprogramming application to real-time considerations | 2-10.4.2.2 2-2.5.5 | 10-7 2-19 | Operator communications | 2-1.3.3.5 | 1-5 |
| Multiple channel operation word-addressable mass storage handler | 2-6.5.3 | 6-25 | OPNSR\$ | 4-2.5.6.2 | 2-65 |
| *MULTIPLY | 3-10.5.3.2.4 | 10-28 | OPT\$ | 2-4.8.1 | 4-30 |
| N | | | Output control | 4-5.4.4 | 5-11 |
| NAME\$ | 2-4.3.3.2 | 4-10 | directing (SGS) | 3-10.5.3.6.1 | 10-36 |
| Namelists | 3-9.7.2 | 9-8 | editing control | 4-5.4.5. | 3-5-13 |
| @ @NOPR | 2-A.2 | A-9 | editing package | 4-2.4 | 2-22 |
| UNISCOPE 100/200 | 2-8.2.2.3 | 8-17 | editing routine | 4-2.4.4 | 2-36 |
| UNISCOPE 300 | 2-8.2.3.2 | 8-20 | nondirective skeleton | 3-10.5.2 | 10-17 |
| | | | images (SGS) | | |
| | | | print heading control | 2-3.6.1 | 3-26 |
| | | | SSG | 3-10.2.4 | 10-5 |
| | | | symbiont file, queuing | 2-3.6.3 | 3-29 |
| | | | Output editing routines | 4-2.4.4 | 2-36 |
| | | | control functions | 4-2.4.4.4 | 2-40 |

| Term | Reference | Page | Term | Reference | Page | |
|--|----------------------------|------|---|-------------|-------|--|
| editing functions | 4-2.4.4.1 | 2-38 | FASTRAND mass storage | 2-7.2.6.2 | 7-7 | |
| examples | 4-2.4.4.5 | 2-41 | magnetic tape | 2-7.2.6.3 | 7-8 | |
| modal functions | 4-2.4.4.3 | 2-39 | non-standard | 2-7.2.6.1 | 7-6 | |
| output functions | 4-2.4.4.2 | 2-39 | P | | | |
| @PACK | 3-4.2.14 | 4-28 | PFD\$ | 3-11.3.1.3 | 11-20 | |
| Paper tape operations | 2-8.2.1.2 | 8-8 | status code | 3-11.3.1.6 | 11-22 | |
| input | 2-8.2.1.2.2 | 8-9 | PFI\$ | 3-11.3.1.1 | 11-18 | |
| output | 2-8.2.1.2.1 | 8-8 | status code | 3-11.3.1.6 | 11-22 | |
| PARTBL description | 4-Figure 2-1 | 2-46 | PIRCB\$ | 4-Section 3 | | |
| Partial line corrections | 3-1.2.3 | 1-4 | PFS\$ | 3-11.3.1.2 | 11-19 | |
| diagnostics | 3-1.2.6 | 1-6 | PFUWL\$ | 3-11.3.1.4 | 11-21 | |
| | 3-Table 1-1 | 1-7 | status code | 3-11.3.1.6 | 11-22 | |
| Partial Word Designators | | | PFWL\$ | 3-11.3.1.5 | 11-21 | |
| mnemonic designations and absolute address | 4-Table 2-1 | 2-2 | status code | 3-11.3.1.6 | 11-22 | |
| @PCH | 3-4.2.12 | 4-25 | PIRS | 4-2.5 | 2-42 | |
| PCHCA\$ | 2-5.4.7 | 5-20 | PLIST | 2-8.3.3.2 | 8-24 | |
| PCHCN\$ | 2-5.4.5 | 5-18 | @PMD | 3-3.2.1 | 3-2 | |
| PCT | | | general options | 3-Table 3-1 | 3-5 | |
| referencing | 2-3.4.4.4.6 | 3-23 | special options | 3-Table 3-2 | 3-5 | |
| usage | 2-12.3.2 | 12-6 | PMD processor control statement | 3-3.2 | 3-2 | |
| PCT\$ | 2-4.8.2 | 4-30 | format | 3-3.2.1 | 3-2 | |
| @PDP options | 3-Section 8 3-Table 8-1 | 8-2 | general | 2-1.4.3 | 1-8 | |
| PDP processor | 2-1.4.8 | 1-8 | PNCHA\$ | 2-5.3.7 | 5-12 | |
| flags | 3-Section 8 3-Table 8-2 | 8-4 | Pool | | | |
| Peripheral devices | | | dual method for input operations | 2-9.4.1.8 | 9-18 | |
| assignment | 2-3.7.1 | 3-34 | dual method for real-time mode for I/O operations | 2-10.3.5 | 10-4 | |
| releasing | 2-3.7.4 | 3-59 | size for real-time | 2-9.4.1.7 | 9-17 | |
| Peripherals | | | Postmortem dump processor | 2-10.3.3 | 10-3 | |
| FITEM\$ request packet | | | See PMD processor | | | |
| communications | 2-7.2.6.5 | 7-12 | POSTPR\$ | 4-2.5.10 | 2-100 | |
| disk | 2-7.2.6.6 | 7-17 | Post processor routine | 4-2.5.10 | 2-100 | |

| Term | Reference | Page | Term | Reference | Page |
|-------------------------------|-------------|-------|--------------------------------------|--------------|-------|
| Power loss interrupts | 2-12.7.3.2 | 12-22 | reducing interrupt activity | 2-6.3.8 | 6-12 |
| Preambles, element processing | 3-2.2.3.3 | 2-31 | Privileged mode operation | 3-9.6 | 9-5 |
| @PREP | 3-4.2.11 | 4-23 | @ @PRNT | 2-A.2 | A-9 |
| PREPF\$ | 4-2.5.2 | 2-50 | DCT 1000 | 2-8.2.2.3 | 8-17 |
| PREPRM | 4-2.5.1.2 | 2-44 | UNISCOPE 100/200 | 2-8.2.2.3 | 8-17 |
| PREPRO | 4-2.5.1 | 2-42 | UNISCOPE 300 | 2-8.2.3.2 | 8-20 |
| Preprocessor routines | 4-2.5 | 2-42 | PRNTA\$ | 2-5.3.3 | 5-9 |
| PREPF\$ | 4-2.5.2 | 2-50 | PROC\$ | 4-2.1.5 | 2-3 |
| PREPRM | 4-2.5.1.2 | 2-44 | Procedure Definition | 2-1.4.8 | 1-8 |
| PREPRO | 4-2.5.1.1 | 2-43 | Processor (PDP) | 3-Section 8 | |
| REPRM\$ | 4-2.5.1.4.2 | 2-47 | Procedures, conditional control | | |
| REPRO\$ | 4-2.5.1.4.1 | 2-47 | X\$AND | 3-3.3.2.3 | 3-23 |
| PRINT\$ | 2-5.3.1 | 5-8 | X\$IF | 3-3.3.2.1 | 3-21 |
| Print | | | X\$OR | 3-3.3.2.2 | 3-23 |
| control functions | 2-Table 5-2 | 5-14 | X\$TALY | 3-3.3.2.4 | 3-24 |
| output heading control | 2-3.6.1 | 3-26 | Procedures, EDIT\$ | | |
| Print file | | | E\$PKT | 4-2.4.2.4 | 2-29 |
| ASCII control functions | 2-5.4.2 | 5-17 | E\$PKTF | 4-2.4.2.4 | 2-29 |
| Fielddata control functions | 2-5.4.1 | 5-14 | Procedures, editing | 3-2.4.2.5 | 2-30 |
| Print file, alternate | | | Procedures, specifications for dumps | | |
| ASCII control functions | 2-5.4.4 | 5-18 | X\$BACK | 3-3.3.3.3 | 3-26 |
| ASCII images | 2-5.3.4 | 5-10 | X\$BUFR | 3-3.3.3.1 | 3-25 |
| Fielddata control functions | 2-5.4.3 | 5-17 | X\$MARK | 3-3.3.3.3 | 3-26 |
| Fielddata images | 2-5.3.3 | 5-9 | X\$MESG | 3-3.3.3.4 | 3-27 |
| Printing | | | X\$OFF | 3-3.3.3.2 | 3-25 |
| ASCII images | 2-5.3.2 | 5-9 | X\$ON | 3-3.3.3.2 | 3-25 |
| Fielddata images | 2-5.3.1 | 5-8 | *PROCESS | 3-10.5.3.1.2 | 10-19 |
| Priority | | | Processing | | |
| changing, real-time | 2-10.4.2.1 | 10-7 | buffer | 2-9.7.2 | 9-32 |
| control, real-time | 2-10.4.2 | 10-7 | contingency | 2-4.9.4 | 4-57 |
| dispatching for real-time | 2-10.4.1.2 | 10-5 | demand | 2-Section 8 | |
| interrupt activity reduction | 2-10.4.2.3 | 10-8 | interlock | 2-12.5.6.1 | 12-18 |
| I/O for real-time | 2-10.4.1.1 | 10-5 | real-time | 2-Section 10 | |
| | | | | 2-1.3.1.3 | 1-3 |
| | | | Processor code | 3-11.2.1.2 | 11-7 |

| UP-NUMBER | Volume 1 Index | | | UPDATE LEVEL | PAGE |
|-----------------------------|----------------|-------|-------------------------|--------------|------|
| Term | Reference | Page | Term | Reference | Page |
| control statements | 2-3.9 | 3-66 | load | 2-4.10.2.2 | 4-70 |
| dedication | 2-4.3.1.3 | 4-7 | store | 2-4.10.2.1 | 4-69 |
| field retrieval (FLDGET) | 4-2.5.1.5 | 2-48 | Program | | |
| interface routines | 4-2.5 | 2-42 | abortion | 2-4.3.2.3 | 4-8 |
| language | 2-3.9 | 3-66 | bank referencing | 2-3.4.4.4 | 3-20 |
| system utility | 2-1.5 | 1-9 | changing to real-time | 2-4.3.5.1 | 4-18 |
| system | 2-1.4 | 1-7 | status | | |
| that require the SI | 2-Table 3-9 | 3-69 | control | 2-4.3 | 4-6 |
| and SO parameters | | | construction and | 3-Section 2 | |
| that use the SI, SO | 2-Table 3-8 | 3-68 | execution | | |
| and RO parameters | | | control table | 2-3.4.4.4.6 | 3-23 |
| COLLECTOR | 3-2.2 | 2-1 | referencing | | |
| CULL | 4-Section 4 | | control table retrieval | 2-4.8.2 | 4-30 |
| DATA | 3-Section 6 | | data separation | 2-3.4.4.3 | 3-19 |
| DOC | 4-Section 5 | | error termination | 2-4.3.2.4 | 4-9 |
| ED | 3-Section 7 | | initiating execution | 2-3.4.4 | 3-16 |
| ELT | 3-Section 5 | | I/O synchronization | 2-6.3 | 6-8 |
| FURPUR | 3-Section 4 | | parameter | 3-2.2.2.13 | 2-19 |
| LIST | 4-Section 7 | | specification | | |
| PDP | 3-Section 8 | | protection | 2-2.5.7 | 2-21 |
| PMD | 3-3.2 | 3-2 | real-time location | 2-10.2 | 10-1 |
| SECURE | 3-Section 9 | | releasing segments | 3-2.2.4.5.5 | 2-40 |
| SSG | 3-Section 10 | | area | | |
| Processor interface | | | removing real-time | 2-4.3.5.2 | 4-19 |
| routines | | | status | | |
| INFOR table | 4-2.5.3 | 2-51 | segment loading | 3-2.2.4.5 | 2-36 |
| post processor | 4-2.5.10 | 2-100 | segmentation | 3-2.2.2.14 | 2-20 |
| relocatable output | 4-2.5.8 | 2-89 | | 3-2.2.4 | 2-32 |
| source input | 4-2.5.6 | 2-61 | storage control | 2-4.7 | 4-24 |
| source output | 4-2.5.6 | 2-61 | trace routine | 4-2.3.1 | 2-5 |
| (SNOOPY) | | | | | |
| Processor, reentrant | | | Program bank structure | 3-2.2.7 | 2-51 |
| collecting | 3-2.2.3.5 | 2-32 | example | | |
| data protection within | 2-4.11.8 | 4-84 | Program execution | | |
| dumping | 2-4.11.7 | 4-83 | common bank access | 2-3.4.4.2.4 | 3-19 |
| entering a list of | 2-4.8.6.2 | 4-42 | initial PSR and | 2-3.4.4.2 | 3-18 |
| user-created | | | storage limits | | |
| execution | 2-4.8.6.1 | 4-41 | initial status | 2-3.4.4.1 | 3-17 |
| searching lists | 2-4.8.6.1 | 4-42 | initially based | 2-3.4.4.2.3 | 3-18 |
| termination | 2-4.8.6.4 | 4-46 | common banks | | |
| Processor, reusable | 4-2.5.1.4 | 2-45 | initiating | 2-3.4.4 | 3-16 |
| construction | | | lowest bank address | 2-3.4.4.2.2 | 3-18 |
| preprocessor routines | | | overlapped addresses | 2-3.4.4.2.1 | 3-18 |
| REPRO\$ | 4-2.5.1.4.1 | 2-47 | Program file | | |
| REPRM\$ | 4-2.5.1.4.2 | 2-47 | Basic Service | 4-2.5.7 | 2-71 |
| Processor State Register | 2-4.10.2 | 4-69 | Package (BSP\$) | | |
| (PSR) | | | add item to requested | 4-2.5.7.6 | 2-82 |
| altering and retrieving | 2-4.10.2 | 4-69 | table | | |
| PSR\$ | 2-4.10.2.3 | 4-71 | delete item from | 4-2.5.7.4 | 2-78 |
| requested table | | | | | |

| Term | Reference | Page | Term | Reference | Page |
|---|---------------|-------|--|-------------|------|
| entry look-up by number | 4-2.5.7.5 | 2-81 | loading dynamic segment, | 3-2.2.4.5.4 | 2-39 |
| read file table index | 4-2.5.7.1 | 2-71 | reloading the main bank-implied collection | 3-2.2.4.5.3 | 2-38 |
| read program file table | 4-2.5.7.2 | 2-73 | reloading the main segment, | 3-2.2.5.8.3 | 2-46 |
| search table for requested item | 4-2.5.7.3 | 2-76 | bank-named collection | | |
| write file table index | 4-2.5.7.9 | 2-88 | Program trace routine (SNOOPY) | 4-2.3.1 | 2-5 |
| write last item referenced | 4-2.5.7.7 | 2-86 | @PRT | 3-4.2.5 | 4-16 |
| write requested table back to mass storage | 4-2.5.7.8 | 2-87 | options when elements are specified | 3-Table 4-9 | 4-19 |
| changing element and version names | 3-4.2.15.2 | 4-31 | options when filenames, account number, project-ids or disk pack-ids are specified | 3-Table 4-8 | 4-17 |
| copying from tape | 3-4.2.2 | 4-10 | PRTCAs | 2-5.4.3 | 5-17 |
| copying to tape format | 3-4.2.3 | 4-13 | PRTCNs | 2-5.4.1 | 5-14 |
| maintenance | 3-11.2.1 | 11-1 | PSRs | 2-4.10.2.3 | 4-71 |
| Executive Requests | 3-Figure 11-1 | 11-2 | @@PTI | 2-A.2 | A-9 |
| mark element for deletion (PFD\$) | 3-11.3.1 | 11-18 | DCT 1000 | 2-8.2.2.3 | 8-19 |
| retrieving next write location address (PFWL\$) | 3-11.3.1.3 | 11-20 | @@PTO | 2-A.2 | A-9 |
| table of contents search (PFS\$) | 3-11.3.1.5 | 11-21 | DCT 1000 | 2-8.2.2.3 | 8-19 |
| updating next write location (PFUWL\$) | 3-11.3.1.4 | 11-21 | @@PTP | 2-A.2 | A-9 |
| updating the element table (PFI\$) | 3-11.3.1.1 | 11-18 | DCT 1000 | 2-8.2.2.3 | 8-18 |
| package status conditions | 3-11.3.1.6 | 11-22 | PUNCH\$ | 2-5.3.5 | 5-11 |
| punching elements | 3-4.2.12 | 4-24 | Punch file ASCII control functions | 2-5.4.6 | 5-20 |
| Program - generated interrupts | 2-12.7.4 | 12-23 | Fielddata control functions | 2-5.4.5 | 5-18 |
| Program segment loading | 3-2.2.4.5 | 2-36 | Fielddata control functions | 2-Table 5-3 | 5-19 |
| direct method, bank-implied collection | 3-2.2.4.5.1 | 2-36 | Punch file, alternate ASCII control functions | 2-5.4.8 | 5-20 |
| direct method, bank-named collection | 3-2.2.5.8.1 | 2-45 | ASCII images | 2-5.3.8 | 5-13 |
| example | 3-2.2.6 | 2-47 | Fielddata control functions | 2-5.4.7 | 5-20 |
| indirect method, bank-implied collection | 3-2.2.4.5.2 | 2-38 | Fielddata images | 2-5.3.7 | 5-12 |
| indirect method, bank-named collection | 3-2.2.5.8.2 | 2-45 | | | |

| UP-NUMBER | Volume 1 Index | | | UPDATE LEVEL | PAGE |
|---|--|----------------------|--|--------------|-------|
| Term | Reference | Page | Term | Reference | Page |
| Punching | | | console interrupt handling | 2-10.4.2.6 | 10-9 |
| ASCII images | 2-5.3.6 | 5-12 | control | 2-10.4.2 | 10-7 |
| Fielddata images | 2-5.3.5 | 5-11 | dispatching | 2-10.4.1.2 | 10-5 |
| program file elements | 3-4.2.1.2 | 4-25 | I/O | 2-10.4.1.1 | 10-5 |
| PWORD | 2-8.3.3.1 | 8-23 | interrupt activity | 2-10.4.2.3 | 10-8 |
| . | Q | | priority reduction | | |
| @QUAL | 2-3.7.6 | 3-63 | timed wait | 2-10.4.2.5 | 10-8 |
| Queuing and unit control | 2-6.1.3 | 6-5 | considerations | | |
| . | R | | Real-time processing | 2-Section 10 | |
| Range correction statement | 3-1.2.4 | 1-4 | buffer operations | 2-10.3 | 10-2 |
| Read/write absolute | 2-6.8 | 6-33 | ESI considerations | 2-10.6 | 10-11 |
| READ\$ | 2-5.2.1 | 5-3 | introduction | 2-10.1 | 10-1 |
| bit settings returned in A0 | 2-Table 5-1 | 5-4 | program execution considerations | 2-10.4 | 10-4 |
| READA\$ | 2-5.2.3 | 5-5 | program location | 2-10.2 | 10-1 |
| Reading | | | program responsibilities | 2-10.5 | 10-10 |
| ASCII images | 2-5.2.2. | 5-5 | Reentrant processors | | |
| backward limitations | 2-6.4.2.1 | 6-17 | collecting | 3-2.2.3.5 | 2-32 |
| Fielddata images | 2-5.2.1 | 5-3 | control and restrictions | 2-4.8.6.3 | 4-44 |
| tape label blocks | 2-7.3.1 | 7-20 | dumping | 2-4.11.7 | 4-83 |
| Real-Time clock general tasks | 2-Section 10 2-12.6.1 2-1.3.1.3 2-2.5.1 | 12-20 1-3 2-18 | dynamic and common bank usage | 2-4.8.6.4 | 4-46 |
| Real-time buffer operations | 2-10.3 | 10-2 | entering a list of user-created execution | 2-4.8.6.2 | 4-42 |
| buffer size | 2-10.3.4 | 10-3 | Executive Requests within | 2-4.8.6.1 | 4-41 |
| dual pool method | 2-10.3.5 | 10-4 | forking | 2-4.11.6 | 4-82 |
| main storage availability | 2-10.3.2 | 10-2 | referencing | 2-4.8.6.5 | 4-46 |
| pool size | 2-10.3.3 | 10-3 | searching | 2-4.8.6.3 | 4-44 |
| transmission types | 2-10.3.1 | 10-2 | termination | 2-4.8.6.1 | 4-42 |
| Real-time priority activity termination application of multiprogramming changing activity | 2-10.4.2.4 2-10.4.2.2 2-10.4.2.1 | 10-8 10-7 10-7 | REF | 2-4.8.6.4 | 4-46 |
| . | | | Register basing | 3-2.2.2.5 | 2-10 |
| . | | | Relocatable element Collector-produced corrections | 2-4.11.4.2 | 4-81 |
| . | | | Relocatable output routine (ROR\$) | 3-2.2.3.1 | 2-29 |
| . | | | end output (EROR\$) | 3-2.2.2.9 | 2-13 |
| . | | | generation of output (ROR\$) | 4-2.5.8.3 | 2-93 |
| . | | | start output (SROR\$) | 4-2.5.8.2 | 2-90 |
| . | | | table write subroutine (TBLWR\$) | 4-2.5.8.1 | 2-89 |
| . | | | | 4-2.5.8.4 | 2-94 |

| Term | Reference | Page | Term | Reference | Page |
|---------------------------------|---------------------------|------------|--------------------------------|-----------------------------------|-----------------------|
| Relocatable segments | 3-2.2.2.15 | 2-21 | RS | 2-11.2.4.3 | 11-8 |
| Relocatable subroutines library | 2-1.7 | 1-9 | RSEG directive considerations | 3-2.2.2.15 3-2.2.4.3 | 2-21 2-35 |
| REMOVE, SECURE | 3-9.7.1 | 9-6 | RSI\$ output functions | 2-8.6 2-Table 8-2 | 8-27 8-31 |
| *REMOVE, SSG | 3-10.5.3.3.2 | 10-32 | @RSPAR status code | 2-11.3.2 2-C.4.5 | 11-10 C-35 |
| REPRO\$ | 4-2.5.1.4.1 | 2-47 | @RSTRT status code | 2-11.2.4.1 2-C.4.5 | 11-7 C-35 |
| REPRM\$ | 4-2.5.1.4.2 | 2-47 | RT\$ real-time | 2-4.3.5.1 2-10.4.2.1 2-10.5 | 4-18 10-7 10-10 |
| Restart | | | Run | | |
| complete (run restore) | 2-11.2.4 | 11-6 | abort | 2-4.3.2.3 | 4-8 |
| control statement | 2-11.2.4.1 | 11-7 | branching from within a stream | 2-3.10.4.3 | 3-75 |
| examples | 2-11.2.4.4 | 11-8 | demand example | 2-8.5 | 8-25 |
| Executive Request | 2-11.2.4.2 | 11-8 | diagnostic messages | 2-C.1 | C-1 |
| unsolicited console | 2-11.2.4.3 | 11-8 | dynamic initiation | 2-3.4.3 | 3-15 |
| request | | | execution | 2-2.4.2 | 2-16 |
| contingency routines | 2-11.2.5 | 11-9 | initiation | 2-2.4.1 | 2-16 |
| error codes | 2-C.5 | C-36 | 2-3.4.1 | 3-7 | |
| examples | 2-11.2.4.4 | 11-8 | recovery, R option | 2-3.4.1.2 | 3-13 |
| partial (program restore) | 2-11.3.2 | 11-10 | setup examples | 2-Appendix F | |
| @REWIND | 3-4.2.8 | 4-24 | stream expansion | 2-3.10.1 | 2-69 |
| RINF\$ error messages | 4-2.5.3.4 4-Table 2-11 | 2-54 | termination | 2-2.4.4 2-3.4.2 | 2-18 3-14 |
| @@RLD | 2-A.2 | A-9 | 2-3.4.2 | 3-14 | |
| UNISCOPE 100/200 | 2-8.2.2.3 | 8-17 | @RUN | 2-3.4.1 | 3-7 |
| RLIB\$ | 2-3.9 | 3-66 | example | 2-3.4.1.3 | 3-13 |
| RLIST\$ | 2-4.8.6.2 | 4-42 | for real-time | 2-10.5 | 10-10 |
| @@RLU | 2-A.2 | A-9 | options | 2-Table 3-2 | 3-9 |
| UNISCOPE 100/200 | 2-8.2.2.3 | 8-17 | Runstream | | |
| Rollback | 2-7.2.5 | 7-3 | branching from within a stream | 2-3.10.4.3 | 3-75 |
| Rollout | 2-7.2.5 | 7-3 | diagnostic messages | 2-C.1 | C-1 |
| ROR\$ | 4-2.5.8 | 2-89 | example | 2-3.10.4.4 | 3-76 |
| generation of output item table | 4-2.5.8.2 4-Table 2-14 | 2-90 | expansion | 2-3.10.1 | 3-69 |
| ROUTE\$ | 2-9.4.3 | 9-28 | S | | |
| @@RQUE | 2-A.2 2-Table 8-1 | A-9 8-4 | Scatter/gather UNISERVO 20 | 2-6.4.2.5 | 6-22 |

| Term | Reference | Page | Term | Reference | Page |
|--|--|---------------------------|--|----------------------|-------------|
| Scheduling | 2-12.5 | 12-9 | namelists and limiters | 3-9.7.2 | 9-8 |
| coarse scheduler | 2-12.5.4 | 12-11 | standard commands | 3-9.7.1 | 9-6 |
| control statement | 2-12.5.3 | 12-11 | SECURE, special features and procedures | 3-9.14 | 9-18 |
| interpreter | | | checksum | 3-9.14.1 | 9-18 |
| dispatcher | 2-12.5.6 | 12-18 | 'special void' | 3-9.14.3 | 9-19 |
| dynamic allocator | 2-12.5.5 | 12-13 | message | | |
| facilities inventory and selection | 2-12.5.2 | 12-9 | SYS\$*ARCHIVE\$ | 3-9.14.5 | 9-20 |
| general | 2-12.5.1 | 12-9 | tape handling | 3-9.14.4 | 9-19 |
| SDF format | 3-11.2.3 | 11-9 | features | | |
| SDFI | 4-2.6.4 4-Table 2-20 | 2-104 2-106 | test block sequence | 3-9.14.2 | 9-18 |
| SDFO | 4-2.6.4 4-Table 2-21 | 2-104 2-109 | check | | |
| SECURE processor | 3-Section 9 | | SEG | 3-2.2.2.14 | 2-20 |
| catalogued file assignments | 2-1.4.6 | 1-8 | directive | 3-2.2.4.2 | 2-33 |
| catalogued file recovery | 3-9.5 | 9-5 | considerations | | |
| command summary | 3-9.10 | 9-12 | Segment | | |
| control statement examples of use | 3-9.11 3-9.3 | 9-12 9-2 | dynamic | 3-2.2.2.16 | 2-22 |
| input and output backup tape assignments | 3-9.12 3-9.4 | 9-14 9-4 | loading dynamic | 3-2.2.4.5.4 | 2-39 |
| major function definitions | 3-9.2 | 9-2 | loading program | 3-2.2.5.8 | 2-45 |
| multiple activity operation | 3-9.13 | 9-16 | reloading main in bank-implied collections | 3-2.2.4.5.3 | 2-38 |
| own-project applications | 3-9.9 | 9-11 | reloading main in bank-named collections | | |
| privileged mode operation | 3-9.6 | 9-5 | releasing program area | 3-2.2.4.5.5 | 2-40 |
| selection of files for unload | 3-9.8 | 9-10 | relocatable | 3-2.2.2.15 | 2-21 |
| source language special features and procedures | 3-9.7 3-9.14 | 9-6 9-18 | Segment load table | 3-2.2.8 | 2-58 |
| @SECURE options | 3-9.3 3-Table 9-1 | 9-2 9-3 | Segmentation | | |
| SECURE source language direction examples exclusions | 3-9.7 3-9.7.4 3-9.7.5 3-9.7.3 | 9-6 9-9 9-10 9-9 | bank-named example | 3-2.2.7 | 2-51 |
| | | | directives | 3-2.2.4.1 | 2-32 |
| | | | example | 3-2.2.6 | 2-47 |
| | | | program | 3-2.2.2.14 | 2-20 |
| | | | within bank-named collections | 3-2.2.5.5 | 2-43 |
| | | | SELT\$ | 4-2.5.3.6 | 2-56 |
| | | | @@SEND | 2-A.2 2-Table 8-1 | A-10 8-4 |
| | | | Sentinel, input termination | 3-5.2.1 | 5-4 |
| | | | Series 600 tape cassette systems | 2-8.2.2.1 | 8-14 |

| Term | Reference | Page | Term | Reference | Page |
|----------------------------------|--------------|-------|--|--------------|-------|
| *SET | 3-10.5.3.2.3 | 10-26 | SPD | | |
| SETBP\$ | 2-4.10.4 | 4-73 | store processor designators | 2-4.10.2.1 | 4-69 |
| @SETC | 2-3.10.4.1 | 3-72 | SOR\$ | 4-2.5.9 | 2-97 |
| SETC\$ | 2-4.4.1 | 4-20 | generation of source output | 4-2.5.9 | 2-97 |
| SGS | 3-10.3 | 10-6 | Source input routines (SIR\$) | 4-2.5.6 | 2-61 |
| dynamic expansion | 3-10.5.3.3.1 | 10-31 | close source (CLOSR\$) | 4-2.5.6.7 | 2-69 |
| SINF\$ | 4-2.5.3.5 | 2-54 | control options | 4-2.5.6.1 | 2-64 |
| SIR\$ | 4-2.5.6 | 2-61 | get source image in ASCII (GETAS\$) | 4-2.5.6.5 | 2-68 |
| control options | 4-2.5.6.1 | 2-64 | get source image in Native mode | 4-2.5.6.6 | 2-69 |
| externalized labels | 4-2.5.6.8 | 2-70 | (GETNM\$) | | |
| multipass capability | 4-2.5.6.9 | 2-70 | get source image in Fielddata (GETSR\$) | 4-2.5.6.4 | 2-67 |
| Skeleton image | | | initiative | 4-2.5.6.3 | 2-66 |
| calling a predefined sequence | 3-10.5.3.1.2 | 10-19 | open source | 4-2.5.6.2 | 2-65 |
| defining sequences | 3-10.5.3.1 | 10-19 | (OPNSR\$) | | |
| loops | 3-10.5.3.2.1 | 10-24 | options | 4-Table 2-13 | 2-64 |
| outputting | 3-10.5.3.5 | 10-34 | | 3-Table 1-2 | 1-9 |
| nondirective as one image | | | Source language | | |
| skipping | 3-10.5.3.7 | 10-38 | SECURE | 3-9.7 | 9-6 |
| correction file entry | 3-10.5.3.7.6 | 10-49 | structure duplication | 3-2.2.2.20 | 2-27 |
| existence | | | Source output routines (SOR\$) | 4-2.5.9 | 2-97 |
| *IF relational test | 3-10.5.3.7.4 | 10-44 | end source output | 4-2.5.9.3 | 2-100 |
| *IF row or column search | 3-10.5.3.7.5 | 10-46 | generation of source output (SOR\$) | 4-2.5.9.2 | 2-99 |
| *IF variable test | 3-10.5.3.7.1 | 10-40 | start routine (SSOR\$) | 4-2.5.9.1 | 2-99 |
| @@SKIP | 2-A.2 | A-10 | SROR\$ | 4-2.5.8.1 | 2-89 |
| | 2-Table 8-1 | 8-4 | | | |
| SLT\$ | 3-2.2.8 | 2-58 | @SSG options | 3-10.2.1 | 10-1 |
| SNAP | 3-2.2.2.10 | 2-15 | | 3-Table 10-1 | 10-2 |
| SNAP\$ | 2-4.10.3 | 4-72 | SSG processor | 3-Section 10 | |
| Snapshot dumps | | | control statement | 3-10.2.1 | 10-1 |
| adding | 3-2.2.2.10 | 2-15 | diagnostic messages | 3-10.6 | 10-62 |
| main storage | 2-4.10.3 | 4-72 | directive structure | 3-10.5.1 | 10-16 |
| SNOOPY | 4-2.3.1 | 2-5 | file identification | 3-10.2.2 | 10-4 |
| commands | 4-Table 2-3 | 2-10 | statements | | |
| control flags | 4-Table 2-4 | 2-16 | fundamentals of SYMSTREAM | 3-10.5.1 | 10-16 |
| | | | general | 2-1.4.9 | 1-8 |

| Term | Reference | Page | Term | Reference | Page |
|--|--------------|-------|---------------------------------------|----------------------------------|-------------------------|
| input and output streams | 3-10.2 | 10-1 | permanent revised temporary temporary | 3-10.4.2 3-10.4.5 3-10.4.3 | 10-11 10-15 10-12 |
| Standard processor identification line | 4-2.5.4 | 2-58 | Subroutines, EDIT\$ | 4-Table 2-5 | 2-24 |
| format | 4-2.5.4 | 2-58 | EDIT\$ | 4-Table 2-5 | 2-24 |
| IDBUFF | 4-2.5.4 | 2-59 | EDITR\$ | 4-Table 2-5 | 2-24 |
| IDLINES | 4-2.5.4.1 | 2-59 | EDITX\$ | 4-Table 2-5 | 2-24 |
| IDONLY\$ | 4-2.5.4.2 | 2-60 | SUP formula | 2-12.5.5.2 | 12-16 |
| SSOR\$ | 4-2.5.9.1 | 2-99 | Supervisor | 2-1.3.3.2 | 1-4 |
| SSTYP\$ | 4-2.1.6 | 2-4 | Switching | 2-12.5.6.2 | 12-18 |
| @START | 2-3.4.3 | 3-15 | @SYM | 2-3.6.3 | 3-29 |
| status code | 2-C.4.4 | C-34 | examples of usage | 2-3.6.4 | 3-31 |
| | 2-Table C-5 | C-34 | status code | 2-C.4.2 | C-33 |
| with DATA processor | 3-Section 6 | | | 2-Table C-3 | C-33 |
| with ELT processor | 3-Section 5 | | Symbionts | | |
| Starting address redefinition | 3-2.2.2.6 | 2-10 | alternate file | 2-3.6.2.2 | 3-29 |
| Status | | | breakpoint | | |
| initial execution | 2-3.4.4.1 | 3-17 | demand | 2-8.2 | 8-8 |
| program file package | 3-11.3.1.6 | 11-22 | demand interface | 2-8.1.1.3 | 8-3 |
| conditions | | | directive statements | 2-3.6 | 3-26 |
| Status codes | | | file concepts | 2-2.4.3.1 | 2-17 |
| checkpoint/restart | 2-C.4.5 | C-35 | general | 2-5.1.1 | 5-1 |
| ERR mode | 2-C.3 | C-18 | input/output | 2-1.3.3.6 | 1-5 |
| facility request | 2-C.2 | C-15 | interface requests | 2-Section 5 | |
| | 2-C.4.1 | C-32 | output | 2-2.4.3 | 2-16 |
| error termination | 2-Table C-7 | C-37 | output file error | 2-5.7 | 5-24 |
| successful completion | 2-Table C-6 | C-35 | recovery | | |
| guard mode and | 2-C.6 | C-36 | output file queuing | 2-3.6.3 | 3-29 |
| undefined sequence | | | primary output file | 2-3.6.2.1 | 3-28 |
| for 1110 | | | breakpoint | | |
| I/O | 2-6.10 | 6-42 | user interface | 2-5.1.2 | 5-2 |
| | 2-C.3 | C-18 | routines | | |
| @ADD | 2-C.4.3 | C-34 | Symbiont, demand | 2-8.2 | 8-8 |
| @BRKPT | 2-C.4.2 | C-33 | DCT 500/475 | 2-8.2.1 | 8-8 |
| CSF\$ | 2-C.4 | C-32 | DCT 1000 | 2-8.2.2 | 8-13 |
| PFP | 3-11.3.1.6 | 11-22 | Friden 7100 | 2-8.2.1 | 8-8 |
| @START | 2-C.4.4 | C-34 | general operation | 2-8.1.1 | 8-2 |
| @SYM | 2-C.4.2 | C-33 | Tektronix 4013 | 2-8.2.1.8 | 8-12 |
| Storage parity error | 2-12.7.3.1 | 12-22 | teletypewriter | 2-8.2.1 | 8-8 |
| interrupts | | | UNISCOPE 100/200 | 2-8.2.2 | 8-13 |
| Stream | | | UNISCOPE 300 | 2-8.2.3 | 8-19 |
| generation statements | 3-10.3 | 10-6 | Symbolic element | | |
| input | 3-10.2.2 | 10-1 | compressed | 4-2.5.6.10 | 2-70 |
| merging input | 3-10.5.3.8.1 | 10-54 | cycles | 2-2.6.5 | 2-25 |
| output | 3-10.2.4 | 10-5 | modification | 3-1.2 | 1-2 |

| Term | Reference | Page | Term | Reference | Page |
|------------------------------|--------------|-------|---|--------------|-------|
| subtypes | 4-Table 2-2 | 2-4 | skeleton image loops (*INCREMENT and *LOOP) | 3-10.5.3.2.1 | 10-24 |
| Symbolic processors | | | skipping skeleton images (*IF, *ELSE, and *END) | 3-10.5.3.7 | 10-38 |
| CULL | 4-Section 4 | | variable division | 3-10.5.3.2.5 | 10-29 |
| DATA | 3-Section 6 | | (*DIVIDE) | | |
| ED | 3-Section 7 | | variable multiplication | 3-10.5.3.2.4 | 10-28 |
| ELT | 3-Section 5 | | (*MULTIPLY) | | |
| LIST | 4-Section 7 | | zeroing existing and created variables | 3-10.5.3.2.2 | 10-25 |
| (*CLEAR) | | | | | |
| Symbolic stream generator | | | SYS\$*ARCHIVE\$ | 3-9.14.5 | 9-20 |
| See SSG processor | | | SYSBAL\$ | 2-4.8.5 | 4-38 |
| SYMSTREAM | | | System data format | 3-11.2.3 | 11-9 |
| directive structure | 3-10.5.3 | 10-18 | System data format input/output routines | 4-2.6.4 | 2-104 |
| elements | 3-10.4.1 | 10-11 | input routine (SDFI) | 4-2.6.4.1 | 2-104 |
| fundamentals | 3-10.4 | 10-10 | output routine (SDFO) | 4-2.6.4.2 | 2-107 |
| syntax | 3-10.5.2 | 10-17 | System standard assembly procedures | 4-2.1 | 2-1 |
| SYMSTREAM elements | 3-10.4 | 10-10 | assembly procedure collection (PROC\$) | 4-2.1.5 | 2-3 |
| integer expressions | 3-10.5.1 | 10-16 | ER and function definition PROC (ERU\$) | 4-2.1.4 | 2-2 |
| numeric expressions | 3-10.5.1 | 10-16 | numeric definition PROC (AXR\$) | 4-2.1.1 | 2-1 |
| process parameters | 3-10.5.3.1.3 | 10-20 | | | |
| stream generation | 3-10.3 | 10-6 | T | | |
| statements | | | | | |
| variables | 3-10.5.3.2 | 10-23 | Table | | |
| SYMSTREAM syntax | 3-10.5 | 10-16 | Collector produced | 2-4.11.4.3 | 4-81 |
| calling a predefined | 3-10.5.3.1.3 | 10-20 | 3-2.2.8 | 2-57 | |
| sequence of skeleton | | | updating element tables | 3-11.3.1.1 | 11-18 |
| images (*PROCESS) | | | | | |
| changing existing or | 3-10.5.3.2.3 | 10-26 | Table of Contents | 3-11.3.1.2 | 11-19 |
| created variables | | | search | | |
| (*SET) | | | TABLE\$ | 4-2.6.3 | 2-104 |
| defining skeleton | 3-10.5.3.1.1 | 10-19 | | | |
| image sequences | | | Tags | | |
| (*DEFINE and *END) | | | Collector defined | 3-2.2.9 | 2-60 |
| deleting SGSs and | 3-10.5.3.3.2 | 10-32 | | | |
| PERM and TEMP | | | Tape | | |
| element/version | | | ADI considerations | 2-6.9.5 | 6-40 |
| names (*REMOVE) | | | | | |
| directing the output | 3-10.5.3.6.1 | 10-36 | | | |
| stream (*BRKPT) | | | | | |
| dynamic expansion of | 3-10.5.3.3.1 | 10-31 | | | |
| SGSs or PERM and | | | | | |
| TEMP chains | | | | | |
| (*CREATE) | | | | | |
| merging input | 3-10.5.3.8.1 | 10-54 | | | |
| streams (*CORRECT | | | | | |
| and *END) | | | | | |
| outputting | 3-10.5.3.5 | 10-34 | | | |
| nondirective skeleton | | | | | |
| images as one image | | | | | |
| (*EDIT) | | | | | |

| Term | Reference | Page | Term | Reference | Page |
|--------------------------|-------------|-------|---------------------------------------|----------------------|-------------|
| assigning files | 2-3.7.1.2 | 3-45 | termination | 2-2.5.6 | 2-21 |
| block dump | 3-3.3.1.4 | 3-11 | TBLWR\$ | 4-2.5.8.4 | 2-94 |
| handler functions | 2-6.4.1 | 6-12 | Base | 4-Table 2-15 | 2-95 |
| labeling (TLBL\$) | 2-7.3 | 7-20 | undefined symbol | 4-Table 2-17 | 2-96 |
| marking an EOF | 3-4.2.9 | 4-24 | T\$CELL | 2-4.3.4.1 | 4-14 |
| reading and writing | 2-7.3.1 | 7-20 | TDATE\$ | 2-4.5.2 | 4-21 |
| label blocks | | | Tektronix Model 4013 | 2-8.2.1.8 | 8-12 |
| unit mode control | 2-3.7.2 | 3-56 | Teletypewriter | | |
| see also magnetic tape | | | demand symbiont | 2-8.2.1 | 8-8 |
| Tape file | | | interrupting output | 2-8.2.1.4 | 8-10 |
| closing | 3-4.2.10 | 4-24 | operation | 2-8.2.1.5 | 8-10 |
| copying from | 3-4.2.3 | 4-13 | modification control statements | | |
| program files | | | operational considerations | 2-8.2.1.1 | 8-8 |
| copying to program | 3-4.2.2 | 4-10 | paper tape operations | 2-8.2.1.2 | 8-8 |
| files | | | special characters | 2-8.2.1.3 | 8-9 |
| initialization (TINTL\$) | 2-7.2.8 | 7-18 | Temporary program file (TPF\$) | 2-3.9 | 3-66 |
| positioning | 3-4.2.4 | 4-15 | @ @TERM | 2-A.2 2-Table 8-1 | A-10 8-5 |
| rewinding | 3-4.2.8 | 4-24 | Terminal Security System (TSS) | 2-8.3 | 8-21 |
| swapping reels | 2-7.2.9 | 7-19 | error messages | 2-8.3.3.5 | 8-24 |
| (TSWAP\$) | | | general | 2-8.3.1 | 8-21 |
| Tape handler | | | logging on | 2-8.3.2 | 8-21 |
| abnormal frame count | 2-6.4.2.4 | 6-22 | termination | 2-8.3.3.4 | 8-24 |
| considerations | | | use of TSS processor | 2-8.3.3 | 8-23 |
| functions | 2-6.4.1 | 6-12 | by user | | |
| move considerations | 2-6.4.2.3 | 6-22 | commands | 2-8.3.3 | 8-23 |
| multiple channel | 2-6.4.3 | 6-22 | add a password | 2-8.3.3.1 | 8-23 |
| read backward | 2-6.4.2.1 | 6-17 | (PWORD) | | |
| limitations | | | change a password | 2-8.3.3.3 | 8-24 |
| scatter read/gather | 2-6.4.2.5 | 6-22 | (ALTER) | | |
| write considerations | | | list legal passwords | 2-8.3.3.2 | 8-24 |
| for UNISERVO 20 | | | (PLIST) | | |
| SECURE features | 3-9.14.4 | 9-19 | terminate | 2-8.3.3.4 | 8-24 |
| write considerations | 2-6.4.2.2 | 6-17 | processor (EXIT) | | |
| Tape labeling | 2-7.3 | 7-20 | @TEST | 2-3.10.4.2 | 3-73 |
| Tape, paper input | 2-8.2.1.2.2 | 8-9 | Test and set | | |
| Task | | | cell format | 2-4.3.4.1 | 4-14 |
| batch | 2-12.5.5.1 | 12-13 | clear and activate | 2-4.3.4.6 | 4-16 |
| control, basic | 2-2.5 | 2-18 | clear and notify EXEC | 2-4.3.4.4 | 4-15 |
| concepts | | | | | |
| deadline | 2-12.5.5.1 | 12-14 | | | |
| demand | 2-12.5.5.1 | 12-14 | | | |
| execution and switching | 2-2.5.3 | 2-19 | | | |
| initiation | 2-2.5.2 | 2-18 | | | |
| real-time | 2-2.5.1 | 2-18 | | | |
| | 2-12.5.5.1 | 12-14 | | | |

| Term | Reference | Page | Term | Reference | Page |
|---|-------------------------|--------------|------------------------------------|------------------------------|------|
| clear and queue | 2-4.3.4.5 | 4-16 | TREAD\$ | 2-5.2.5 | 5-7 |
| examples of usage | 2-4.3.4.7 | 4-17 | TRMRG\$ | 2-4.9.6.5 | 4-65 |
| protecting data within | 2-4.11.8.1 | 4-84 | TSQCL\$ | 2-4.3.4.3 | 4-15 |
| common banks and reentrant processors | | | TSQRG\$ | 2-4.3.4.2 | 4-15 |
| queuing | 2-4.3.4 | 4-13 | TSS | See Terminal Security System | |
| | 2-4.11.8.3 | 4-85 | TSWAP\$ | 2-7.2.9 | 7-19 |
| | 2-4.11.8.3 | 4-85 | @@TTY | 2-A.2 | A-10 |
| queuing | 2-4.3.4.3 | 4-15 | | 2-8.2.1.5 | 8-10 |
| deregistration | | | TWAIT\$ | 2-4.3.6 | 4-19 |
| queuing registration | 2-4.3.4.2 | 4-15 | TYPE | 3-2.2.2.13 | 2-19 |
| usage | 2-10.4.3 | 10-9 | | | |
| Text | | | | | |
| control (DOC) | 4-5.4.4 | 5-11 | | | |
| Text editor (ED processor) | 2-1.4.7 3-Section 7 | 1-8 | | | |
| TFORK\$ | 2-4.3.1.2 | 4-7 | | | |
| Time and date | | | | | |
| binary | 2-4.5.2 | 4-21 | | | |
| Fielddata | 2-4.5.1 | 4-20 | Undefined sequence status codes | 2-C.6 | C-36 |
| editing routines | 4-Table 2-6 | 2-25 | | | |
| TIME\$ | 2-4.5.3 | 4-21 | UNISCOPE 100/200 | | |
| Time-sharing | 2-1.3.1.2 2-12.5.5.4 | 1-3 12-17 | control statements | 2-8.2.2.3 | 8-17 |
| | | | cursor/SOE | 2-Table D-3 | D-6 |
| Timed wait | | | coordinates | | |
| activity | 2-4.3.6 | 4-19 | display terminal | 2-D.3 | D-5 |
| considerations | 2-10.4.2.5 | 10-8 | control functions | | |
| creating an activity with | 2-4.3.1.2 | 4-7 | operational | 2-8.2.2.1 | 8-13 |
| TINTL\$ | 2-7.2.8 | 7-18 | considerations | | |
| TIP | 2-1.3.1.4 | 1-3 | | | |
| TLBL\$ | 2-7.3.2 | 7-22 | UNISERVO IVC, VIC and VIIIC | | |
| Title control (DOC) directives | 4-5.4.1 4-Table 5-3 | 5-7 5-8 | BCD/Fielddata | 2-Table 6-6 | 6-24 |
| TPF\$ | 2-3.9 | 3-66 | translation | | |
| Transaction Processing Interface (TIP) | 2-1.3.1.4 | 1-3 | unit record FITEM\$ | 2-7.2.6.1 | 7-6 |
| | | | request packet | | |
| Transparent control statements | 2-3.2.8 2-8.1.1.3.2 | 3-4 8-5 | Unitized channel storage | 2-6.5 | 6-25 |
| | | | handler | | |
| | | | UNLCK\$ | 2-6.3.8 | 6-12 |
| | | | real-time | 2-10.4.2.3 | 10-8 |

| Term | Reference | Page | Term | Reference | Page |
|--|------------------|--------------|-------------------------------------|----------------------|-------------|
| UNLNK\$ | 2-4.8.6.4 | 4-46 | WAIT\$ | 2-6.3.1 | 6-9 |
| @USE status code | 2-3.7.5 2-C.2 | 3-62 C-15 | WALL\$ | 2-6.3.2 | 6-9 |
| User breakpoint setting | 2-4.10.4 | 4-73 | WANY\$ | 2-6.3.2 | 6-9 |
| User-id TSS | 2-3.4.1 2-8.3 | 3-7 8-21 | Word-addressable mass storage | 2-2.2.1 | 2-11 |
| Utility routines | 4-2.6 | 2-101 | assigning files | 2-3.7.1.3 | 3-51 |
| ASCII to Fieldata conversion (ASCFD\$) | 4-2.6.2.2 | 2-103 | FITEM\$ packet format | 2-7.2.6.4 | 7-10 |
| compute absolute address (CABSAD\$) | 4-2.3.2.1 | 2-16 | handler | 2-6.5 | 6-25 |
| compute relative address (CRELAD\$) | 4-2.3.3.1 | 2-19 | I/O functions and codes | 2-Table 6-7 | 6-26 |
| Fieldata to ASCII conversion (FDASC\$) | 4-2.6.2.1 | 2-103 | Word-addressable mass storage | | |
| Fieldata to ASCII conversion table (TABLE\$) | 4-2.6.3 | 2-104 | handler | 2-6.5 | 6-25 |
| Master file directory | 4-2.6.1 | 2-101 | considerations | 2-6.5.2 | 6-25 |
| service package (MFDSP\$) | | | functions | 2-6.5.1 | 6-25 |
| system data format input (SDFI) | 4-2.6.4.1 | 2-104 | multiple channel operations | 2-6.5.3 | 6-25 |
| system data format output (SDO) | 4-2.6.4.2 | 2-107 | Write | | |
| | | | considerations for tape | 2-6.4.2.2 | 6-17 |
| | | | protect mode | 2-4.11.3 | 4-80 |
| | | | retrieving next location address | 3-11.3.1.5 | 11-21 |
| | | | updating next location | 3-11.3.1.4 | 11-21 |
| V | | | Writing, tape label blocks | 2-7.3.1 | 7-20 |
| Variable (SSG) | | | WTS | 2-9.1.1.1 | 9-1 |
| changing existing or created | 3-10.5.3.2.3 | 10-26 | | | |
| division | 3-10.5.3.2.5 | 10-29 | X | | |
| multiplication | 3-10.5.3.2.4 | 10-28 | @@X | 2-A.2 2-Table 8-1 | A-10 8-4 |
| SYMSTREAM | 3-10.5 | 10-16 | X\$AND | 3-3.3.2.3 | 3-23 |
| zeroing existing and created | 3-10.5.3.2.2 | 10-25 | XBACK\$ | 3-3.3.3.3 | 3-26 |
| Version names | | | XBUFR\$ | 3-3.3.3.1 | 3-25 |
| changing | 3-4.2.15 | 4-27 | X\$BUFR | 3-3.3.3.1 | 3-25 |
| deleting PERM and TEMP | 3-10.5.3.3.2 | 10-32 | XCORE\$ | 3-3.3.1.1 | 3-9 |
| W | | | XCREG\$ | 3-3.3.1.7 | 3-16 |
| Wait | | | | | |
| completion of any I/O | 2-6.3.2 | 6-9 | | | |
| completion of specific I/O | 2-6.3.1 | 6-9 | | | |

| Term | Reference | Page | Term | Reference | Page |
|----------|-------------|------|---|--------------------|--------------|
| XCW\$ | 3-3.3.1.3 | 3-11 | X\$OR | 3-3.3.2.2 | 3-23 |
| XDRUM\$ | 3-3.3.1.5 | 3-14 | @XQT retrieving options (OPT\$) | 2-3.4.4 2-4.8.1 | 3-16 4-30 |
| X\$DUMP | 3-3.3.1.8.1 | 3-17 | XREF\$ | 3-2.2.8 | 2-57 |
| XDUMP\$ | 3-3.3.1.2 | 3-10 | XSEG | 3-2.2.2.17 | 2-22 |
| X\$FILE | 3-3.3.1.6 | 3-15 | X\$SIZE | 3-3.3.3.5 | 3-28 |
| XFRMT\$ | 3-3.3.1.8.2 | 3-19 | XSTAT\$ | 3-3.3.3.2 | 3-25 |
| X\$IF | 3-3.3.2.1 | 3-21 | X\$TALY | 3-3.3.2.4 | 3-24 |
| XMARK\$ | 3-3.3.3.3 | 3-26 | XTAPE\$ | 3-3.3.1.4 | 3-13 |
| XMESSG\$ | 3-3.3.3.4 | 3-27 | Z | | |
| X\$OFF | 3-3.3.3.2 | 3-25 | Zeroing existing and created variables | 3-10.5.3.2.2 | 10-25 |
| X\$ON | 3-3.3.3.2 | 3-25 | | | |