

SmartStart Scripting Toolkit 1.8

Support Matrix

The SmartStart Scripting Toolkit provides the ability to build an automated, unattended server deployment solution for high-volume server deployment.

IMPORTANT: Because the SmartStart Scripting Toolkit practices align with SmartStart releases, version 1.8 and forward of the Toolkit is optimized for SmartStart 6.0 and later, while SmartStart Scripting Toolkit version 1.7 and earlier will align to releases of the SmartStart 5.x family. For additional information, visit www.hp.com/servers/sstoolkit.

Hardware Support

The following tables show the HP hardware that is supported by the SmartStart Scripting Toolkit. While all of the Toolkit utilities, except the Configuration Replication (CONREP) Utility, should run on all unsupported servers, the utilities have been tested only on the servers listed in Table 1, Table 2, and Table 3, and the server options listed in Table 4.

NOTE: The Integrated ATA RAID Replication Utility (HYPERCFG) only supports the embedded AMI ATA RAID controller in the ProLiant ML330 Generation 2 server.

Operating System Support

The SmartStart Scripting Toolkit supports the following operating systems:

- Microsoft Windows NT 4.0
- Microsoft Windows 2000 Server
- Microsoft Windows 2000 Advanced Server
- Novell NetWare 5.1
- Novell NetWare 6
- Red Hat Linux Advance Server 2.1 *NEW*
- Red Hat Linux 7.3

IMPORTANT: Updates to the Linux files (init.rd) may be required to support various servers and server options.

Table 1: Supported ProLiant BL Servers

ProLiant BL Servers	ProLiant BL10e
	ProLiant BL20p <i>NEW</i>

Table 2: Supported ProLiant DL Servers

ProLiant DL Servers	ProLiant DL320
	ProLiant DL360
	ProLiant DL360 G2
	ProLiant DL380
	ProLiant DL380 G2
	ProLiant DL380 G3 <i>NEW</i>
	ProLiant DL580
	ProLiant DL580 G2
	ProLiant DL760

Table 3: Supported ProLiant ML Servers

ProLiant ML Servers	ProLiant ML310
	ProLiant ML330
	ProLiant ML330e
	ProLiant ML330 G2
	ProLiant ML350
	ProLiant ML350 G2
	ProLiant ML350 G3
	ProLiant ML370
	ProLiant ML370 G2
	ProLiant ML370 G3
	ProLiant ML530
	ProLiant ML530 G2
	ProLiant ML570
	ProLiant ML570 G2 <i>NEW</i>
ProLiant ML750	

Table 4: Supported Server Options

Remote Insight Option	Remote Insight Lights-Out Edition (RILOE)
	Remote Insight Lights-Out II Edition (RILOE II) <i>NEW</i>
Storage Controller Options	Smart-2/P Array
	Smart-2/SL Array
	Smart-2/DH Array
	Smart Array 221
	Integrated Smart Array
	Smart Array 3200
	Smart Array 4200
	Smart Array 431
	Smart Array 5300
	Smart Array 5312
	Smart Array 532
	Smart Array 5i
	AMI ATA RAID Controller—embedded on the ProLiant ML330 G2
	RAID Array 4000
	RAID Array Host Controller /P
	64-Bit/66-MHz Fibre Channel Host Bus Adapter
Smart Array 5302/Fibre Channel Controller	

Microsoft, Windows, and Windows NT are trademarks of Microsoft Corporation in the U.S. and other countries. All other product names mentioned herein may be trademarks of their respective companies.

Hewlett-Packard Company shall not be liable for technical or editorial errors or omissions contained herein. The information in this document is provided "as is" without warranty of any kind and is subject to change without notice. The warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty.

Fifth Edition (October 2002)
Part Number 272938-005



272938-005