

# STL2 & SC5000 KDK

## Configuration Guide

A reference guide to assist customers in ordering the components necessary to configure the STL2 & SC5000 Knock-Down-Kit products

Revision 2.0 (March, 2001)



# **STL2 & SC5000 KDK Configuration Guide**

## **Table of Contents**

<b>Production Boxed STL2 &amp; SC5000 KDK Configuration Guide</b>	<b>5</b>
<b>Production OEM STL2 &amp; SC5000 KDK Configuration Guide</b>	<b>7</b>
<b>SC5000 SKU List</b>	<b>9</b>



# Production Boxed STL2 & SC5000 KDK Configuration Guide

## 1. Production Boxed STL2 Boards contain the following:

- 1 STL2 server board
- 1 Processor terminator for Uni-processor operation
- 1 I/O shield
- 1 Voltage Regulating Module (VRM) for Dual-processor operation
- 1 Ultra160 SCSI cable, IDE cable, & floppy cable
- 1 Adjustable stand-off
- 1 CD-ROM with Server Management Tools, Software Drivers, Configuration Tools, and Technical Product Information
- 1 Quick Start Guide

## 2. Three SC5000 KDK configurations will be offered, see below for details:

### 2a. Production SC5000 base KDKs contain the following:

- 1 SC5000 server chassis
- 2 Fans
- 1 300W PFC power supply
- 1 Front Panel
- 5 3.5" to 5.25" hard drive adapter trays
- 3 5.25" half-height removable media bays

### 2b. Or Production SC5000 hot-swap KDKs contain the following:

- 1 SC5000 server chassis
- 2 Fans
- 1 300W PFC power supply
- 1 Front Panel
- 2 3.5" to 5.25" hard drive adapter trays
- 1 Ultra160 SCSI backplane supporting 5 1" SCA drives
- 1 SCSI SAF-TE board
- 5 1" SCSI carriers with drive blanks (baffles)
- 3 5.25" half-height removable media bays

### 2c. Or Production SC5000 hot-swap redundant power KDKs contain the following:

- 1 SC5000 server chassis
- 2 Fans
- 1 350W 1+1 power supply
- 1 Front Panel
- 2 3.5" to 5.25" hard drive adapter trays
- 1 Ultra160 SCSI backplane supporting 5 1" SCA drives
- 1 SCSI SAF-TE board
- 5 1" SCSI carriers with drive blanks (baffles)
- 3 5.25" half-height removable media bays

## 3. The following necessary items are not contained in the STL2 or SC5000 KDK

- Processors
- Memory
- Hard Disk Drives
- CD ROM Drive
- Floppy Drive

**4a. To configure a Production STL2 system using the SC5000 base SKU, use the following table:**

Product Codes	MM#	Min Order Qty	Description
STL2	830522	5	STL2 Production Boxed Board
KHDBASEU	830612	1	SC5000 base KDK
Not offered	-	-	CD ROM Drive (please order through your normal channels)
Not offered	-	-	Hard Disk Drive (please order through your normal channels)
Not offered	-	-	Floppy Drive (please order through your normal channels)
Not offered	-	-	Memory (please order through your normal channels)

**4b. To configure a Production STL2 system using the SC5000 hot-swap SKU, use the following table:**

Product Codes	MM#	Min Order Qty	Description
STL2	830522	5	STL2 Production Boxed Board
KHDHSU	830610	1	SC5000 hot-swap drive SKU
Not offered	-	-	CD ROM Drive (please order through your normal channels)
Not offered	-	-	Hard Disk Drive (please order through your normal channels)
Not offered	-	-	Floppy Drive (please order through your normal channels)
Not offered	-	-	Memory (please order through your normal channels)

**4c. To configure a Production STL2 system using the SC5000 hot-swap redundant power SKU, use the following table:**

Product Codes	MM#	Min Order Qty	Description
STL2	830522	5	STL2 Production Boxed Board
KHDHSRPU	830611	1	SC5000 hot-swap redundant power SKU
Not offered	-	-	CD ROM Drive (please order through your normal channels)
Not offered	-	-	Hard Disk Drive (please order through your normal channels)
Not offered	-	-	Floppy Drive (please order through your normal channels)
Not offered	-	-	Memory (please order through your normal channels)

**5. Additional accessories available:**

Product Codes	MM#	Min Order Qty	Description
AHDRACK	822735	1	<b>Pedestal-To-Rack conversion kit</b> containing: Rack Bezel, reorientation bracket, rack ears, slide rails, mounting screws, bottom panel
AHD2HSDRVUGU	830998	1	<b>10-hot-swap drives upgrade kit</b> containing: 1 Hotswap Drive Cage, 1 Hotswap Backplane, 5 Drive Carriers, manual, & cables. <b>Can only be used with KHDHSRPU</b> to provide a total of 10 hot-swap drives.
AXXHSDRVUGU	830999	1	<b>Hot-swap drives upgrade kit</b> containing: Hotswap Drive Cage, Hotswap Backplane, Drive Carriers, manual. <b>Used to convert KHDBASEU to KHDHSU</b>
FHDSPRSU	831000	1	<b>Channel Spares kit</b> containing: 92 mm system fan, 350W PS module, 350W PS housing, 300W PS, front panel, SCSI backplane, SAF-TE card, Alarm cable, Ultra160 cable, IPMI cable; all items individually shippable

# Production OEM STL2 & SC5000 KDK Configuration Guide

## 1. STL2 Production OEM Boards contains the following:

- 1 STL2 server board

## 2. Three SC5000 KDK configurations will be offered, see below for details:

### 2a. Production SC5000 base KDKs contain the following:

- 1 SC5000 server chassis
- 2 Fans
- 1 300W PFC power supply
- 1 Front Panel
- 5 3.5" to 5.25" hard drive adapter trays
- 3 5.25" half-height removable media bays

### 2b. Or Production SC5000 hot-swap KDKs contain the following:

- 1 SC5000 server chassis
- 2 Fans
- 1 300W PFC power supply
- 1 Front Panel
- 2 3.5" to 5.25" hard drive adapter trays
- 1 Ultra160 SCSI backplane supporting 5 1" SCA drives
- 1 SCSI SAF-TE board
- 5 1" SCSI carriers with drive blanks (baffles)
- 3 5.25" half-height removable media bays

### 2c. Or Production SC5000 hot-swap redundant power KDKs contain the following:

- 1 SC5000 server chassis
- 2 Fans
- 1 350W 1+1 power supply
- 1 Front Panel
- 2 3.5" to 5.25" hard drive adapter trays
- 1 Ultra160 SCSI backplane supporting 5 1" SCA drives
- 1 SCSI SAF-TE board
- 5 1" SCSI carriers with drive blanks (baffles)
- 3 5.25" half-height removable media bays

## 3. The following necessary items are not contained in the STL2 or SC5000 KDK

- Processor terminator for Uni-processor operation
- I/O shield
- Voltage Regulating Module (VRM) for Dual-processor operation
- Ultra160 SCSI cable, IDE cable, & floppy cable
- Adjustable stand-off
- Processors
- Memory
- Hard Disk Drives
- CD ROM Drive
- Floppy Drive

**4a. To configure a OEM STL2 system using the SC5000 base SKU, use the following table:**

Product Codes	MM#	Min Order Qty	Description
BTLBB	830519	10	STL2 Production OEM Board
KHDBASEU	830612	1	SC5000 base KDK
ATLVRM	832363	10	Voltage Regulating Module (VRM) for Dual-processor operation
ATLTERM	832362	10	Processor terminator for Uni-processor operation
ABTIO	830762	50	I/O shield
Not offered	-	-	CD ROM Drive (please order through your normal channels)
Not offered	-	-	Hard Disk Drive (please order through your normal channels)
Not offered	-	-	Floppy Drive (please order through your normal channels)
Not offered	-	-	Memory (please order through your normal channels)

**4b. To configure a OEM STL2 system using the SC5000 hot-swap SKU, use the following table:**

Product Codes	MM#	Min Order Qty	Description
BTLBB	830519	10	STL2 Production OEM Board
KHDHSU	830610	1	SC5000 hot-swap drive SKU
ATLVRM	832363	10	Voltage Regulating Module (VRM) for Dual-processor operation
ATLTERM	832362	10	Processor terminator for Uni-processor operation
ABTIO	830762	50	I/O shield
Not offered	-	-	CD ROM Drive (please order through your normal channels)
Not offered	-	-	Hard Disk Drive (please order through your normal channels)
Not offered	-	-	Floppy Drive (please order through your normal channels)
Not offered	-	-	Memory (please order through your normal channels)

**4c. To configure a OEM STL2 system using the SC5000 hot-swap redundant power SKU, use the following table:**

Product Codes	MM#	Min Order Qty	Description
BTLBB	830519	10	STL2 Production OEM Board
KHDHSRPU	830611	1	SC5000 hot-swap redundant power SKU
ATLVRM	832363	10	Voltage Regulating Module (VRM) for Dual-processor operation
ATLTERM	832362	10	Processor terminator for Uni-processor operation
ABTIO	830762	50	I/O shield
Not offered	-	-	CD ROM Drive (please order through your normal channels)
Not offered	-	-	Hard Disk Drive (please order through your normal channels)
Not offered	-	-	Floppy Drive (please order through your normal channels)
Not offered	-	-	Memory (please order through your normal channels)

**5. Additional accessories available:**

Product Codes	MM#	Min Order Qty	Description
AHDRACK	822735	1	<b>Pedestal-To-Rack conversion kit</b> containing: Rack Bezel, reorientation bracket, rack ears, slide rails, mounting screws, bottom panel
AHD2HSDRVUGU	830998	1	<b>10-hot-swap drives upgrade kit</b> containing: 1 Hotswap Drive Cage, 1 Hotswap Backplane, 5 Drive Carriers, manual, & cables. <b>Can only be used with KHDHSRPU</b> to provide a total of 10 hot-swap drives.
AXXHSDRVUGU	830999	1	<b>Hot-swap drives upgrade kit</b> containing: Hotswap Drive Cage, Hotswap Backplane, Drive Carriers, manual. <b>Used to convert KHDBASEU to KHDHSU</b>
FHDSRPU	831000	1	<b>Channel Spares kit</b> containing: 92 mm system fan, 350W PS module, 350W PS housing, 300W PS, front panel, SCSI backplane, SAF-TE card, Alarm cable, Ultra160 cable, IPMI cable; all items individually shippable

## STL2 & SC5000 KDK SKU List

		Current		Min. Order Qty.
	Product Code	MM#	Description	
<b>Boards</b>	BTLBB1BPP	830520	Tupelo OEM Beta PP baseboard	1
	BTLBB1SPP	830521	Tupelo OEM Silver PP baseboard	1
	STL2PP	830524	Tupelo Boxed Silver PP baseboard	1
	BTLBB	830519	Tupelo OEM baseboard	
	STL2	830522	STL2 (Tupelo) Server board with: I/O shield, VRM, terminator card, 1 IDE cable, 1 floppy cable, U160 SCSI cable, front panel cable, 2 fan adapter cables, software CD, documentation.	5
<b>Accessories</b>	ATLBOXKIT	834181	<b>STL2 Box kit</b> containing <b>10 units of each</b> of the following: I/O shield, terminator card, VRM, U160 SCSI cable, Software CD, documentation.	1
	ATLLPVRM	833987	<b>STL2 Low-profile VRM</b> for use in 1U configurations. <b>Contains 10 units each</b>	1
<b>Spares</b>	ABTIO	830762	I/O shield for use with Baytown/Tupelo	50
	ATLTERM	832362	Tupelo terminator for use in uni-proceor configurations	10
	ATLVRM	832363	Plug-in VRM for use in dual-processor configurations	10
	FTLFPCBL	832781	Tupelo FP Adaptor cable	1

## STL2 & SC5000 KDK SKU List (Cont.)

	Product Code	Current MM#	Description	Minimum Qty
<b>KDKs</b>	KHDHSP	822156	Hudson hot swap drive KDK - preproduction	1
	KHDBASEPP	822303	Hudson base pre production	1
	KHDBASE	822731	KHDBASE (Hudson) Chassis Knockdown Kit - base configuration. For use with the BOXL440GXH server boards. <b>This SKU is discontinued as of WW32 - Please order KHDBASEU instead. Pricing applies to existing channel inventory only.</b>	1
	KHDHS	822732	KHDHS (Hudson) Chassis Knockdown Kit with Hot Swap drives. For use with the BOXL440GXH server boards. <b>This SKU is discontinued as of WW32 - Please order KHDHSU instead. Pricing applies to existing channel inventory only.</b>	1
	KHDHSRP	822733	Hudson Chassis Knockdown Kit with HS drives,HS/RP power. For use with the BOXL440GXH server boards. <b>This SKU is discontinued as of WW32 - Please order KHDHSRPU instead. Pricing applies to existing channel inventory only.</b>	1
	KHDBASEU	830612	SC5000 (Hudson) Chassis Knockdown Kit - base configuration. For use with the with STL2, & L440GX+	1
	KHDHSU	830610	SC5000 (Hudson) Chassis Knockdown Kit with Hot Swap drives. <b>For use with the with STL2, &amp; L440GX+</b>	1
	KHDHSRPU	830611	SC5000 (Hudson) Chassis Knockdown Kit with HS drives,HS/RP power. <b>For use with the with SBT2, STL2, &amp; L440GX+</b>	1
<b>Accessories</b>	AXXHSDRVUG	823263	<b>Hot-swap drives upgrade kit containing:</b> 1 Hotswap Drive Cage, 1 Hotswap Backplane, 5 Drive Carriers, manual & cables. <b>Used to convert KHDBASE to KHDHSHotswap. This SKU is discontinued as of WW32 - Please order AXXHSDRVUGU instead. Pricing applies to existing inventory only.</b>	1
	AHD2HSDRVUG	829685	<b>10-hot-swap drives upgrade kit containing:</b> 1 Hotswap Drive Cage, 1 Hotswap Backplane, 5 Drive Carriers, manual, fan & cables. <b>Can only be used with KHDHSRP to provide a total of 10 hot-swap drives. This SKU is discontinued as of WW32 - Please order AHD2HSDRVUGU instead. Pricing applies to existing inventory only.</b>	1
	AXXHSDRVUGU	830999	<b>Hot-swap drives upgrade kit containing:</b> 1 Hotswap Drive Cage, 1 Hotswap Backplane, 5 Drive Carriers, manual & cables. <b>Used to convert KHDBASEU to KHDHSU Hotswap For use with the with SBT2, STL2, &amp; L440GX+</b>	1
	AHD2HSDRVUGU	830998	<b>10-hot-swap drives upgrade kit containing:</b> 1 Hotswap Drive Cage, 1 Hotswap Backplane, 5 Drive Carriers, manual, fan & cables. <b>Can only be used with KHDHSRPU to provide a total of 10 hot-swap drives. For use with the with SBT2, STL2, &amp; L440GX+</b>	1
	AHDRACK	822735	<b>Hudson pedestal-to-rack conversion kit.</b> Contains: Rack Bezel, reorientation bracket, rack ears, slide rails, bottom panel & necessary hardware	1
<b>Spares</b>	FHDSPRS	825107	Channel Spares kit containing: 92 mm system fan, 350W PS module, 350W PS housing, 300W PS, front panel, SCSI backplane, SAF-TE card, Alarm cable, Ultra160 cable, IPMI cable; all items individually shippable. <b>This SKU is discontinued as of WW32 - Please order FHDSPRSU instead.</b>	1
	FHDSPRSU	831000	Channel Spares kit containing: 92 mm system fan, 350W PS module, 350W PS housing, 300W PS, front panel, SCSI backplane, SAF-TE card, Alarm cable, Ultra160 cable, IPMI cable; all items individually shippable.	1
	AIOATX	818475	I/O shield	50
	FHD300PS	825104	Power supply,300W	1
	FHDALRMCBL	823365	Alarm cable for Hudson, for lost, damaged cable	10
	FHDPEZPED	823368	Hudson Pedestal bezel; replaces damaged bezel	1
	FHDSEZRACK	823370	Hudson Rack bezel; replaces damaged bezel	1
	FHDBTTM	823372	Sheet metal bottom panels for Hudson; replace damaged parts	10
	FHDDRVLANK	824578	Covers unused HDD openings on Hudson; can be lost or damaged in handling	40
	FHDDRVARR	823375	1" SCSI Drive carrier; replaces lost/damaged carrier	10
	FHDEPAC	825105	Top & Bottom EPAC fan air duct	1
	FHDEYE2C	823392	I2C cable for internal connection to HSBP	10
	FHDFAN	825106	Main chassis fan for Hudson replaces failed unit	1
	FHDFEET	823396	Feet for pedestal configuration	10
	FHDFRNTPNL	823394	Hudson front panel board	1
	FHDHWKT	823393	3 sets of drive rails, screws for mounting baseboard, floppy, 5 1/4" peripherals, & feet	1
	FHDLVDSCL	823391	LVD SCSI cable for internal connection to HSBP	10
	FHDPKG	823390	External packaging for reshipping or replace damaged packaging	1
	FHDFAFTE	823389	Hudson LVDS hot swap SCSI backplane	1
	FHDSCSBRD	823388	Hudson LVDS hot swap SCSI SAF TE	1
	FHDSDE	823386	Sheet metal side panels for Hudson; replace damaged parts	10
	FHDHRD	823387	Hudson's HSBP fans are attached to this plastic shroud; attaches to back of HDD cage	10
	FHDTP	823385	Sheet metal top panels for Hudson; replace damaged parts	10
	FXX350HSE	823934	Housing, Power Supply, 350 1+1	1
	FXX350MDUL	823933	Module, Power Supply, 350 1+1	1
	FXXGURM001	828386	Grounded Universal Retention Mechanism	10
	FXXTERM133	828965	Termination card for 133 FSB processors	20
	AXXEXTSCSICBL	830656	Accessory: External SCSI cable kit - package of 5 cable kits	1
	AHDCARR5BLK	827933	Spare 1" hot swap SCSI hard drive carrier with black handle	5